


H. T. HALL


1000 2567-FAME

ベフフロ



Jamie 2/20/90 LATITUDE **☆B-276** <u>ALCINDA</u> 30 PERINE 80°47 18 A≌ M20M-56B-BEECH JNO. FLEMING N27°W-27.5 P. -<u>173 A≗.</u> N45°W-18 P. -HICKOR -N26°W-21/2 P. N41°20'W-21 P.-STONE STONE N 68°W-18 P. -581°W-11 P. S71°W-12 P. 580°W-18.5 P STONE -N40°W-2 P. 570°W-8P-BEECH N 11°30'E - 14 P. -98E-W°EEN STONE N 2°E-12 P. BEECH API-1575 580W-58.5 P HICKORY DOGWOOD 57°W 18.5P. STONE N 75°32W -N 71°W-13.75 P. LUTHER PERRINE -5 59°30'W-22.5 P. N70°W-36 P. 9 61 - M,0E .28N-JOHNSON H. FLEMING 20 5.605 FILE NO. I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE DRAWING NO .. CALE 1"=1,000" INFORMATION REQUIRED BY LAW AND THE REGU-MINIMUM DEGREE OF ACCURACY <u>1 PART</u> LATIONS ISSUED AND PRESCRIBED BY THE DEPART. PROVEN SOURCE OF MENT OF MINES. SURVE LEVATION BERRY ENERGY (SIGNED). WELL 8-276 ELEV. 1038' PLACE SEAL HERE -) DENOTES LOCATION OF DATE DECEMBER VELL ON UNITED STATES OPERATOR'S WELL NO. OPOGRAPHIC MAPS API WELL NO. SRIZIV-6 -017COUNTY STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION WELL TYPE: OIL __GAS_X_LIQUID INJECTION___WASTE DISPOSAL. (IF "GAS,") PRODUCTION X STORAGE __DEEP__SHALLOW X LOCATION: ELEVATION 1040' WATER SHED ARNOLDS CREEK WEST UNION DISTRICT_ _COUNTY___DODDRIDGE QUADRANGLE WEST UNION SURFACE OWNER RITCHIE N. BRITTON ACREAGE 173 OIL & GAS ROYALTY OWNER MICHAEL S. FRANCIS 173 _LEASE ACREAGE_ K-24-3 LEASE NO._ PROPOSED WORK: DRILL X CONVERT ___DRILL DEEPER ___REDRILL FRACTURE OR STIMULATE X PLUG OFF OLD FORMATION PERFORATE NEW FORMATION__OTHER PHYSICAL CHANGE IN WELL (SPECIFY) PLUG AND ABANDON. CLEAN OUT AND REPLUG. TARGET FORMATION ALEXANDER ___ESTIMATED DEPTH Amelian DESIGNATED AGENT WELL OPERATOR Easters P. O. BOX A P.O. BOX 1 ADDRESS. ADDRESS. GRANKLE , W. VA. COLERANGE -W. VA.

MAR 1 2 mag



123 JAN 651 STRAIGHTEA BLUESTONE

State of West Virginia Division of Environmental Protection Section of Oil and Gas Well Operator's Report of Well Work

BLB	The state of the s
I are a consideration commencement	A. California Service Communication Communic

	44 CH	perator b resp.	0110111			
Farm name:	BRITTON, ALLEN		0	perator Well	No.: Francis	#3 (J0108)
LOCATION:	Elevation: 1040.00 District: WEST UNION Latitude: 14320 Feet South of Longitude: 2990 Feet West of	of 39 Deg. 175 M of 80 Deg. 47 M	County: Do Min. 30 S	ODDRIDGE Sec.		
Company:	EASTERN AMERICAN ENE P O BOX 820 GLENVILLE WV 26351	r	Casing & Tubing	Used in Well	Left in Well	Cement Fill Up Cu. Ft.
Agent: JOHI	N PALETTI	8	3-5/8"	1469.9'	1469.9'	340 sxs
Inspector:	MIKE UNDERWOOD			505603	5056.01	505
Permit Issued:		4	1-1/2"	5256.2	5256.2'	525 sxs
Well work con	mmenced: 04/17/00					
Well work con	mpleted: 04/20/00					
Verbal pluggi	ng					
permission gra	anted on:					,
Rotary X (Cable Rig					
Total Depth (feet) 5366' (1980)					
Fresh water de	epths (ft) 295', 740', 1395'			~	rea? (Y/N)_N	_
Salt water der	oths (ft) <u>NONE</u>	(Coal Dept	hs (ft) NON	<u>E</u>	
OPEN FLOW	DATA					
Prod	ucing Formation Benson/3rd Riley	Pay zone dept	h (ft) <u>485</u>	<u>8 - 4774';</u>		
Gas:	Initial open flow 60 MCF/d C	il: Initial ope	en flow <u>N</u>	<u>I/A_</u> Bbl/d		RECEIVED
	Final open flow 315 MCF/d]	Final oper	n flow <u>N/A</u>	_Bbl/d	Office of Oil & Gas
Time	e of open flow between initial and	final tests 48	Hours			Permitting
Stati	c rock pressure 745 psi (surface	pressure) after	24_F	Iours		MAY 21 2001
	-					1171 FT 7001
2 nd F	Producing Formation Riley Pay z	one depth (ft) 44	<u> 144 - 4415</u>	<u>5';</u>		vvv Division of
Gas:	Initial open flow N/A MCF/d C	oil: Initial op	en flow_1	<u>V/A</u> Bbl/d		Environmental Protection
	Final open flow N/A MCF/d		Final oper	n flow <u>N/A</u>	_Bbl/d	
Time	e of open flow between initial and	final tests	_Hours			
Stati	ic rock pressurepsi (surface p	oressure) after _	Hou	rs		
3 rd F	Producing Formation_Balltown	_ Pay zone depti	h (ft) 384	<u>6' – 3790'</u>		
Gas	: Initial open flowMCF/d (Dil: Initial op	en flow_	Bbl/d		
	Final open flowMCF/d		Final ope	n flowE	3bl/d	
Tim	e of open flow between initial and	final tests	Hours	S		
Stat	ic rock pressurepsi (surface	pressure) after _	Ho	urs		
,						
4 th F	Producing Formation Gordon Pay	zone depth (ft)	<u> 2589' – 2</u>	<u> 2577'</u>		
	: Initial open flow N/A MCF/d (Oil: Initial op	en flow_l	<u>N/A</u> Bbl/d		
	Final open flow N/A MCF/d			n flow N/A	_Bbl/d	
Tim	e of open flow between initial and	final tests	_Hours			
Stat	ic rock pressurepsi (surface pr	essure) after	Hours			
, -	4 · · · · · · · · · · · · · · · · · · ·					

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1) DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2) THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

JOHN PALETTI, AGENT

or: EASTERN AMERICAN ENERGY CORPORATION

By: ohn faletti/K84

MAY 2520

7022 2267

Francis #3 (J0108) WR35

STAGE ONE:

Benson/3rd Riley

10 holes (4858' - 4774')

Fracture: 15% HCl acid, 25# cross link gel and 25,000# 20/40 sand. Formation broke at 2190 psi

STAGE TWO:

13 holes (4444' - 4415') Fracture: 15% HCl acid, 25# cross link gel, and 30,000# 20/40 sand. Unable to determine breakdown

Riley

STAGE THREE: Balltown

12 holes (3846' – 3790')

Fracture: 15% HCl acid, 25# cross link gel, and 25,000# 20/40 sand. Unable to determine breakdown

point.

STAGE FOUR: Gordon

14 holes (2589' - 2577')

Fracture: 15 % HCl acid, 25# cross link gel, and 22,200# 20/40 sand. Unable to determine breakdown

point.

RECEIVED Office of Oil & Gas Permitting

MAY 21 2001

WV Division of **Environmental Protection** [08-78]

4-23 , 19 80 Operator's Well No.

Columbura

J-108

API Well Ho. _r _017 _2567.

STATE OF WEST WIRGINIA DEPARTMENT OF MINES, DIL AND GAS DIVISION.

WELL OPERATOR'S FEFORT NO OF DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

WELL TYPE:	011		Gas <u>X</u>	/ 14:	quid Inject	10n	waste D	isposal	,		
	(I <i>:</i> "G	85", 2	roducti:	on_X	/ Undergr	cund s	Torage/	Deep		ShallowX	
							Arnolo				
en e	Distri	c:	West	Unior	l County:	Dod	<u>dridge</u> ;	uadrangle	.: <u>W</u> e	st Union	7.5'
WELL OPERATO	R J	& J	Enter	prise	es, Inc.	;	DESIGNATED AD	ENT H.I	. Ba	rnett	
Address							Address				
				, WV	26201			Bu	ickha	nnon, WV	26201
PERMITTED WO	P	lug of:	f old fo	ormation	n/ Pe	erfora	er	10n/	•	cture or soin	miste X
	0.	ther p!	nysical	change	in well (s;	pecify.			:		
PERMIT ISSUE	'D ON	12	-18		10 79		OIL & GAS INS	2250000 00			
(IF APPLICAE	LE: P	LUGGIN	G OF DR	Y HOLE	on .		Name	Paul	Garr	ett	
CONTINU	OUS PR	CGRESS	ION FROM	M DRILL	ING OR		Address				
			, 19				Nuai ess	321	lark	sburg, W	7
					nder			Danti			26301
Denth o	f comp	leted:	well or	5366	foot	Rot	ary X /				987
					•		0 feet.	able 1001	. 5		
7201	~	depth.	No	, <u>=v/y</u> one	_ieet; .	sa.t,	ing mined in		NO		1
Coal se	am dep	cns:	1-2		1S C	oal be:	ing mined in	the area:			
MOLK MS	s comm	encea .		тіли тили начини анамеры	, 19 <u>0</u>	<u>, , , , , , , , , , , , , , , , , , , </u>	and completed	4 00	<u> </u>	, 19 <u>8</u>	<u> </u>
CASING AND T	UBING	PROGRA	M								
CASING OR		SPEC	IFICATIO	ONS	N FOO	TAGE T	UTTEVALS	Noskado s	T=	n 2:-:	
CASING OR TUBING TYPE	Size	Grade	Weight per fr	New II	sed For dri	124001	് . ് . ത്രാത്തെ അം ഗുക്ത്ത	OR SA	CKS		
Conductor											
Fresh water			1	x	1469	90	0 1469.90	340	eke	ALAIS NO	me
Coal				x	1469.	90	1469.90	340	SKS		
Intermediate	1						· · · · · · · · · · · · · · · · · · ·			31368	
Production		7 5	70		5256.	20	5256.20	52	5 sk	Destina set	
zeidur.	- 4-/-4	<u> </u>	100,	2 X						Desthis set	
Control of the Contro						7	声の出い				
Liners						-,4	-	461	1	Ferfiretions	
									V3	T00	
an ann ann an air an t-an air an air an air ann an air ann ann an air ann ann ann ann ann ann ann ann ann an	-						APR 25	1980		5156	5190
annyagan tagan tagan kanada ka	Interpretation of the second										-
OPEN FLOW DAT	ra se form	ation	4m	Alexa	ander		OIL & GAS D	IVISION MINE	. 5	5156-519	0
							il: Initial				<u></u>
	Fin	al ope	n flow.	1.9	958 Mcf/d	To co	Final o	nem flow		251/d	
							nd final test			2047 4	
Sta	itic ro						easurement) a				
					pletion]		easurement) (arter	nour	rs shut in	
								D			_
and a		ria IUI:	nan et	To the state of th	PA - A / *			ray zone	depth		[eet
vas							il: Initial				er en
	rin						Final of				
°							nd final test				
<i>ન હ</i>	.u.u ro	ok pre	ാവെന്ന്, _		_ barg (sur)	.ace m	easurement) a	riber	nour	ns shut in	

PORM IV-35 (Reverse) [08-78]

DETAILS OF PERFORATED INTERVALS, FRACTURING OF STIME ATEMS, PHYSICAL COURSE, ETC.

Alexander:Perforations: 5156-5190 (18 holes)
Fracturing: 500 gal Acid: 30,000 lbs. Sand, 80/100 wire mesh: 60,000 lbs. Sand, 20/40 wire mesh: 673 BBls.Fluid.

ELL LOG

	-		<u> </u>	enti Lucke, er	<u> Parti e jedinak trek tiloji</u>
FORMATION	Color	Hard on Soft	77 Feet	Bottom Feet	Remarks Including indication of a company and salt water, scal, si company
Conductor			0	39	
Sand & Shale	mag jar		39	90	
Sand			90	113	
Shale		La company	113	128	
Red Rock			128	137	
Sand			137	140	
Sand & Shale			140	173	
Red Rock & Sha	le		173	190	
Sand & Shale			190	197	
Sand	1.0	nt on the second	197	201	
Sand & Shale			201	208	
Sand			208	220	
Sandy Shale			220	228	
Sand			228	230	
Sandy Shale			230	271	
Sand			271	278	
Sandy Shale			278	295	Damp @ 295'
Sand	. If Aug		295	326	. Damp G 293
Red Rock			326	338	
Sandy Shale			338	450	
Red Rock			450	470	
Shale			470	520	
Sand & Lime			520	530	Damp @ 740 °
Shale			530	820	
· Sand & Shale			820	1395	Oil @ 1100'
Sand			1395	1407	
Sandy Shale			1407	1410	
Shale			1410	1803	
Little Lime			- 1803	1815	
Shale	-		1815	1852	
Big Lime				1976	
	21×12	y Mig issp	1852	19/6	
				mas in.	

	J	&	JI	Inte	rpris	ses.	I	nc				
	Well) Jec	Seco:	D 1	ιN						A TO MANAGEMENT OF THE ADMINISTRA	
Ву			Les		معملا		1.5	1	13:			
	s G	ete eol	r I	att:	Les							

Regulation 2.32(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic, detailed geologial record of all formations, including soal, encountered in the drilling of a well."

FORMATION	Golor	Hand on	T. Feet	Bottom Feet	Remarks Including indication of the free and salt water, otel, it is a re-
Big Injun Shale Weir Sand & Shale Gordon Sand & Shale Speechley Sand & Shale Balltown Sand & Shale Benson Sand & Shale Alexander Shale			1976 1992 2147 2256 2574 2590 3240 3382 3770 3852 -4852 4958 5125 5205	1992 2147 2256 2574 2590 3240 3382 3770 3852 4858 5125 5205 5366	Gas @ 4790 18/10 thru 1" W/wate Gas @ 5048 80/10 thru 1" w/wate; T.D. 5366 Gas @ 5268 140/10 thru 1" w/ water

					•	
FORM IV-2	- 10.1	STATE OF W EPARTMENT OF MINES	EST VIRGINIA , OIL AND GAS DIVISIO	N	per 14	, 1979
[08-78]		OIL AND GAS WELL	PERMIT APPLICATION	Operator's Well No.		-
#.				API Well No.	47 - 017	- <u>256</u>
WELL TYPE:	Oil/ Gas			*		rerm.
	(If "Gas", Production	onX/ Undergr	ound storage/	Deep/ Sha:	llowX_/)	
LOCATION:	Elevation: 1040	Watershe	d: Arnold's Creek			
	District: West Unio	on County:	Doddridge Qua	drangle: West	Jnion 7½	
WELL OPERATO	OR J & J Enterprise	s, Inc.	DESTONATED ACEN	T H. L. Barnet	t.	
	P. O. Box 48			P. O. Box 48		
	Buckhannon, West	Virginia 26201		Buckhannon, Wes	1	
OIL & GAS						
	ER Michael S. France	cis et al	COAL OPERATOR	Ritchie Britto	a ·	
	s 109 Ridenour Stre			rnold's Creek		
	Clarksburg, W. Va	a. 26301	W	est Union, W. Va	а. 26456	
Acreage	• 173		COAL OWNER(S) W	ITH DECLARATION (ON RECORD:	
SURFACE OWNE	ER <u>Michael & John l</u>	Francis/ Wm. &Mai	7 1			
	109 Ridenour St					*
	Clarksburg, W.					
Acresia	2 173		· ·			
	(IF MADE) TO:					
Name	(IF PROB) 10.		Address		-	
,						
Addres			and the second second	THE DECLARATION ON	RECORD	*.
			Name	11909	, <u>a Cill</u>	
	SPECTOR TO BE NOTIF	ED	Address	<u>UU</u>	1070	
Name <u>Paul</u>	Garrett			DEC 1 8	13/3	
Address	321 Beech Street		-	OIL & GAS	DIVISION	
	Clarksburg, W. Va.	26301		DEPT, of		
Ti	ne undersigned well o	operator is entitl	ed to operate for oil	or gas purnoses	at the above	
location und	der a deed/ le	ease X / other	contract/ date	ed August 23,	_, 19 <u>78</u> , t	c the
undersigned	well operator from	Michael & John F	rancis; William Yok	e, Jr. & Margare	t Yoke	
[15 said dec	ed, lease, or other	contract has been	recorded:]			
Recorded on	December 14, 19	78 in the offi	ce of the Clerk of th	ne County Commiss:	ion of Doddr	idge_
County, West	. Virginia, in <u>Oil 8</u>	GAS Lease 106	at. page 278	A permit is requ	uested as fol	lows:
			/ Redrill/ Frac			
	Flag off.	ld formation/	Perforate new form	ation /		
		ical of word in wel	1 (specify)			
			-			
	e de la companione de l	at the squeet over these said	ork order on the rever	se side hereof		
····· 4			mer(s), and coal losse		lflad that ar	
•						
			ke by Code \$ 22-4-3 r		•	eni
			pt of this Applicatio	•		
			he enclosed plat and	-		
			ove named coal operat			
on in before	other have forther roof	ling or delivery o	of this Permit Applica	tion to the Depar	rtment of Min	es at
Charlest, n,	West Virginia.					
SLEACE SVEMI	T COPIES OF ALL				44 	triag,
SECPHYSICAL.	LOGS DIRECTLY TO:		J & J	ENTERPRISES, IN	C.	Willer .
CONSTRA	A OIL AND GAS ATION COMMISSION OTON CIREET EAST WV 25311			Well Sporator		

GEOLOGIST

(304) 348-3092

DELEPHONE:

PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY:

actual information must be submitted on form IV-35 upon completion

DRILLING CO	NTRACTO	R (IF	KNOWN)	S. W.	. Jack Drillir	ng Company			•*
				Addres	s <u>P. O. Box</u> 4	48		•	
					Buckhannon,	, W. Va. 262	01		:
GEOLOGICAL T	rarget	FORMAT	ION,	Alex	ander			•	÷
Estimat	ed dep	th of	complet	ed wel:	1, 5150	. feet	Rotary_X/	Cable tools	,
Approxi	lmate w	ater s	trata d	epths:	Fresh, 300	feet; sa	lt, 1800 feet.		-
							rined in the are		X off '
CASING AND		•	•	Þ					
CASING OR TUBING TYPE			IFICATIO		FOOTA	CE INTERVALS	CEMENT FILL-U	Pli PA	CKERS C
TUDING TIPE		Grade	Weight per ft		Jsed For drilli	ing Left in w	OR SACKS	-	- 100
Conductor	11 3/4	H-40	42	X	30	0	0 sks.	Kinds None	3
Fresh water	8 5/8	ERW	23	Х	1080	1080	280 sks.		-1775 ; -1766 ;
Coal	8 5/8	ERW	23	X	1080	1080	280 sks.	Sizes	
Intermediate	1						18 A C C C C C C C C C C C C C C C C C C		
Production	4½	J-55	10.5	X	5125	5125	250 sks.	Depths set	-
Tubing	 								Company of the state of the sta
Liners								Perforation	าร:
			And the second				300	Top	Botton.
when so	onsent ret of A REMIT led as provisions w. V dril	requir the pr separa rMMSP such o being a Code	te form The FOST The F The	ode § well. IV-2 AppliAppliAppliAppliAppliAppliAppliApp	shall not be read to shall not be read to shall not be read to some the shall expire if	nuired by Cod he owner of c	and Regulation 2 and Regulation 2 and Regulation 2 and any water well or racturing or stim for which a perminewith.	(n) if ample dwelling wi:	ionile, hin
ų.	C. N	and a contract of the contract		and I construin	$\frac{d}{dt}$				
	leputy 0	rector - (Division					
Th Benacion har Well location the work pro	in inder	100 min 100 mi	i shalin Lington Lington Lington Lington	Tipi Tipi Tipato Sed we That b	EAIV r / owne ll location. con added to t	ER r / le. If a mine manhe mine manhe	rather and by any de 5 02-4-20, if creof: ssee / of the p exists which the The undersigned I operator has coning regulations.	the permit coal under t vers the area	a of the
			19					4. ₂	50 - 140-
te:		ь в				***************************************			
						Ву			
						T e a			

017 2567 Frac Issued 315190 Expres 315192 Page 3 of 8

FORM WW-2B

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY, DIVISION OF OIL AND GAS WELL WORK PERMIT APPLICATION

		***************************************	759		((2) 170
) Well	Operator:	Eastern An	nerican Energ	y Corporation	14480	8) 01
	tor's Well				3) El	evation: 1040'
) Well	type: (a)	oil_/	or Gas	XX/		v
	(b)	If Gas:	Production Deep	XX/ Undergr	ound Storag Shallo	e/ w_XX/
) Propo	sed Target	Formation	(s): Benson	/Riley/Balltow	m/Speechley/W	Jarren
) Propo	sed Total D	epth:	5366	_ feet		
) Appro	ximate fres	h water s	trata dept	hs: 295°, 740	1395	
B) Appro	ximate salt	water de	pths:	None		*
Appro	ximate coal	seam dep	ths:	None		
LO) Does	land contai	n coal se	ams tribut	ary to acti	ve mine? Y	es/ No_XX/
L1) Propo	sed Well Wo	rk: Remor	k.	w Epro	dus Well	U.
L2)		`* .		NG PROGRAM	News	Opmation
YPE	S	PECIFICAT	IONS	FOOTAGE IN	TERVALS	CEMENT
	Size	Grade	Weight per ft.	For drilling	Left in well	Fill-up
Conductor	11 "	F-25	37.5	28"		C.T.S.
Fresh Wate	er 8-5/8"	J-55	20.0	1469.90'	1469.90	38CSR18-11.3 38CSR18-11.2.
Coal					1 Store	
<u>Intermedia</u>	ite				GANDO -	525 ORD
Production	4-1/2"	J-55	10.5	5256.20"	5256.20	38CSR18-11.1
Tubing	1-1/2"	H-40	2.75			
Liners						CENVI
PACKERS :	Kind				186	
2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Sizes Depths set				~~~	FER 0.7 ESO
					F	VISION OF OIL & GUARTMENT OF ENER
000		//.		and Gas Use	•	(-1)
Fee(s	s) paid:	-/N	Vork Permi	Recl	amation Fun	NY
Plat	WW-9	WW-	-2B	Bond	Type)	Agen

Form WW2-A (09/87) File Copy



Date:	January 1	ίδ, 1	1990		
Operator	's well	num	ber		
	J-108				
API Well	No: 4	7 -	017	_	2567-FRAC

State - County - Permit

DIVISION OF OIL & GAS

DEPARTMENT OF ENERGY STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY, DIVISION OF OIL AND GAS

NOTICE AND APPLICATION FOR A WELL WORK PERMIT

4) Surface Owner(s) to be served:	5) (a) Coal Operator:					
(a) Name Agnes Pauline Britton	Name None					
Address Rt. 1, Box 63	Address					
West Union, WV 26456						
(b) Name	(b) Coal Owner(s) with Declaration					
Address	Name					
	Address					
(c) Name						
Address	Name					
***************************************	Address					
6) Inspector <u>Mike Underwood</u>	(c) Coal Lessee with Declaration					
Address Rt. 2, Box 135						
Salem, WV 26426						
Salem, wv 20420						
Telephone (304)- <u>782-1043</u>						
TO THE PERSON(S) NAMED	ABOVE TAKE NOTICE THAT:					
TO THE TEMPORY OF PRINCES						
I have served conjes of this notice a	ginia (see page 2) Chapter 22B of the <u>West Virginia Code</u> and application, a location plat, and					
accompanying documents pages 1 through Personal Service (Affidavit Certified Mail (Postmarked Publication (Notice of Publ	: attached) postal receipt attached)					
I certify under penalty of law to familiar with the information submitted attachments, and that based on my incresponsible for obtaining the information.	that I have personally examined and ambed on this application form and all guiry of those individuals immediately					
	ation, I believe that the information					
is true, accurate, and complete.						
I am aware that there are signi:	ficant penalties for submitting false					
I am aware that there are signification, including the possibility	ficant penalties for submitting false ty of fine and imprisonment.					
I am aware that there are signification, including the possibility	ficant penalties for submitting false					
I am aware that there are signification, including the possibility	ficant penalties for submitting false ty of fine and imprisonment. or <u>Eastern American Enercy Corporation</u>					
I am aware that there are signification, including the possibility Well Operate	ficant penalties for submitting false ty of fine and imprisonment. or Eastern American Energy Corporation Paletti Paletti					
I am aware that there are signifinformation, including the possibility Well Operator By: John M.	ficant penalties for submitting false ty of fine and imprisonment. or Eastern American Energy Corporation Paletti ated Agent					
I am aware that there are signification, including the possibility well Operate By: John M. Its: Design Address P.O	ficant penalties for submitting false ty of fine and imprisonment. or Eastern American Energy Corporation Paletti ated Agent Box N					
I am aware that there are signification, including the possibility well Operate By: John M. Its: Design Address P.O	Ficant penalties for submitting false ty of fine and imprisonment. or Eastern American Energy Corporation Paletti ated Agent Box N Glenville, WW 26351 (304) 462-5781					
I am aware that there are significant information, including the possibility well Operate By: John M. Its: Design Address P.O	Ficant penalties for submitting false ty of fine and imprisonment. or Eastern American Energy Corporation Paletti ated Agent Box N Glenville, WW 26351 (304) 462-5781					
I am aware that there are signification, including the possibility well Operate By: John M. Its: Design Address P.O	ficant penalties for submitting false ty of fine and imprisonment. or Eastern American Energy Corporation Paletti ated Agent Box N Glenville, WW 26351 (304) 462-5781 2314 day of January , 1990					
I am aware that there are significant information, including the possibility well Operate By: John M. Its: Design Address P.O	Ficant penalties for submitting false ty of fine and imprisonment. or Eastern American Energy Corporation Paletti ated Agent Box N Glenville, WW 26351 (304) 462-5781					