


<u>5 1980</u>






SEP 11 1980

OIL & GAS DIVISION DEFT OF MINES

Oil and Gas Division RECORD 100 Rotary___ Oil Cable___ Gas_ Quadrangle New Militon, Vadis 15 Recycling Comb. Water Flood__ Storage. Permit No. 47-017-2652 Disposal (Kind) Company <u>United Operating Company</u> Casing and Used in Left Cement fill up Address 600 Commerce Square, Charleston, WV Farm F. F. Randolph Acres 88 Tubing Drilling in Well Cu. ft. (Sks.) Location (waters) Meathouse Fork Size . Glev B44 Well Wormsonware 20-16 ... County <u>Doddridge</u> District New Militon Cond. 13-10 The surface of tract is owned in fee by... Richard and Dorothy Beck 9 5/8 Address New Hillon, W. Va. Circulated 8 5/8 218 218 Mineral rights are owned by Mary Hulin, P.O. B. -----Alies-Lake-Helea-Elonide 5 1/2 2340 Drilling Commenced 8/14/80 4 1/2 0 750 ft, fillup 8/18/80 Drilling Commission Initial com flow and American co. ft. Final Falianties Inc. Poper day 5 bbls. Linera Used more and the contract of the c Well open -----Well treatment details: Attach copy of cementing record. <u>Frac Weir: 400 bbls.</u> treated water - 35,000# sand <u> Frac Big Injun: 400 bbls. treated water - 35,000# sand</u> Frac Blue Monday 350 bbls, treated water -30,000# sand Feet.... Fresh water fluid drilled . Fest ... -----Sell Welst-__ Feet -

itojecing Šear		ERFORMED DE BONNE CENTE EN SOUTH CONTROL EN SOUTH SE SOUTH EN SOUTH SE SOUTH CONTROL AND C	જે જે જે જે જે કે માટે કે જે	tanon atomisens tanon in consistent atomisens at the top of	
Formation	Color	Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
Sand-Shale		alla valla suuri en eesta vasta vasta vasta suuri ee ta vasta vasta vasta vasta vasta vasta vasta vasta vasta Ee E	Post trade utalitaria in a consistencia de la consi	k provincem and communication and an action and an action and an action and action and action and action and action and action a	the descendent and the second section of the section of the second section of the se
Sand Sand			1354	1392	
Shale	Č	Section (Section)	1392	1432	
Sand		Ĉ.	1432	1494	
			1494	1528	
5006		*	1528	1600	
5and/3/2018			1600	1924	
Blue Monday			1924	1984	of the state of th
Stale			1984	2000	
Lime	¥	0 M	- 2006		4 ,
Big Injun shale Weir shale			2080 216 4 2730 2316		* ** ** ** ** ** ** ** ** **
	engale a le la	and the first section of the section	endi endi usukha maaka ili samaa fi ESE	ar established a series and an experience of the series of	ti ne grafin etalek ki ne sanatan kengan ki melak satur sa mangan kenemban sa mangan ki na mangan ki na mangan





MAR 3 1 1980

OIL & GAS DIVISION DEPT, OF MINES

Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES, Charleston, W. Va.	DATE March 28, 1980
Surface Owner Richard and Dorothy Beck Address New Milton, WV	600 Comments
Mineral Owner F. F. Randolph Heirs	
Address New Milton, WV	8 3 3 5 8 7
Coal Owner no coal	Location (waters) Meathouse Fork of Middle Island
	Well No. 3 A Elevation 844 District New Milton Doddridge
Address Coal Operator None	District County Dodd 1 1 dge
Address	Quadrangle New Milton 7½, Vadis 15
PALLOR MUST 65 POSTED AT THE WALL STE	MSCANDOLOGICA
provisions being in accordance with Chapter 22,	
the W. Va. Code, the location is hereby approved	
Drilling . This permit shall expire if	INSPECTOR
erations have not commenced by 12-3-80	TO BE NOTIFIED Paul Garrett
archons have not commenced by 12 3 00	ADDRESS 321 Beech Street, Clarksburg, WV
The the Joda	entitive entitive and a facility of the control of
Deputy Director - Oil & Gas Division	PHONE 622-3871
Gentlemen:	
	on the above named farm or tract of land for oil and gas, having fee
The enclosed plat was prepared by a registered enginave been notified as of the above date.	neer or licensed land surveyor and all coal owners and/or operators
The above named coal owners and/or operator are he make by Section 3 of the Code, must be received by	ereby notified that any objection they wish to make, or are required, or filed with the Department of Mines within ten (10) days.
Copies of this notice and the enclosed plat were mailed to coal owners at their above shown respective address ame day with the mailing or delivery of this copy to the	ed by registered mail, or delivered to the above named coal operators day before, or on the
	\bigcap
LEASE SUBMIT COPIES OF ALL	Very truly your, United Pperating Company
EOPHYSICAL LOGS DIRECTLY TO:	(Sign Name) Dock d Mally (Jack L. Tritti
EST VIRGINIA GEOLOGICAL AND	
	Address 600 Commerce Square
. O. BOX 879	of
ORGANTOWN, WEST VIRGINIA 26505 """. C-304 - 292-6331	Operator <u>Charleston</u> City or Town
	W. Va. 25301
	State
rice and plat by the department of mines, to said proposed loc	the Department of mines, within said period of ten days from the receipt of ation, the department shall forthwith issue to the well operator a permit reciting coal operators or found thereto by the department and that the same is approved.
The contract of the contract o	47-017-2652
have read sand understand the reclamation requirements as	PERMII NUMBER
hapter 22. Apricle 4. Section 12-b and will carry out the specified i	set form in requirements."

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

DRILLING CONTRACTOR: (If Known) NAME ADDRESS TELEPHONE ESTIMATED DEPTH OF COMPLETED WELL: 2800¹ PROPOSED GEOLOGICAL FORMATION: Weir TYPE OF WELL: OIL GAS C RECYCLI TENTATIVE CASING PROGRAM: CASING AND TUBING SIZE DRILLING 20 - 16 13 - 10 9 - 5/8 8 - 5/8 8 - 5/8 3 - 300 7 5 ½ 4 ½ 2 - 2800 3 2 - 1. LIDEGS APPROXIMATE FRESH WATER DEPTHS 85 APPROXIMATE COAL DEPTHS IS COAL BEING MINED IN THE AREA? OF PLAT. TO DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. TO DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT CO MUST ALSO BE SUBMITTED. TO FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECCOLL AND/OR GAS WELL ORIGINALLY DRILLED DRING ORIGINAL WELL RECCOLL AND/OR GAS WELL ORIGINALLY DRILLED DRIP ON ANIMO ORIGINAL WELL RECCOLL AND/OR GAS WELL ORIGINALLY DRILLED ON ANIMO ORIGINAL PERMIT NUMBER, AND PERFORMANCE IS THE PROPERTY OF TH	ADDRESS Commerc Charles TELEPHONE 343_ ROTARY X DMB. X STOR NG WATER LEFT IN WILL 300 2800 2800 SALT WATE BY WHOM? FEE, PERFORMANCE	ttipo - Lyle Coffman e Square Norris Road ton, WV Glenville, WV 9383
ADDRESS TELEPHONE ESTIMATED DEPTH OF COMPLETED WELL: 2800' PROPOSED GEOLOGICAL FORMATION: We'I' TYPE OF WELL: OIL GAS CRECYCLE TENTATIVE CASING PROGRAM: CASING AND TUBING SIZE DRILLING 20 - 16 13 - 10 9 - 5/8 8 - 5/8 300 7 5 ½ 4 ½ 2800 3 2 Liners APPROXIMATE FRESH WATER DEPTHS 85 FEET APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA? NO OF PLAT. TO DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. TO DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT CO MUST ALSO BE SUBMITTED. OF FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECCOIL AND/OR GAS WELL ORIGINALLY DRILLED ON ANI	ADDRESS Commerc Charles TELEPHONE 343_ ROTARY X DMB. X STOR NG WATER LEFT IN WILL 300 2800 2800 SALT WATE BY WHOM? FEE, PERFORMANCE	e Square Norris Road ton, WV Glenville, WV 9383
TELEPHONE ESTIMATED DEPTH OF COMPLETED WELL: 2800¹ PROPOSED GEOLOGICAL FORMATION: Weir TYPE OF WELL: OIL GAS CRECYCLI TENTATIVE CASING PROGRAM: CASING AND TUBING SIZE DRILLING 20 - 16 13 - 10 9 - 5/8 8 - 5/8 300 7 5 ½ 4 ½ 2800 3 2 LIDETS APPROXIMATE FRESH WATER DEPTHS 85 PEET APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA? TO DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. TO DRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT CO MUST ALSO BE SUBMITTED. TO FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECCOIL AND/OR GAS WELL ORIGINALLY DRILLED ON ANI	ADDRESS Commerc Charles TELEPHONE 343_ ROTARY X DMB. X STOR NG WATER LEFT IN WILL 300 2800 2800 SALT WATE BY WHOM? FEE, PERFORMANCE	e Square Norris Roaton, WV Glenville, WV 9383 462-7176 CABLE TOOLS AGE DISPOSAL FLOOD OTHER CIPCULATED CIPCULATED 1,000 ft. Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom Perf. Bottom Perf. Bottom Perf. Bottom
ESTIMATED DEPTH OF COMPLETED WELL: 2800¹ PROPOSED GEOLOGICAL FORMATION: Weir TYPE OF WELL: OIL GAS CRECYCLI TENTATIVE CASING PROGRAM: CASING AND TUBING SIZE DEPTHS SIZE DEPTH OF COMPLETED OF COLUMN OF SIZE DEPTHS 8 - 5/8 300 7	TELEPHONE 343_ ROTARY X DMB. X STOR NG WATER LEFT IN WILL 300 2800 2800 SALT WATE BY WHOM? FEE, PERFORMANCE	GABLE TOOLS AGE DISPOSAL FLOOD OTHER CEMENT FILL UP OR SACKS - CUBIC FT. Circulated 1,000 ft. Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom RE FEET
PROPOSED GEOLOGICAL FORMATION: We'r TYPE OF WELL: OIL GAS CRECYCLI RECYCLI TENTATIVE CASING PROGRAM: CASING AND TUBING USED FOR DRILLING 20 - 16 13 - 10 9 - 5/8 8 - 5/8 300 7 5 ½ 4 ½ 2800 3 2 Liners APPROXIMATE FRESH WATER DEPTHS 85 FEET APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA? NO TO DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. TO DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT CO MUST ALSO BE SUBMITTED. O FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECCOIL AND/OR GAS WELL ORIGINALLY DRILLED ON ANI	ROTARY X DMB. X STOR NG WATER LIFT IN WILL 300 2800 2800 SALT WATE BY WHOM? FEE, PERFORMANCE	CABLE TOOLS AGE DISPOSAL FLOOD OTHER CEMENT FILL UP OR SACKS - CUBIC FT. Circulated l,000 ft. Perf. Top Perf. Bottom Perf. Top Perf. Bottom ER FEET BOND AND PERMANENT COPY
TYPE OF WELL: OIL GAS CRECYCLIC RECYCLIC TENTATIVE CASING PROGRAM: CASING AND TUBING USED FOR DRILLING 20 - 16 13 - 10 9 - 5/8 8 - 5/8 8 - 5/8 300 7 5 ½ 4 ½ 2800 3 2 Liners APPROXIMATE FRESH WATER DEPTHS 85 FEET APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA? OF DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. TO DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT CO MUST ALSO BE SUBMITTED. OF FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECCOIL AND/OR GAS WELL ORIGINALLY DRILLED ON ANI	DMB. X STOR WATER LEFT IN WILL 300 2800 SALT WATE BY WHOM? FEE, PERFORMANCE	AGE DISPOSAL FLOOD OTHER CEMENT FILL UP OR SACKS - CUBIC FT. circulated l,000 ft. Perf. Top Perf. Bottom Perf. Top Perf. Bottom Perf. Bottom FEET BOND AND PERMANENT COPY
TYPE OF WELL: OIL GAS CRECYCLIC RECYCLIC TENTATIVE CASING PROGRAM: CASING AND TUBING USED FOR DRILLING 20 - 16 13 - 10 9 - 5/8 8 - 5/8 8 - 5/8 300 7 5 ½ 4 ½ 2800 3 2 Liners APPROXIMATE FRESH WATER DEPTHS 85 FEET APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA? OF DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. TO DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT CO MUST ALSO BE SUBMITTED. OF FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECCOIL AND/OR GAS WELL ORIGINALLY DRILLED ON ANI	SALT WATE SALT WATE BY WHOM? FEE, PERFORMANCE	CEMENT FILL UP OR SACKS - CUBIC FT. circulated l,000 ft. Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom FEET BOND AND PERMANENT COPY
TENTATIVE CASING PROGRAM: CASING AND TUBING USED FOR DRILLING 20 - 16 13 - 10 9 - 5/8 8 - 5/8 300 7 5 ½ 4½ 2800 3 2Lidets APPROXIMATE FRESH WATER DEPTHS 85 APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA? OD DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. OD DRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT CO MUST ALSO BE SUBMITTED. OF FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECOOLL AND/OR GAS WELL ORIGINALLY DRILLED ON ANI	SALT WATE SALT WATE BY WHOM? FEE, PERFORMANCE	CEMENT FILL UP OR SACKS - CUBIC FT. circulated l,000 ft. Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom FEET BOND AND PERMANENT COPY
CASING AND TUBING SIZE DEPTHS	300 2800 2800 SALT WATE BY WHOM? FEE, PERFORMANCE	Circulated Circulated 1,000 ft. Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom CR FEET BOND AND PERMANENT COPY
SIZE DRILLING 20 - 16 13 - 10 9 - 5/8 8 - 5/8 300 7 5 ½ 4 ½ 2800 3 2 Liners APPROXIMATE FRESH WATER DEPTHS 85 APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA? OD DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. OD DRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT COMUST ALSO BE SUBMITTED. OF FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECOOLL AND/OR GAS WELL ORIGINALLY DRILLED ON ANI	300 2800 2800 SALT WATE BY WHOM? FEE, PERFORMANCE	Circulated 1,000 ft. Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom CRFEET
13 - 10 9 - 5/8 8 - 5/8 8 - 5/8 300 7 5 - ½ 4 ½ 2800 3 2 Liners APPROXIMATE FRESH WATER DEPTHS 85 APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA? O DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. ODRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT COMUST ALSO BE SUBMITTED. OF FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECOOL OIL AND/OR GAS WELL ORIGINALLY DRILLED ON ANI	SALT WATE SALT WATE BY WHOM? FEE, PERFORMANCE	circulated 1,000 ft. Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom R FEET BOND AND PERMANENT COPY
9 - 5/8 8 - 5/8 300 7 5 1/4 4 1/2 2800 3 2 Lidets APPROXIMATE FRESH WATER DEPTHS 85 FEET APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA? O DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. O DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT CO MUST ALSO BE SUBMITTED. O FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECOOL OIL AND/OR GAS WELL ORIGINALLY DRILLED ON ANI	SALT WATE SALT WATE BY WHOM? FEE, PERFORMANCE	circulated 1,000 ft. Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom ERFEET BOND AND PERMANENT COPY
300 300 300 300 300 300 300 300	SALT WATE SALT WATE BY WHOM? FEE, PERFORMANCE	1,000 ft. Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom R FEET BOND AND PERMANENT COPY
2800 APPROXIMATE FRESH WATER DEPTHS 85 FEET	SALT WATE SALT WATE BY WHOM? FEE, PERFORMANCE	1,000 ft. Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom R FEET BOND AND PERMANENT COPY
2800 APPROXIMATE FRESH WATER DEPTHS 85 FEET APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA? DO ODRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. ODRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT COMUST ALSO BE SUBMITTED. OFRACTURE STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECOOLL AND/OR GAS WELL ORIGINALLY DRILLED ON ANI	SALT WATE BY WHOM? FEE, PERFORMANCE	1,000 ft. Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom R FEET BOND AND PERMANENT COPY
APPROXIMATE FRESH WATER DEPTHS 85 FEET APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA? ODRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. ODRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT COMUST ALSO BE SUBMITTED. OF FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECOOLL AND/OR GAS WELL ORIGINALLY DRILLED ON ANI	SALT WATE BY WHOM? FEE, PERFORMANCE	Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom ERFEET_ BOND AND PERMANENT COPY
APPROXIMATE FRESH WATER DEPTHS 85 FEET APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA?	SALT WATE BY WHOM? FEE, PERFORMANCE	Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom ERFEET_ BOND AND PERMANENT COPY
APPROXIMATE FRESH WATER DEPTHS 85 FEET APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA?	SALT WATE BY WHOM? FEE, PERFORMANCE	Perf. Top Perf. Bottom Perf. Bottom Perf. Bottom ERFEET_ BOND AND PERMANENT COPY
APPROXIMATE FRESH WATER DEPTHS 85 FEET APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA?	SALT WATEBY WHOM?BY WHOM?BY WHOM?BEE, PERFORMANCE	Perf. Bottom Perf. Top Perf. Bottom Perf. Bottom PERFEET BOND AND PERMANENT COPY
APPROXIMATE FRESH WATER DEPTHS 85 FEET APPROXIMATE COAL DEPTHS S COAL BEING MINED IN THE AREA?	BY WHOM? FEE, PERFORMANCE	Perf. Top Perf. Bottom PERFEET BOND AND PERMANENT COPY
S COAL BEING MINED IN THE AREA? O DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. O DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT COMUST ALSO BE SUBMITTED. O FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECOOL AND/OR GAS WELL ORIGINALLY DRILLED ON AND	BY WHOM? FEE, PERFORMANCE	Perf. Bottom ERFEET BOND AND PERMANENT COPY
S COAL BEING MINED IN THE AREA? O DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. O DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT COMUST ALSO BE SUBMITTED. O FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECOOL AND/OR GAS WELL ORIGINALLY DRILLED ON AND	BY WHOM? FEE, PERFORMANCE	BOND AND PERMANENT COPY
S COAL BEING MINED IN THE AREA? O DRILL: SUBMIT FIVE (5) COPIES OF CG - 1, \$100.00 PERMIT OF PLAT. O DRILL DEEPER OR REDRILL: SUBMIT FIVE (5) COPIES OF OG - 1, SHOWING ORIGIN WELLS DRILLED PRIOR TO 1929, A PERMANENT COMUST ALSO BE SUBMITTED. O FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORIGINALLY DRILLED BEFOR BOND, PERMANENT PLAT AND ORIGINAL WELL RECOOL AND/OR GAS WELL ORIGINALLY DRILLED ON AND	BY WHOM? FEE, PERFORMANCE	BOND AND PERMANENT COPY
	ord. D/OR AFTER JUNE 5, 1 OND.	D THE ORIGINAL WELL RECORD 5) COPIES OG - 1, PERFORMANCE 929, FIVE COPIES OG - 1, SHOW-
Required forms must be filed within ninety (90) days of co four (24) hours in advance.	mpletion for bond releas	e. Inspector to be notified twenty-
The following waiver must be completed by the coal opera ereof.		
AIVER: I the undersigned, Agent for this lease have examined and place on our mine map	s this proposed well loc	eation.
We the Coal Company ha providing operator has complied with all rules and regula Code.	ve no objections to said tions in Articles 4, 5, and	well being drilled at this location, d 7, Chapter 22 of the West Virginia

Official Title