

DEPARTMENT OF MINES, OIL. AND CAS DIVISION PORM IV-35 Well No. L. Nicholson #1 (Obverse) WELL OPERATOR'S REPORT 7 API Wel No. 17 - 017 - 2661 108-78. DRILLING, FRACTURING AND/OR STIMULATING, OR PRYSIDAL CHANGE / Gas X / Liquid Injection / Waste Disposal / (If "Gas", Production X / Underground storage / Deep / Shallow X /) Elevation: 942' Watershed: Little Indian Fork ON: District: New Milton County: Doddridge Quadrangle: New Milton DESIGNATED AGENT Robert R. Jones PERATOR Rockwell Petroleum Company ddress P O Box 86 Address PO Box 86 Sand Fork, WV 26430 Sand Fork, WV 26430 TED WORK: Drill X / Convert / Drill deeper / Redrill / Practure or stimulate Plug off old formation / Perforate new formation Other physical change in well (specify) OIL & GAS INSPECTOR FOR THIS WORK: , 19<u>80</u> T ISSUED ON March 31 PPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED Name Paul Garrett Address Clarksburg, WV 622-3871 __, 19_ Depth 2170 Feet CICAL TARGET FORMATION: Big Injun Depth of completed well, 2262 feet Rotary X / Cable Tools Water strata depth: Fresh, 81 feet; salt, feet. Coal seam depths: None Is coal being mined in the area? No May 30 , 1980 , and completed <u>June 3</u> , 1980 Work was commenced ___ G AND TUBING PROGRAM PACKERS FOOTAGE INTERVALS [CENENT FILL-UF] SPECIFICATIONS GOR OR SACKS Weight Grade per ft New Used For drilling Left in well (Cubic feet) K.1 nds ctor 1212' 1213' To surface water | 8 5/8 Sizes ediate Depths set tion 4½ 22031 Perforations: Top Bottom JUUT 4 1980 OIL & GAS DIVISION DEPT. OF MINES FLOW DATA Producing formation Big Injun Fay zone depth 2170 feet Gas: Initial open flow, Mcf/d Oil: Initial open flow, Final open flow, 900,000 Mcf/a Final open flow, Time of open flow between initial and final tests, 6 hours Static rock pressure, 600 psig (surface measurement) after 48 hours shut in If applicable due to multiple completion--] Pay cone depth _____ Second producing formation Gas: Initial open flow, Mcf/d Oil: Initial open flow, Bbl/d Final open flow, _______Bbl/d \ 1980 Final open flow, Time of open flow between initial and final tests, ____ nours Static rock pressure, _____ psig (surface measurement) after ____ hours shut in

STATE OF WEST VIRGINIA

Dates _

June 9

8-78]

TAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Fractured June 4, 1980

Big Injun - 56,000 lb. 20/40 sand 2900 lb. breakdown 755 bbls water 16.8 BPM at 2850 lb

Perforations - 2097 - 2170, 7 holes

LL LOG

Surface Sand Shale Sand Shale Sand Shale Sand Shale Sh	FORMATION	Color	llard or Soft	7 Top Feet	Bottom Feet	Remarks Including indication of all freshand salt water, coal, oil and james
Sand 81 84 99 Sand 99 104 Water Shale 104 170 Red Rock 170 182 Shale 182 304 316 S91 Red Rock 304 316 391 S92 Shale 391 592 620 Shale 620 914 S6 Shale 926 1124 5141 Shale 926 1124 5141 Shale 1141 1182 5142 Shale 1142 1141 1182 Shale 1142 1141 1182 Shale 1142 1443 1443 Shale 1420 1443 1443 Shale 1730 1980 1980 Lime 1996 2024 2024 Lime 2024 2090 2004 Sand 196 2024 2090 Lime 2024 2104 2120 Sand 2132 2180 Show of gas & oil Lime 2132 2180 Show of gas & oil				13		
Shale 84 99 104 Water Shale 104 170 182 <						
Sand 99 104 170 Shale 104 170 182 Shale 182 304 Red Rock Shale 304 316 391 Shale 391 592 620 Shale 620 914 926 Shale 926 1124 Shale 926 1124 Shale 1141 1182 Shale 1182 1420 Shale 1420 1443 Shale 1420 1443 Shale 1680 1730 Sand 1680 1730 Shale 1980 1996 Slate 1996 2024 Lime 2024 2090 Sandy Lime 2090 2104 Lime 2104 2120 Shale 2120 2132 Lime 2104 2120 Shale 2180 280				8		Water
Shale 104 170 182 Shale 182 304 304 Red Rock 304 316 391 Shale 391 592 620 Shale 620 914 Sand 914 926 Shale 926 1124 Slate 1124 1141 Sand 1141 1182 Shale 1420 1443 Shale 1443 1680 Sand 1680 1730 Shale 1730 1980 Sand 1996 2024 Lime 1996 2024 Lime 2090 2104 Show of gas Sand 2120 2132 Show of gas & oil Shale 2120 2132 2180 Shale 2180 2262				8		
Red Rock 170 182 Shale 182 304 Red Rock 304 316 Slate 316 391 Shale 391 592 Red Rock 592 620 Shale 620 914 Sand 914 926 Shale 926 1124 Slate 1124 1141 Sand 1141 1182 Shale 1182 1420 Sand 1443 1680 Sand 1680 1730 Shale 1730 1980 Lime 1996 2024 Lime 2024 2090 Sandy Lime 2104 2120 Lime 2104 2120 Shale 2120 2132 Show of gas 601 Shale 2120 2132 Show of gas 601		American			8	Water
Shale 182 304 316 Slate 304 316 391 Shale 391 592 620 Red Rock 592 620 914 Shale 620 914 926 Shale 926 1124 1141 Sand 926 1124 1141 Shale 1141 1182 1182 Shale 1420 1443 1443 Shale 1443 1680 1730 1980 Sand 1680 1730 1980 1996	Shale				K .	
Red Rock 304 316 391 S92 S92 Red Rock 592 620 S914 S92	Red Rock					
Slate 316 391 592 Red Rock 592 620 620 Shale 620 914 926 914 926 914 914 926 914 914 926 914 914 926 914 914 914 926 914	Shale					
Shale 391 592 620 Shale 620 914 926 914 926 84 926 914 926 926 928 <t< td=""><td>Red Rock</td><td></td><td></td><td>304</td><td>316</td><td></td></t<>	Red Rock			304	316	
Shale 391 592 620 Shale 620 914 926 1124 Shale 926 1124 1141 1182 1141 1182 1	Slate			316	391	and the second of the second o
Red Rock 592 620 Shale 620 914 Sand 914 926 Shale 926 1124 \$late 1124 1141 Sand 1141 1182 Shale 1182 1420 Sand 1420 1443 Shale 1443 1680 Sand 1680 1730 Shale 1730 1980 Lime 1996 2024 Lime 2024 2090 Sandy Lime 2104 2120 Lime 2104 2120 Sand 2120 2132 Show of gas & oil Lime 2132 2180 Show of gas & oil				391	592	
Shale 620 914 Sand 914 926 Shale 926 1124 Slate 1124 1141 Sand 1141 1182 Shale 1420 1443 Shale 1443 1680 Sand 1680 1730 Shale 1730 1980 Lime 1996 2024 Lime 2024 2090 Sandy Lime 2090 2104 Show of gas Lime 2104 2120 Sand 2120 2132 Show of gas & oil		administration of the control of the		592	620	
Sand 914 926 Shale 926 1124 Slate 1124 1141 Sand 1141 1182 Shale 1420 1443 Shale 1443 1680 Sand 1680 1730 Shale 1730 1980 Lime 1980 1996 Slate 1996 2024 Lime 2024 2090 Sandy Lime 2104 2120 Lime 2104 2120 Sand 2120 2132 Show of gas & oil Lime 2132 2180 Show of gas & oil						
Shale 926 1124 Slate 1124 1141 Sand 1141 1182 Shale 1420 1443 Shale 1443 1680 Sand 1680 1730 Shale 1730 1980 Lime 1996 2024 Lime 2024 2090 Sandy Lime 2104 2120 Lime 2120 2132 Sand 2120 2132 Lime 2132 2180 Shale 2180 2262		and the second				
Slate 1124 1141 1182 Shale 1182 1420 1443 Sand 1420 1443 1680 Sand 1680 1730 1980 Lime 1980 1996 1996 Slate 1996 2024 2090 Sandy Lime 2090 2104 Show of gas Lime 2104 2120 Sand 2120 2132 Show of gas & oil Lime 2132 2180 Shale 2180 2262		resident and the second			N 1	
Sand 1141 1182 Shale 1420 1443 Shale 1680 1730 Shale 1730 1980 Lime 1980 1996 Slate 1996 2024 Lime 2024 2090 Sandy Lime 2104 2120 Lime 2120 2132 Sand 2120 2132 Lime 2132 2180 Shale 2180 2262			er i tan		8	
Shale 1182 1420 Sand 1420 1443 Shale 1443 1680 Sand 1680 1730 Shale 1730 1980 Lime 1980 1996 Slate 1996 2024 Lime 2024 2090 Sandy Lime 2104 2120 Lime 2120 2132 Show of gas & oil 2132 2180 Shale 2180 2262					1	
Sand 1420 1443 Shale 1680 1730 Shale 1730 1980 Lime 1980 1996 Slate 1996 2024 Lime 2090 2104 Show of gas Lime 2104 2120 Show of gas & oil Lime 2132 2180 Show of gas & oil Shale 2180 2262 2262				/		
Shale 1443 1680 Sand 1680 1730 Shale 1730 1980 Lime 1980 1996 Slate 1996 2024 Lime 2090 2104 Show of gas Lime 2120 2132 Show of gas & oil Lime 2132 2180 2180 Shale 2180 2262						
Sand 1680 1730 Shale 1730 1980 Lime 1980 1996 Slate 1996 2024 Lime 2024 2090 Sandy Lime 2104 Show of gas Lime 2120 2132 Show of gas & oil Lime 2132 2180 Shale 2180 2262				1		
Shale 1730 1980 Lime 1980 1996 Slate 1996 2024 Lime 2024 2090 Sandy Lime 2104 2120 Lime 2120 2132 Show of gas & oil Lime 2132 2180 Shale 2180 2262			· Management			
Lime Slate 1996 2024 2090 2090 Sandy Lime 2090 2104 Show of gas Lime 2104 2120 2132 Show of gas & oil 2132 2180 2180 2262		A CONTRACTOR OF THE CONTRACTOR				1.5 x 1.5
Slate		Apparatus (Apparatus Apparatus Appar				
Lime Sandy Lime Lime 2090 2104 2090 2104 Show of gas 2104 2120 2132 Show of gas & oil 2132 2180 2180 2262						
Sandy Lime 2090 2104 Show of gas Lime 2104 2120 Sand 2120 2132 Show of gas & oil Lime 2132 2180 Shale 2180 2262			4			
Lime 2104 2120 Show of gas & oil 2132 2180 2180 2262	Lime					
2120 2132 Show of gas & oil 2132 2180 2180 2262	Sandy Lime					Show of gas
Lime 2132 2180 Shale 2180 2262	Lime	Services .	990000	2104		
Shale 2180 2262	Sand	And the second s		2120	2132	Show of gas & oil
	Lime			2132	2180	
	Shale	darin da		2180	2262	
			AND COMMENTS	2262		
		la de la companya de		constitution		
	· · · · · · · · · · · · · · · · · · ·	44447				
4 II II X G						

(Attach separate sheets to complete as necessary)

	Rockwell Petroleum Company	/
Well	Operator	
Ву	12/1///	
Its	Partner	

NOTE: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic, detailed geologial record of all formations, including coal, encountered in the drilling of a well."

The undersigned well operator is entitled to operate for oil or gas purposes at the above cation under a deed ___ / lease _X / other contract __ / dated _July 6 ___ , 19_79 , to the dersigned well operator from ___ Louis E. Nicholson & Priscilla A. Nicholson ___ .

f said deed, lease, or other contract has been recorded:-]

corded on ___ July 17 __ , 19_79 _, in the office of the Clerk of the County Commission of ___ Doddridge unty, West Virginia, in __ Lease ___ Book _109 __ at page __ 293 _. A permit is requested as follows:

PROPOSED WORK: Drill X / Drill deeper __ / Redrill __ / Fracture or stimulate __ /

Plug off old formation ___ / Perforate new formation ___ /

Other physical change in well (specify) _____

The above named coal operator, coal owner(s), and coal lessee are hereby notified that any jection they wish to make or are required to make by Code § 22-4-3 must be filed with the Department Mines within fifteen (15) days after the receipt of this Application by the Department.

planned as shown on the work order on the reverse side hereof.

Copies of this Permit Application and the enclosed plat and reclamation plan have been mailed registered mail or delivered by hand to the above named coal operator, coal owner(s), and coal lesses or before the day of the mailing or delivery of this Permit Application to the Department of Mines at arleston, West Virginia.

EASE SUBMIT COPIES OF ALL OPHYSICAL LOGS DIRECTLY TO:

CT VIRGINIA OIL AND GAS CONSERVATION COMMISSION 15 WASHINGTON STREET EAST ARLESTON, WV 25311

LEPHONE: (304) 348-3092

Rockwell Petroleum Company
Well Operator

By Mark R. Work

Its Partner

PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY:
ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

LLING CON	TRACTO	R (IF	KNOWN)	,	U	<u> Dnion Drilli</u>	ng, Inc.			
				Addre	ss <u>I</u>	rawer 40				
		ingur.	. •		B	Buckhannon,	WV 26201			
NIOGICAL T	ኒልዩርድጥ	FORMAT	TON.	Ric	z Tniı	ın `				
			,	-	-			Rotary X /	Cable tools	/
								,feet.		
								ined in the area	? Yes /	No X
Approxi	lilate C	uai se	am dept.		117				Annual Market Provide Committee Market	
ING AND T	UBING	PROGRA	M							1.56°
ING OR		SPECIFICA				FOOTAGE INTERVALS		CEMENT FILL-UP OR SACKS	81	
BING TYPE	Size	Grade	Weight per ft	New	Used	For drillin	Left in well	(Cubic feet)		egia di Santa di Sant
nductor							*		Kinds	
sh water	8 5/8						380	To surface		- Supple in Supple in Supple in Supple in Supp
1									Sizes	
ermediate										
duction	41/2						2250'		Depths set	
ing				- Desired Company		• :				-
ers									Perforation	s:
		-							Тор	Botton:
						,				200
			The state of the s				eghear certaine had			
previ the c 200 f	lously onsent eet of	paid o requir	n the s red by t roposed	ame w Code well	ell, § 22-4 2 shal	the fee requ 1-8a from the 11 not be red	ired by code cowner of any nuired for fro	nd Regulation 23 § 22-4-12a, and water well or acturing or stime or which a permi	dwelling with	tin
is no	red as	such o	on the	Form	IV-2 j	filed in conv	nection there	with.		
All	provision	rs being	in acce	rdance	with (Chapter 22,				• •
of t	he W. dri	Va. Cod Ilino	a, the Ico	This r	is the qu	nall expire if				
for			commen							
ope	erations r	idae iioi								
Management of the second	1100	59-4	- UH-8 C	as Div	ision				من موند جوند منت	
T	he foll	lowing lessee	waiver	must is rec	be co corded	l a declarati	he coal opera on under Code receipt ther	ntor and by any or § 22-4-20, if recof:	coal owner the permit	
					•	WAIVE				
cation has	s examion, the	ined the well	is prop location	oosed on ha:	well s been s loca	location. I added to thation, provid	led, the well	see / of the exists which contract the undersigned operator has contract regulations.	1100 0000	a of the ction to
			,						i sijining njili sa	early missing
· .								sa mana april 1907 ril -	·	
•			, 19			4	•			Totales (Marie Control
					. 191 6		5			
						**	Ву			*
							Its		· · · · · · · · · · · · · · · · · · ·	