





STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Cas Division

Quadrangle New Milton	WELL	RECORD		Cable	Oil Gas CombX
Permit No. 2739				Water Flood Disposal	L Sturage
Company Russell V. Johnson,	ville WV	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft (Sks.)
Fam E.J. Nicholson Ac Location (waters) Indian Fork Well No. Two Ele District New Milton County Dodo The surface of tract is owned in fee by	rv_1310' dridge	Size 20-16 Cond. 13-10"			
Everett J. Nicholson Address New Milton, WV 26411 Mineral rights are owned by E.J.Nichol	lson eta:	1	402	402	115 sks
Address New Milton, WY Drilling Commenced 6-17-80 Drilling Completed 6-19-80	V 26411	\$ 1/2 4 1/2	2575	2575	120 sks
Final production SEE BELOW. per day		-2 Liners Used	2490'	2490	
Well treatment details: 15% NCL Acid 500 gal. L53 ClayCon't 23 gal. W44 None-Emul 22 ral. 20/40 Prop 30000# 80/100 Prop 10000#	2441 2483	Attach copy of 6 to 2444 to 2486	cementing rec		60PD '
J266 Gell 350# F78 Surf 18 gal. Coal was encountered at Fresh water Fe Producing Sar.: Big Injun	et	Salt V	Inch		Feet
Formation Color Hard or Soft	Top Fee	t Bottom Feet	O.I. Gas	or Water	* Remarks
Sand Shale Sand & Shale Sand & Shale Lime Shale & Red Rock Lime Big Injun Shale Logger's TD	21 82 419 2050 2365 2374 2414 2527	82 419 2350 2365 2374 2414 2527	Damp Soapii		
Init. Flow: O Cf, O Bbl Final : 3 Cf, 25 Bbl Well Open: - , 100# RP			-	OIL & G	AS DIVISION OF MINITE
			By:	y 26, 19	NUG 17 1981
	- Planting and the second and the se	Total Control		•	- 1401

[08-78]

Date: _ 29 April

OIL AND GAS WELL PERMIT APPLICATION

perator	15					
. 3 3 31	T	T	Nic	hol	COn	-#9

1980

Obverse)	DEPARTMENT	Ur'	Minub,	OIL	AND	GAS	DIVES.
•							

Well No. API Well No. $\frac{47}{\text{State}} = \frac{017}{\text{Tunty}} = \frac{2739}{\text{Fermi}}$

WELL TYPE:	Oil X / Gas X /			•	•			118.6	namin rem
	(If "Gas", Production X	/ Underg	round	stora	ne/	Deep_	/ 3:	ngllow_X	· / ·
LOCATION:	Elevation: 1310'	Watersh	ed:	·	Indian	Fork			
	District: New Milton	County:	Dod	ldrid	ge ()uadrang	le: New	Milton	7.5'
WELL OPERAT	OR Russell V. Johns	on, Jr,		DEST	OA CHTAKO	חימובור	Gai L.	Smvthe	•
	s Drawer "L".				Address		Drawer	''L''	
	Glenville, WV		-		naa, ens		Glenvil	lle, WV	26351
								,	
DIL & GAS	E.J. Nicholson et	al	2	COAL	OPERATOR	3	none-		
	New Milton, WV			00112					,
210 02 0 0			<u></u> ,				•		
åonesa	e33.2 A	. ,		COVI			ECLARATIO		· · · · · · · · · · · · · · · · · · ·
	ER Everett J. Nicho	lson					-		
	New Milton, WV		-			*			
Address			-		Address				
A mark in the	e33,2 A		-	**		aller aller alter since it			
	(IF MADE) TO:			wume					
	N/A		٠,		Address			***************************************	
			~	2011	1 20000 1	TENT PER	T A TO 1 M T 4 5 7		
Addres	3		-				LAPACION (in
```	WORROWOD NO DE NOMINIER		-	Name		7	前上	Comp Comme	5111
	NSPECTOR TO BE NOTIFIED Paul Garrett	-			Address		113 	1 1000	
	321 Beech						MAY_	<u>-1 1980</u>	<i></i>
Address	Clarksburg, WV	26301 -	-				OIL & G	as DIVISE	CN €
	622-3871						DEPT.		
Tì	ne undersigned well operator	r is entitl				oil or g	as purnose	es at the	s above
ocation und	dor a deed/ lease	/ other	ASS cont	signme tract	ent / da	ted E	3 August	<u>;</u> , 19 <u>7</u>	9_,
	well operator from Rock								
If said dee	ed, lease, or other contract	t has been	recor	rded:]		*			
corded on	<u>3/17</u> , 19 <u>80</u> ,	in the offi	.ce of	the (	Clerk of	the Cour	nty Commis	ssion of	Gilmer_
County, West	Virginia, in <u>Lease</u>	Book 1	<u>14</u> n	it page	98	A pe	rmit is re	oquesr⇔d	un fallowa:
PROPOSE	ED WORK: Drill X / Drill	deeper	/ Re	drill	/ Fr	racture (	or stimula	ate/	
	Plug off old form	ition/	' Pe	erforat	te new fo	rmation	/		<b>&gt;</b>
	Other physical ch	inge in wel	.l (sp	ecify]	)	•			
•									
	planned as shown	and the second second						•	
Th	ne above named coal operator								hat any
	ey wish to make or are requ								
	hin fifteen (15) days after								-
	opies of this Permit Applie:								een maile:

y registered mail or delivered by hand to the above named coal operator, coal owner(s), and coal leguemean before the day of the mailing or delivery of this Permit Application to the Department of Mines at

LEASE SUBMIT COPIES OF ALL EOPHYSICAL LOGS DIRECTLY TO:

harleston, West Virginia.

PLANKE 3000

Russell V. Johnson, Jr.

- fai 1. Son Hhe

ELEPHONE: (304) 349-3092

EST VIRGINIA OIL AND GAS
- CONSERVATION COMMISSION
6% WASHINGTON STREET EAST
HABLESTON, WV 25311

#### PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY:

ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

DRILLING CO	NTRACTO	R (IF	KNOWN)						
				Addre	ess			e	
			·		per payant man				
GEOLOGICAL ?	rarget	FORMAT	ION,	В	ig In	niun			
							ſeet	Rotary X /	Cable tools/
								,feet.	· ·
									r Yes/ No_X
		•					, v		
CASING AND T CASING OR	_		r IFICATI	ONG	ą	M POORLER	INTERVALS	Markey marks and	
TUBING TYPE		1	:Weight	ŧ	3		B	CEMENT FILL-UP OR SACKS (Cubic feet)	ži.
Conductor	11	1	i .	X	10.70	30 '	301	ty (cubic leet)	Kinds
Fresh water	11	1	20.0#	Х		300 *	3001	85 sks	ATTICS
Coal	The state of the s				30.00				Sizes
Intermediate					-				
Production	4 ½		9.5#	X			2540 \	ll5 sks	Depths set
abing	The state of the s				- Andread				
iners	- Control of the Cont							VI	Perforations:
									Tor Botton
e region communication particles de principal de la communication									
appli previ the as 200 fe where ispage for	cable tously ? onsent set of A fractulte Misi evolutions in Openity Deputy Depu	to the paid or require the present of the present o	reclamon the solution of the Form restinguishing in eccent in ecce	ition ime work ode {  IV-2  Latix orm inis per is Divi	required to the shall some states of the shall some states of the states	ired by Code the fee requirement of the fee requirement of the requirement of the feet of	§ 22-4-12b arired by Code § owner of any uired for frafthe work foection therew	water well or a cturing or stimur which a permit ith.	, (iv) unless (n) if amplicable, inelling within  clating a well  is sought and
is	to be	issuec	who has Luithin	fif	teen (	d declaration (15) days of WAIVE	receipt there	§ 22-4-20, if teof:	ne permit
ocation has ell locatio he work pro	examin n, the posed t	ed thi well l .o be d	s propo ocation lone at	sed has this	well l been locat	owner location. Ii added to the cion, provide	lesse a mine map e mine map. Ted. the well o	exists which cov	coal under this well ers the area of the has no objection to plied with all
					1,				
		en dissolven e renova në sporterindrishte y drama në	3.0						Take Community
C. J			19		٠.	<del>.</del>			
						Ţ	ВУ		
						,	٠		

# STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY OIL AND GAS WELLS DIVISION

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Coal Operator or O	wner		. Johnson, Jr.	etor	<del></del>
•		1518 Firs Oklahoma	Name of Well Opera t City Place City, Okla. 73	102	
Address			Complete Address	3	
Coal Operator or O	Linor	October 2	8 ELL AND LOCATION	19	88
, doar operator or o	wilei				
Address		New Milto	en	_ Distri	LCT
		Doddridge		County	7
Lease or Property	Owner			-	
Address		WELL NO. 2			
Nadi 683		E T N: a	holoo ( )	CE SESSES	
ATE INSPECTOR SUPERVISIN	IC DINCCTNC	E. J. Nic	noison		
ALE INSPECTOR SUPERVISIN	IG FLUGGING			IOV 1 A	1000
	AFFID	AVIT	Sun Cail 1	10V 14	1388
ATE OF OKLAHOMA			DIVIS	ION OF O	1L&
unty of Oklahoma	ss:		DEPAR	TMENT O	FENI
Halliburton ing first duly sworn acc		and	Gai Smythe		
g the above well, that s 82 , and that the wel	ald work was comm I was plugged and	enced on the $\frac{1}{1}$	3th day of No- following manner:	vember	•
and or Zone Record	Filling Ma	terial	Plugs Used	Cas	sing
and or Zone Record Formation	Filling Ma	terial	Plugs Used Size & Kind	CSG	CSG
			Size & Kind	CSG	CSG
Formation	Standard c	lass H for	Size & Kind Cement Plugs 2490'-2390'	CSG PULLED 41/2 1564	CSG
Formation	Standard c	lass H for	Size & Kind Cement Plugs 2490'-2390' gel 2390'-161	CSG PULLED 41/2 1564	CSG
Formation	Standard c	lass H for	Size & Kind Cement Plugs 2490'-2390'	CSG PULLED 41/2 1564 4' 85/8	CSG
Formation	Standard c	lass H for	Size & Kind  Cement Plugs 2490'-2390' qel 2390'-161 Cement Plug 1614'-1424' gel 1424'-430	CSG PULLED 41/2 1564 4' 85/8 0	1067
Formation	Standard c	lass H for	Size & Kind  Cement Plugs 2490'-2390'  qel 2390'-161  Cement Plug 1614'-1424'  qel 1424'-430  Cement Plug	CSG PULLED 41/2 1564 4' 85/8 0	CSG LEFT LU
Formation	Standard c	lass H for	Size & Kind  Cement Pluqs 2490'-2390' qel 2390'-161 Cement Pluq 1614'-1424' qel 1424'-430 Cement Pluq 430'-330'	CSG PULLED 41/2 1564 4' 85/8 0	1067
Formation	Standard c	lass H for	Size & Kind  Cement Plugs 2490'-2390'  qel 2390'-161  Cement Plug 1614'-1424'  qel 1424'-430  Cement Plug	CSG PULLED 41/2 1564 4' 85/8 0	106
Formation	Standard c	lass H for	Size & Kind  Cement Plugs 2490'-2390'  qel 2390'-161  Cement Plug 1614'-1424'  gel 1424'-430  Cement Plug 430'-330'  gel 330'-50'	CSG PULLED 41/2 1564 4' 85/8 0	106
Formation	Standard c	lass H for	Size & Kind  Cement Plugs 2490'-2390'  qel 2390'-161  Cement Plug 1614'-1424'  qel 1424'-430  Cement Plug 430'-330'  gel 330'-50'  Cement Plug	CSG PULLED 41/2 1564 4' 85/8 0	1067
Formation	Standard c	lass H for	Size & Kind  Cement Plugs 2490'-2390'  qel 2390'-161  Cement Plug 1614'-1424'  qel 1424'-430  Cement Plug 430'-330'  gel 330'-50'  Cement Plug	CSG PULLED 41/2 1564 4' 85/8 0	106
Formation	Standard c	lass H for	Size & Kind  Cement Plugs 2490'-2390'  qel 2390'-161  Cement Plug 1614'-1424'  qel 1424'-430  Cement Plug 430'-330'  gel 330'-50'  Cement Plug	CSG PULLED 41/2 1564 4' 85/8 0	106
Formation Big Injun	Standard c	lass H for	Size & Kind  Cement Plugs 2490'-2390'  qel 2390'-161  Cement Plug 1614'-1424'  gel 1424'-430  Cement Plug 430'-330'  gel 330'-50'  Cement Plug 50'-0'	85/8 0	1067
Formation Big Injun  Coal Seams	Standard c	lass H for	Size & Kind  Cement Plugs 2490'-2390'  qel 2390'-161  Cement Plug 1614'-1424'  gel 1424'-430  Cement Plug 430'-330'  gel 330'-50'  Cement Plug 50'-0'	85/8 0 Monume	1067
Formation  Big Injun  Coal Seams	Standard c	lass H for	Size & Kind  Cement Pluqs  2490'-2390'  qel 2390'-161  Cement Pluq  1614'-1424'  gel 1424'-430  Cement Plug  430'-330'  gel 330'-50'  Cement Plug  50'-0'  Description of	85/8 0 Monume	1067
Formation Big Injun  Coal Seams	Standard c	lass H for	Size & Kind  Cement Plugs 2490'-2390'  qel 2390'-161  Cement Plug 1614'-1424'  gel 1424'-430  Cement Plug 430'-330'  gel 330'-50'  Cement Plug 50'-0'	85/8 0 Monume	1067
Formation  Big Injun  Coal Seams  ame)  ame)  ame)	Standard c	lass H for	Size & Kind  Cement Pluqs  2490'-2390'  qel 2390'-161  Cement Pluq  1614'-1424'  gel 1424'-430  Cement Plug  430'-330'  gel 330'-50'  Cement Plug  50'-0'  Description of	85/8 0 Monume	1067
Formation  Big Injun  Coal Seams  Iame)  Iame)  Iame)	Standard c cement plue qel between	lass H for gs and 6 % n pluqs.	Size & Kind  Cement Pluqs  2490'-2390'  qel 2390'-161  Cement Pluq  1614'-1424'  qel 1424'-430  Cement Pluq  430'-330'  gel 330'-50'  Cement Plug  50'-0'  Description of Plugging monwow/8 5/8" welcome	CSG PULLED 41/2 1564 4' 85/8 0	1067 402
Formation  Big Injun  Coal Seams  Jame)  Jame)  Jame)  Jame)  Jame)  Jame)  Jame)	Standard c cement plue qel between	lass H for gs and 6 % n pluqs.	Size & Kind  Cement Pluqs  2490'-2390'  qel 2390'-161  Cement Pluq  1614'-1424'  qel 1424'-430  Cement Pluq  430'-330'  gel 330'-50'  Cement Plug  50'-0'  Description of Plugging monwow/8 5/8" welcome	CSG PULLED 41/2 1564 4' 85/8 0	1067 402
Formation  Big Injun  Coal Seams  ame)  ame)  ame)  ane)  and that the work of  November ,	Standard c cement plus qel between plus quel bet	lass H for gs and 6 % n pluqs.	Size & Kind  Cement Pluqs  2490'-2390'  qel 2390'-161  Cement Pluq  1614'-1424'  qel 1424'-430  Cement Pluq  430'-330'  gel 330'-50'  Cement Plug  50'-0'  Description of Plugging monwow/8 5/8" welcome	CSG PULLED 41/2 1564 4' 85/8 0	1067 402
Formation  Big Injun  Coal Seams  ame)  ame)  ame)  ame)  ame)	Standard c cement plus qel between plus quel bet	lass H for gs and 6 % n pluqs.	Size & Kind  Cement Plugs 2490'-2390' qel 2390'-161 Cement Plug 1614'-1424' gel 1424'-430 Cement Plug 430'-330' gel 330'-50' Cement Plug 50'-0'  Description of Plugging mont w/8 5/8" welcomes  was completed on the	CSG PULLED 41/2 1564 4' 85/8 0 0 Monume ument d cap	1067 402
Formation  Big Injun  Coal Seams  ame)  ame)  ame)  ame)  and that the work of  November,  And further deponents	Standard c cement plue qel between plue quel plue quel plue quel between plue quel plue	lass H for gs and 6 % n plugs.  ing said well Russell	Size & Kind  Cement Pluqs  2490'-2390'  qel 2390'-161  Cement Pluq  1614'-1424'  qel 1424'-430  Cement Pluq  430'-330'  gel 330'-50'  Cement Plug  50'-0'  Description of Plugging monwow/8 5/8" welcome	CSG PULLED 41/2 1564 4' 85/8 0 0 Monume ument d cap	1067 402
Formation  Big Injun  Coal Seams  ame)  ame)  ame)  ame)  ame)  and that the work of  November  And further deponents	Standard c cement plue qel between plue quel plue quel plue quel between plue quel plue	lass H for gs and 6 % n pluqs.	Size & Kind  Cement Plugs  2490'-2390'  qel 2390'-161  Cement Plug  1614'-1424'  gel 1424'-430  Cement Plug  430'-330'  gel 330'-50'  Cement Plug  50'-0'  Description of  Plugging mont  w/8 5/8" welc  Was completed on the  V./Johnson; Jr.	CSG PULLED  41/2  1564  4'  85/8  0  Monume  ument d cap  ne 13th  Opera	1067 402
Formation  Big Injun  Coal Seams  [ame] [ame] [ame] [ame] [ame] [ame] [ame] [ame]	Standard c cement plue qel between plue quel plue quel plue quel between plue quel plue	lass H for gs and 6 % n plugs.  ing said well Russell	Size & Kind  Cement Plugs 2490'-2390' qel 2390'-161 Cement Plug 1614'-1424' gel 1424'-430 Cement Plug 430'-330' gel 330'-50' Cement Plug 50'-0'  Description of Plugging mont w/8 5/8" welcomes  was completed on the	CSG PULLED  41/2  1564  4'  85/8  0  Monume  ument d cap  ne 13th  Opera	1067 402