

RECEIVED



IV-35. (Rev 8-81)

APR 6 - 1983

OIL AND GAS DIVISION Sinic of Mest Hirginia

Bepariment of Mines Gil und Ces Zivision

LICECII EJ G L JOJ											
Oper	Operator's										
Well	No		Camp	#2							
Farm											
API	No. <u>47</u>		017-		3124						

WELL OPERATOR'S REPORT

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

WELL TYPE: Oil / Gas X / Liquid Injection (If "Gas, Production X / Undergrow	n_/ Wast	ce Disposa ge / Dee	1_/ Sh:	allouX /
LOCATION: Elevation: 1469 Watershed Pil	ke Fork	**************************************	F	
District: McClelland County Doddri	idge	Oladrangi	0 Folos	71 . 9
		-x	e_roisom	1-2
CANDALE?				
COMPANY Swift Energy Company				
ADDRESS P.Or Box 2201, Clarksburg, WV 26301	Caşing	Used in	Left	Cement
DESIGNATED AGENT Tim Bennett	Tubing	Drilling		fill up Cu. ft.
ADDRESS 737 Karl Street, Weston, WV 26452	Size		11CTT	Cu. It.
SURFACE OWNER Jennings Camp	20-16			
ADDRESS P.O.Box 235, Shinnston, WV 26431	Cond.			
MINERAL RIGHTS CWNER Jennings Camp EXCL. Coal	13-10"			
ADDRESS P.O.Box 235, Shinnston, WV 26431	9 5/8			
OIL AND GAS INSPECTOR FOR THIS WORK_	8 5/8	1722	1722	300
Steven Casey ADDRESS Rt.2, Box 232-D Jane WV.	7			
PERMIT ISSUED 7-26-82-	5 1/2			
DRILLING COMMENCED 9-1-82	4 1/2		5957	630
DRILLING COMPLETED 9-6-82	3	_		
IF APPLICABLE: PLUGGING OF DRY HOLE ON	2 3/8		5519'	
CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON	Liners used			. And the second
GEOLOGICAL TARGET FORMATION Devonian Shale			54.00	
Depth of completed well 5995 feet Ro	W-		5400	feet
Water strata depth: Fresh - feet; S	cary_x	_/ Cable	T∞ls	
Coal seam depths: 670	TE mal E	feet		\$ 27 TOP \$4
OPEN FLOW DATA	ra coar p	erud wrued	I in the	area? <u>No</u>
Producing formation Riley	•• • •			
	Pay	zone depth	4462	feet
Gas: Initial open flow N/A Mcf/d o	il: Init	ial open f	low -	Bbl/d
Final open flow 220 Mcf/d	Fina	l open flo	w	Bh1 /a
Time of open flow between initia	l and fina	11 teste 6		
scattle rock pressure 1100 psig(surface)	measuremer	nt) after	12 hours	s shut in
applicable due to multiple completion-)	*		
Second producing formation Renson, Elk(s)*	Pay 2	one depth	4944	feet
mcf/d open flow Mcf/d o	il: Initi	al open f	100	בי נשמ
river open flow Mcf/d O	il: Final	open flo	La?	Ph1 /4
Time of open flow between initial	l and fina	il tests	have	9 en
psig (surface m	easurement	after	houre	shut in
*Gas Comingled from Formation API	2 1 1 1983	(Continu		

PORM IV-35 (REVERSE)

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

10-18-82 - 2nd-Elk - 5529-33, - 4,000# 80-100 SD, -12,000# -20-40 SD,

300 BGW, 500 GA

1st Elk - 5446'-60', 5410'-13', 10,000# 80-100 SD, 546
32,500# 20-40 SD, 500 GA, 500 BGW.

Benson - 4993 - 95, 4984-87, 4980-82, 4944-48,
4,000# 80-100 SD, 12,000# 20-40 SD, 500 GA, 500 BGW

Riley - 4474-77, 4462-64, 4,000# 80-100 SD. 12,000# 20-40 SD, 500 GA, 300 BGW.

WELL LOG

	n	مللا سلام		· -	
			The second of th	•	
			REMARKS		
FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	Including indica	ation of all fres	
			and salt water.	coal, oil and ga	
				TOTAL GIAL YA	
Shale & Sandstone	0	670			
Coal	670	676			
Sandstone & Shale	676	2414			
Big Lime & Sandstone	2414	2606	3800' Gas test	t no show	
Sandstone & Shale	2606	2954			
Sandstone (Gantz)	2954	2980	•		
Sandstone & Shale	2980	3224			
Sandstone (Gantz)	3224	3284			
Sandstone & Shale	3284	4445			
Sandstone (Balltown)	4445	4487			
Sandstone & Shale	4487	5526			
Sandstone (Benson)	5526	5538			
Sandstone & Shale	5538	(5989)			
Manager Manager Manager Malance		T.D.	•		
Braller @ TD.					
•					
•		·	- C C C)		
			5987 5538	9	
,			87/1		
			45		
1					
•		·			
		Medical			
		and the second s		, ,	
•					
		Severage of the severage of th			
•		56			
		ь			

(Attach separate sheets as necessary)

By: March 24, 1983

SWIFT ENERGY COMPANY

Well Operator

By: March 24, 1983

Production

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including will, encountered in the drilling of a well."

1000 1V-3 (12-Bl)



Date: Jul	y 7	. 19	82
Operator's Well No.	J.	Camp No.	. 2
API Well No.	47	017	3124
	State	County	Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION OIL AND GAS WELL PERMIT APPLICATION

WELL TYPE:	Oil	Gas <u>×</u> /			
	(If "Gas", Produc	tion X/	Undergrou	nd storage	/ Deep/ Shallow/)
LOCATION:	Elevation: 1	4691	Watershed	: <u>Pike Fo</u>	rk
	District: Mc	Glellan	County:_	Doddridge	Quadrangle: Folsom 7.5 min.
WELL OPERAT	OR Swift Ene	rgy Company	Mighel defining errors of a 1880 to 1880.	DESIGNATED	AGENT Tim Bennett
Address	P. O. Box	1933	ng kanggal s kapula Pankannan kangkal kanggar	Address	P. O. Box 1933
	Clarksbur	g, WV 2630	1	914876	Clarksburg, WV 26381
OIL & GAS		-			
ROYALTY OWN	NER <u>Jennings</u>		å ndri taxupitas (intettibustititi		TOR N/A
Address	P. O. Bo		The case of the second project of cases to	Address	
	the state of the s	n, WV 2643	***************************************	, pare 1	
Acreage	56.5		sary snaarigin (an i siiri ssiis arinkais takk	COAL OWNER	R(S) WITH DECLARATION ON RECORD:
SURFACE OWN	VER Jennings	Camp	and the second s	Name	Virginia A. Tetrick
Address	P. O. Bo			Address	c/o Willis G. Tetrick, Jr.
		n, WV 2643			Union National Center
Acreage				Name	Clarksburg, WV 26301
-	IF MADE) TO:		The second secon		
ŕ	and the same and t			•	
S. S. Car Sp. J. Ser and C. Services				COAL LESSE	E WITH DECLARATION ON RECORD:
MIDACAS INC	SPECTOR TO BE N	OTTERN	opposition of a segment for a substitute		Consolidated Coal Company
•					Pittsburgh, PA
	Steven Casey Rt. 2, 3ox		eu de construir de la residia	7 5 65 65 6 65	t a d a d d d d d d d d d d d d d d d d
WC01622	Jane Lew, W	And the second s	dishering a seeken serin serin versioner	-	
Resources OF said deed, N	ease, or other contrac	t has been record	10d1)		well operator from Eastern Energy mmission of Daddridge County, Wes
70., h Les	ese Book 1	23 at page	01 /	t permit is reque	sted as follows:
					acture or stimulate/
CANAL COLUMNAT		formation			
	Other physics	if change in well	(specity)	maketaken, erektor (gildakany), arigunyaken peperkasikhun (ere yaketama araktor sirikakilan	ин и состоят на выше и интернет на били и состоят на применент на приме
	make a second second	shown on the we	ek order om	the severe cide	hereof
e produ					
					any objection they wish to make or are required a days after the receipt of this Application by the
	· Denn 3d heart C-4-126	wiin the Departme	311 03 14311162	within Hitch (19)	all ays after the receipt of this Application by the
Department.	Permit Application an	d the enclosed plat	and reclama	ion plan bave beer	n mailed by registered mail or delivered by hand t
,		7			ne mailing or delivery of this Permit Application t
	of Mines at Charles		9000C		
GEOPHYSICAL	IT COPIES OF ALL LOGS DIRECTLY	NEG	EUV		Swift Energy Company
		JUL	23 1982	promise month an albert Sporce (in a material delication). The	Well Operator
WEST VIRGIN	da oil and gas ation commis-			¥34.	Tun Barriers
SION	STON STREET EAST		GAS DIVISI		
CHARLESTON		DEHI.	OF MI	NE J	Designated Agent
 	230 E 340 3000		1.5	₹	

BLANKET BOND

PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY: ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

DRILLING C	ONTRAC	TOR (IF	KNOW	N)	ALL AND ROOM FOR CONTRACT OF THE CONTRACT OF T	Unkri		No configuración de calcino residente sua contrato delle configuración es escenarios configuración.	
				Ad	dress		PANN to a color recollent and adjusted character and standards are breaking	PRESIDENTE EN SANTE VE ANSEMBREAT PROBERT INSIDE EN SANTE SE EN	
						No. Colon and the Colon of the State of the State of the Colon of the		(Co-Const quality) particular and construction and appropriate to the property of the construction of	
GEOLOGICA:	L TARGE	ET FORM	ATION	* ****************************	TO A THE OWNER OF THE OWNER OF	Devo	nian Shale		
Estimati	ed depth	of comp	leted we	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	54	00 fee	et Rotary	/ Cab	le tools/
Approxi	imate wat	er strata	depths:	Fresi	h, <u>l</u>	<u>BBO</u> feet	; salt,	feet.	
Approxi	mate coa	î seam de	epths: <u>5</u> '	7 <u>0,8</u> 4			being mined	in the area? Yes	/ No <u>x</u> /
CASING ANI) TUBIN	G PROG	RAM		ا باد	825			
S	orens de seele some es se le seele entre de le s	and almitentarial portion provides are the selection of t	g called all the contractions of the contract	referencement i seperational color colo	Programme V Company and the Company	mant and the state of the state	dagen stårrika sedareter med ligter a fredericket det det tilbeddjelde social enset deskuller av den		
CASING OR	i see	CIFICATI		÷ .	•	FGOYAGE	NTERVALS	CEMENT FILL-UP	PACKERS
TUBING TYPE		Grade	Weight per fit	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	
Conductor	111 7				×	30 ·			Kinos
Fresh Water									
Cost					C C C C C C C C C C C C C C C C C C C				Sizes
sytermodate	8 5	J.55	Ballion to provide APPENDED TO VIAMPENDED	X	1		1930	To Surface	
Production	41/2	J-55		×			5400	550 Sks.	Depths set
Turbins						Control Manager Color on the second decide the second seco			en engagement en habit de la de de en
Linera							The second secon		Perforations:
									Top Bottom
And an analysis and an analysis of the section of t							The second of th		DOLLONS
property and a second s				-	-	Control Contro			
"Rec prev Code	clamation iously paid e \$22-4-8 separate F	Plan", a i on the s a from the form Iv-2;	pplicable ame well e owner shall not	to the force of an of the requestion to the requ	e recla ee requ y wate uired f	imation required by Code § or well or dwell for fracturing or	ed by Code \$2 22-4-12a, and (ling within 200 stimulating a v	ved by Code § 22-4-2 2-4-12b and Regulati v) if applicable, the co- feet of the proposed vell where fracturing Form IV-2 filed in cor	on 23, (iv) unless consent required by it well. or stimulating is to
THIS PERMI							, yaq,		
						H CHAPTER 2			
						dm is hereby Mit shall ex			
TP CPECT						3–26–83	8		
84	The second secon			and the same of the same of			medicing .		
. *** * * * * * * * * * * * * * * * *	* 6 \$0 0 0 7 0 0	5 5 5 5 6 5 5 9 9				*************	3.两名气表企业原中品牌出售书名	8 4 5 5 5 5 5 7 8 6 6 5 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	C 4 2 3 4 4 5 4 4 5 4 5 4 5 5 6 5 6 5 6 5 7 4 7 4 7 4 7 8 8 8 8 8 8 8 8 8 8 8 8 8
								lowner or coal lessee lifteen (15) days of r	
The undersig	ned has n	o objection	on to the	. work	Drope:	sed to be done	tha mall looning	n, the well location ha	cell location has examined this s been added to the mine map, operator has complied with all
							at the control of the latter when		
	8 Ja	ly	, 19	82			3y W	M. G. 7.	trick Jr.