

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

November 10, 2015

WELL WORK PLUGGING PERMIT Plugging

This permit, API Well Number: 47-1703736, issued to CNX GAS COMPANY LLC , is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

Operator's Well No: BOOHER 1

Farm Name: BROWN, WILLIS & WILMA

API Well Number: 47-1703736

Permit Type: PluggingDate Issued: 11/10/2015

Promoting a healthy environment.

WW-4B Rev. 2/01

1) Date November 4	,	20 15	
2) Operator's			
Well No. 10226 (Booher 1)			
3) API Well No. 47-017		- 03736	

	STATE OF W	EST VIRGINIA
	DEPARTMENT OF ENVIR	RONMENTAL PROTECTION
	OFFICE OF	OIL AND GAS
	APPLICATION FOR A PERM	MIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas X/ Liquid	d injection/ Waste disposal/
		derground storage) Deep / Shallow X
- 1	7	Watershed Little Flint Run
5)	Location: Elevation 972'	
	District Grant	County Doddridge Quadrangle West Union
6)	Well Operator CNX Gas Company LLC	7) Designated Agent Anthony Kendziora
	Address 1000 CONSOL Energy Drive	Address One Dominion Drive
	Canonsburg, PA 15317	Jane Lew, WV 26378
8)	Oil and Gas Inspector to be notified	
	Name Bryan Harris	Name See Attached
	Address P.O. Box 157	Address
	Volga, WV 157	
	fication must be given to the district oi can commence.	l and gas inspector 24 hours before permitted
Vork	order approved by inspector Buyer	0 Han 11.9-15

Plugging Work Order for Permit 47-017-03736

CNX Gas - Well 10226

- 1. Verify 2" tubing TD (Est.~4969'). Set on packer @ 4556'
- 2. Load annulus of 2-3/8" tbg through 4-1/2" casing from packer to surface w/ water.
- 3. Pump bottom cement plug through tubing from 5072' to 4556' (excess 25%+).
- 4. Displace cement w/2" wiper plug to 4556'. Verify wiper plug depth with slick line.
- 5. Wait on cement.
- 6. Release tension on tubing.
- 7. TIH w/ wireline tubing cutter. Cut 2-3/8 10rd tubing @ ~4556' above top of packer.
- 8. Pull up 2'. Pump 100' cement plug from 4556' to 4456'.
- 9. TOH with 2-3/8 10rd production tubing.
- 10. Bond log 4-1/2" casing.
- 11. Cut 4-1/2 above T.O.C. (est. ~4400') pull up 300'. Place in slips.
- 12. 4-1/2" casing is bad from 3541' to 3650'. Do not pump through casing.
- 13. TIH with 2-3/8" EUE work string to easing cut @ ~4400'.
- 14. Circulate 6% gel to 500'
- 15. Pump 100' cement plug across casing cut @~4400'. Displace with 6% gel.
- 16. TOH with 2-3/8" EUE work string.
- 17. TOH with 4-1/2 casing.
- 18. TIH with 2-3/8 EUE work string to 2101'.
- 19. Pump 100' cement plug 2101' to 2001'. Displace w/ 6% gel (gas show @ 2051')
- 20. Pull 2-3/8" work string up to 1350'.
- 21. Pump cement plug 1350' to 922' (water show @ 1300', 8-5/8, & elevation @ 972')
- 22. Pull 2-3/8" EUE work string up to 200'.
- 23. Pump cement plug from 200' to surface.
- 24. TOH with 2-3/8" EUE, and top off cement to surface.
- 25. Install 6" x 14' monument (10' below grade, 4' above grade) API 47-017-03736

Work Order approved by Inspector: Buyer O' Hum Date: 11-9-15

Note: All cement will be Class A. All spacers between plugs will be 6% gel.

11-Jul-89 API \$ 47- 17-03736



State of West Virginia DEPARTHENT OF ENERGY Division of Oil and Gas

DIVISION OF OIL & GAS Well Operator's Report of Well Work
DEPARTMENT OF ENERGY
Farm name: BROWN, WILLIS & WILMA Operator Well No.: BOOMER #1

LOCATION: Elevation: 972.00 Onadrancio: MEST INTON

BOCKITON:	Elevacion: 972.00 Quad	rangie: w	RRJ. UNION		
	District: GRANT	c	ounty: DODD	RIDGR	
	Latitude: 5050 Foet Bou	th of 39	Deg. 22Min	. 30 Sec.	
	Longitude 2090 Feet Wes	t of 80	Deg. 45 R1	n. O Bac	•
Company: CH	ESTERFIELD ENERGY CORP.				
	3 West hain Street	Casing	Used in	Laft	Coment
CL	ARKSBURG, WV 26301-0000	6	i	j	Pill Up
		Tubing	Drilling	in Well	Cu. Pt.
Agont: SAI	Nuel J. Cann	Sise			
Inapactors	HIRE UNDERHOOD	D116	ł	1	
Permit Isn	ued: 07/11/89	j	i	1	!!
	Commenced: 7/24/89		! 	 	!
Well work (Completed: 7/30/89	i	1	1	1
Verbal Plus		11 3/4	J ₃₆ ,	i .	
Permission	granted on:				pulled
Rotary X	Cable Rig	ĺ	i	f .	1 /
Total Depti	Cable Rig	8 5/8	j	1153,	272 sks
Presh water	r depths (It) 106'			, 1193,	EIE BKB
		1	1	1	l i
Salt water	depths (ft)0-	4 1/2	1	50721	130 aks
			·		
IB CODI DO	ing mined in area (Y/N)? No	!	!]
COST DODEUR	B (ft): None		ı		
Gas: 1	DATA cing formation Benson Initial open flow show RCY Final open flow 120 RCF Final open flow between i	/d 011: 11 /d P:	inal open fi	tjon -0-	Bb1/d Bb1/d
2+0+1	rock Pressuro 1260 psi	nitiai and	I IIRAI tesi	. B	Hours
Second	producing formation Initial open flow MCF, Initial open flow MCF, Inc. open flow hother		Pay sone	lopth (ft))
Gas: I	initial open flow NCP,	/d 811: 1:	itial open	flow	P/198
2	That open flow MCP	d F	nal open fi	ON	Bbl/d
					Aours
859516	rock Pressuropsi	g (surrace	bressare)	atter	Bours (
LOG WHICH	ACE OF THIS FORM PUT THE FRACTURING OR STIMULATING IS A SYSTEMATIC DETAILED COAL ENCOUNTERED BY THE WELI	, PBYSICA GEOLOGICA	L CHANGE.	RTC. 21.	THE WELL
		_			ĺ
	Samue For: CHEFERN	1 J. Cann	\sim		
			1 /11 BJ	2	
	By:	Cennel	Allen		
		August 29			
	54000	AUSUME ZY	1,1404		

Frac Info

017-3736

Benson (4982'-4986') 15 Holes

8,000# 80/100; 45,000# 20/40 650 BBLS Water

Drilling	Info
----------	------

Shale	0	206
Sand & Shale	206	1185
Shale	1185	1900
Big Lime	1900	1964
Injun	1964	2108
Sand & Shale	2108	2258
Weir	2258	2334
Shale	2334	2450
Berea	2450	2470
Shale	2470	2670
Gordon	2670	2710
Sand & Shale	2710	3105
Shale	3105	4520
Riley	4520	4580
Shale	4580	4982
Benson	4982	4990
Shale	4990	5134
Loggers TD	5134	
	- 131	

1" stream water @ 106' Hole Damp



Division of Oil & Gas DEPARTMENT OF ENERGY

18/8

Operator Well No.: BOOHER #1

LOCATION:

Farm name: BROWN, WILLIS & WILMA


Elevation: 972.00

State of West Virginia DEPARTMENT OF ENERGY Division of Oil and Gas

Well Operator's Report of Well Work

Quadrangle: WEST UNION

District: GRANT Latitude: 5850 Feet Sou Longitude 2090 Feet Wes	th of 39	ounty: DODDI Deg. 22Min Deg. 45 Min	. 30 Sec.	
Company: CHESTERFIELD ENERGY CORP. 203 WEST MAIN STREET CLARKSBURG, WV 26301-0000		Used in	ĺ	Cement Fill Up Cu. Ft.
Agent: SAMUEL J. CANN	Size	 !	 !	
Inspector: MIKE UNDERWOOD Permit Issued: 07/11/89 Well work Commenced: 7/24/89	5126			
Well work Completed: 7/30/89 Verbal Plugging Permission granted on: Rotary X Cable Rig Total Depth (feet) 5264!	11 3/4	36'	 	pulled
Rotary X Cable Rig Total Depth (feet) 5264' Fresh water depths (ft) 106'	8 5/8		1153'	272 sks
Salt water depths (ft)0-	4 1/2		50721	130 sks
Is coal being mined in area (Y/N)? No Coal Depths (ft): None				
Final open flow 120 MCF, Time of open flow between in Static rock Pressure 1260 psice Second producing formation Gas: Initial open flow MCF, Final open flow MCF, Time of open flow between in Static rock Pressure psice NOTE: ON BACK OF THIS FORM PUT THE INTERVALS, FRACTURING OR STIMULATING, LOG WHICH IS A SYSTEMATIC DETAILED INCLUDING COAL ENCOUNTERED BY THE WELL	d Oil: Indicate of the control of th	ritial open inal open fill final test pressure) Pay zone of inal open inal open fill final test pressure) G: 1). DETALL CHANGE, AL RECORD OF THE PRESSURE OF	flow -0- low -0- low -0- low -0- low -24 lepth (ft) flow low -	Bbl/d Bbl/d Hours Hours Bbl/d Bbl/d Hours Hours Thours
By: Date: August 29/ 1989				
		L		



ONE-STOP SERVICE

FOF

APPALACHIAN AREA OIL & GAS INDUSTRY

OIL FIELD SUPPLIES — Complete line of expendables, tools, etc., for both Rotary and Cable Tool drilling — also, all equipment for hook-up, pumping, treating, storage, and transmission.

TUBULAR GOODS — New and used casing, tubing, line pipe and drill pipe. Represent more tubulars mill than any other Oil and Gas Supplier. Also carry plastic, aluminum, and stainless steel pipe.

DRILLING EQUIPMENT — Most experienced source in the East on drilling machinery for both Cable Tool and Rotary Operation! Contact us for new or used drilling equipment.

MUD AND CHEMICALS — Largest and most complete stocks in the East. Foaming agents, Paraffin solvents. Major stocking points at Nitro and Buckhannon, West Virginia.

RENTAL FISHING TOOLS — Complete stock of Cable fishing tools. Overshots, Jars, Magnets, Mills and other Rotary tools available 24 hours per day.

BLOWOUT PREVENTERS and Rotary heads for air drilling available for sale. We service Air Heads and Preventers.

SHOP SERVICES — Licensed API Oil Country Service Shops at Nitro, West Virginia. Tool joint turning subs and special tools, repair work, fording, machining and welding.



HOME OFFICES 835 Hillcrest Drive

Ph. (304) 348-5211 · Charleston, W.Va. 25311

SHOPS - WAREHOUSES - PIPEYARDS Ph. (304) 755-5371 • Nitro, W. Va. 25143 -- 10226

WELL RECORD BOOK

ROTARY AND CABLE TOOL DRILLING

WELL NO.	4		
	Serial No.	Farm No.	
ON	1 .	LE	ASE
COUNTY _	Γ		
STATE		,	
	OWNED BY		

MYunkin

CORPORATION

HOME OFFICES CHARLESTON, WEST VIRGINIA

BRANCH STORES

AKRON, Ohio ASHLAND, Kentucky ATLANTA, Georgia AUGUSTA, Georgia BEAUMONT, Texas **BUCKHANNON**, West Virginia CALVERT CITY, Kentucky CHARLOTTE, North Carolina CHICAGO, Illinois CINCINNATI, Ohio COLUMBUS Onio DECATUR, Alabama DENVER, Colorado GRAND JUNCTION, Colorado HOUSTON, Texas INDIANA Pennaylvania JACKSONVILLE, Florida

JAMESTOWN, New York LAKELAND, Florida LINDEN, New Jersey LOS ANGELES, California LOUISVILLE, Kentucky MARIETTA, Ohio MOBILE, Alabama NEW IBERIA, Louisiana NITRO, West Virginia NORTH CHARLESTON, South Carolina ONEIDA, Tennassee PHILADELPHIA, Pennsylvania PIKEVILLE, Kentucky PITTS5URGH, Pennsylvania PRINCETON, West Virginia RICHMOND, Virginia ST. LOUIS, Missouri

Formation	Color	Hard or Soft	Тор
K		500+	
- 19		"/";	
210	CR	Hard	
21	10: -	C Japan	
920	Gray		1185
			1 10
<			-
		/	1127
1			2747
	1	3.7	17.
	, a **.	411	227

		-	
1			1747
5.0	1	217	17.1
	, x"+.	411	297
** 			- M
/ 1	SHALL		
weir		Hard	27.50
Berea	SAND	Hard	2450
514		SIFT	2459
ETND		Hard	2428
SHALC		Med	2480
Dedon't			2171
5 Ho /+			700
RILPU			4542
13045021			4985
TD 5264			
			1

ottom Oil, Gas	1	
ottom Oil, Gas or Water	Depth	Remarks
-		
/		-
(5)		
	i	
	i	
		-
	- /	
75	1/ 1. 1	1766 No
17		
	6 Gas	2951
		-
	Veas	2200
Gas	2300	2805
68 VEAS	2400	
0 /		110 340
643	2.635	NO SINO.
O VEOS	276/	No Stor
6 VBASE	44 65	NO SHOW
1 Gara	45 86	Nº 340K
O Vice		
600	4924	NO 4601
2007	1000	F 1
1000	-	
The second secon		

BOOHER 10226

TOTAL DEPTH 5070
BOTTOM PERFS 4983-4988
CEMENT TOP 4430
PACKER SET @ 4556
SEATING COLLAR @ 4950.3
total tubing + mud anc 4969.8 2 in 10 rd

PACKER TYPE

Baker PAD 1

30,000 shear set @ 10,000 tension

Severe casing problems @ 3500 to 3800

Ran Cosing Sweedso in Cosing from 3541 to 3650 possible out of Cosing problems

got tight Spot Out and Tubing and packer in Well

hey de 3/4/01

Attachment - Form WW-48:

Potential Plugging Contractors:

Waco Oil & Gas P.O. Box 397 Glenville, WV 26351

Viking Well Service 8113 Sissonville Drive Sissonville, WV 25320

Stalnaker Energy 220 West Main Street Glenville, WV 26351

Contractor Services Inc. 929 Charleston Road Spencer, WV 25276 WW-4A Revised 6-07

1)	Date:	November 4, 2015	
2)	Operator	's Well Number	
1022	6 (Booher 1)		

017

03736

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

3) API Well No.: 47 -

	7.7	(a) Coal Operator		
(a) Name Address	Antero Resources	Name	None of Declaration	n
Address	1615 Wynkoop Street	Address		
(L) NI	Denver, CO 80202		() 111 B	
(b) Name			er(s) with Dec	
Address		Name	None of Declaration	1
		Address		
(a) Name		NT		
(c) Name Address		Name		
Address		Address		
6) Inspector	Bryan Harris (copy provided in person)	(c) Coal Less	ee with Declar	ation
Address	P.O. Box 157	Name	None of Declaration	
11441000	Volga, WV 157	Address	Trong of Bedardion	
Telephone	304-553-6087			
-0.010.010		_		
Take notice accompany Protection, the Applica	you received these documents is that you have rig ou are not required to take any action at all. that under Chapter 22-6 of the West Virginia Cod ing documents for a permit to plug and abandon a with respect to the well at the location described on tion, and the plat have been mailed by registered umstances) on or before the day of mailing or delive	e, the undersigned well op well with the Chief of the C in the attached Application or certified mail or delive try to the Chief.	erator proposes to fil office of Oil and Gas and depicted on the	e or has filed this Notice and Application and , West Virginia Department of Environmental attached Form WW-6. Copies of this Notice.
	By:	CNX Gas Company LLC Matthew Hanley	1 81	
	Its:	Manager - Gas Permitting	1000 10	
	Address			
	Address	Canonsburg, PA 15317	rive	
	Telephone	724-485-3011		
	retephone	124-400-3011		COSSISCIPAÇÃNAS
			100	COMMONWEALTH OF PENNSYLVANIA
Cubanilad 1	sworn before me this da da	Warry in La	1 2017	NOTARIAL SEAL SHERRI J KURAN
Subscribed and	sworn before me this da	y of Manual		Johann Public
My Commission			Notary I	Puldianklin TWP, GREENE COUNTY My Commission Expires Dec 11, 2017
My Commission	Expires 17 (1-1)			my commission expires that 11, 2017

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

SURFACE OWNER WAIVER

Operator's Well Number

10226 (Booher 1)

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the pla objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON ETC.	nned work described in these materials, and FOR EXECUTION BY A COR	
Signature	By Time Rade Its Director of Land Ops- Marcellu	Date 11 9 18
	Signature	Date

11/13/2015


WW-9 (2/15)

ATT Number 47 - 511	API Number	47 - 017	- 03736
---------------------	------------	----------	---------

Operator's Well No. 10226 (Booher 1) STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN
Operator Name_CNX Gas Company LLC OP Code 494458046
Watershed (HUC 10) Little Flint Run Quadrangle West Union
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No V
If so, please describe anticipated pit waste: N/A
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application Underground Injection (UIC Permit Number) Rcuse (at API Number) Off Site Disposal (Supply form WW-9 for disposal location) Other (ExplainN/A - No pit will be used
Will closed loop system be used? If so, describe:
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc.
-If oil based, what type? Synthetic, petroleum, etc
Additives to be used in drilling medium?
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)
-Landfill or offsite name/permit number?
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable aw or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
Company Official Signature
Company Official (Typed Name) Matthew Hanley
Ompany Official Title Manager - Gas Permitting
day of MITMAL , 20/5 COMMONWEALTH OF PENNSYLVANIA NOTABIAL SEAL NOTARY Public SHERRY Public FRANKLIN IV.P. GREENE COUNTY My Commission Expires Dec 11, 2017

CNX Gas Company	LLC		
Proposed Revegetation Treati	ment: Acres Disturbed 1	.5 Prevegetation	рн 6.5
Lime according to pH	test Tons/acre or to corre	ct to pH 7.0	
Fertilizer type 10-2	0-20 or Equivalent	<u>(2)</u>	
Fertilizer amount 50	0	lbs/acre	
Mulch hay or stra	w @ 2	_Tons/acre	
		Seed Mixtures	
Ten	nporary	Per	manent
Seed Type	lbs/acre	Seed Type	lbs/acre
Orchard Grass	25	Orchard Grass	25
Birdsfoot Trefoil	15	Birdsfoot Trefoil	15
Ladino Clover	10	Ladino Clover	10
Plan Approved by: Sugar	ger O'Han	•	
iile: Inspedor		Date: 11.9.15	
ield Reviewed?) Yes (No	





West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

_{API:} 47-017-03736		_ WELL NO.:	10226 (Booher 1)
FARM NAME: Antero Res	sources		
RESPONSIBLE PARTY NAME:	CNX Gas	s Compan	y LLC
COUNTY: Doddridge		ISTRICT: G	
QUADRANGLE: West Unio	on		
SURFACE OWNER: Antero		S	
ROYALTY OWNER: James			
UTM GPS NORTHING: 435661		D83)	
UTM GPS EASTING: 520927.13			FION:(NAD83)
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Gothe following requirements: 1. Datum: NAD 1983, Zone height above mean sea le 2. Accuracy to Datum – 3.0 3. Data Collection Method: Survey grade GPS: Post Preparence of the preparence	or a plugging per las will not accep e: 17 North, Coo evel (MSL) – me 15 meters	mit or assigned ot GPS coordina rdinate Units: m ters.	API number on the tes that do not meet
Real-T	ime Differential		
Mapping Grade GPS X : Post			
Rea	l-Time Different	tial X	
 Letter size copy of the to the undersigned, hereby certify this belief and shows all the information prescribed by the Office of Oil and O 	data is correct t required by law	o the best of my	knowledge and
Mouth Harty	Manager - Ga		11/6/2615 Date