





State of West Virginia DEPARTMENT OF ENERGY ... Division of Oil and Gas

DIVISION OF OIL & GAS DEPARTMENT OF ENERGWell Operator's Report of Well Work

HOLT, JACK

Operator Well No.: HURST #1

LOCATION:

Elevation: 1000.00 Quadrangle: WEST UNION

District: CENTRAL County: DODDRIDGE
Latitude: 850 Feet South of 39 Deg. 17Min. 30 Sec.
Longitude 10880 Feet West of 80 Deg. 50 Min. 0 Sec.

Company: DEVONIAN APPALACHIAN COMP

ROUTE 1, BOX 114B

MINERALWELLS, WV 26150-0114

Agent: ROBERT A. ANDERSON

Inspector: MIKE UNDERWOOD

Permit Issued:

09/14/89 10/5/89

Well work Commenced: Well work Completed:  $\frac{10/15/89}{10/15/89}$ 

Verbal Plugging

Permission granted on:
Rotary X Cable Rig
Total Depth (feet) 5481'

Fresh water depths (ft) 35'

Salt water depths (ft) 1380

Is coal being mined in area (Y/N)? N Coal Depths (ft): 425-437'

INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

Casing & Tubing	Used in Drilling		Cement    Fill Up   Cu. Ft.
Size 11 3/4	178'	178'	90 sks to sfc.
8 5/8	1366'	1	321 sks to sfc.
4 1/2	5273	5273	461 sks

OPEN FLOW DATA

5144 4862

Producing formation Alex, Bers, Riley, Brad Pay zone depth (ft) 4460

Gas: Initial open flow /,280 MCF/d Oil: Initial open flow 0 Bbl/d
Final open flow 990/220MCF/d Final open flow 0 Bbl/d
Time of open flow between initial and final tests 4 Hours Hours
Hours

Second producing formationBltn, Spchly, Warreray zone depth (ft)3328 Gas: Initial open flow / / /00 MCF/d Oil: Initial open flow Bbl/d
Final open flow /2/0 MCF/d Final open flow Bbl/d
Time of open flow between initial and final tests Hours

Static rock Pressure /550 psig (surface pressure) after /2 Hours NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS,

For: DEVONIAN APPALACHIAN COMPANY, INC.

-a. le By:

Date:

OCT 2 0 1989

Alexander: 5163-68-6 shots 5155-57'-4 shots, 5144-50'-10 shots Alexander: 5163-68-6 shots 5155-57'-4 shots, 5144-50'-10 shots

N2 foam frac with 5,000# 80/100 & 25,000# 20/40 Ottawa sand. 1st stage

Benson: 4862-68'-6 shots, 4802-04'-2 shots, 4781-87'-8 shots,

2nd Riley: 4684-86'- 2 shots, 4777-78'-2 shots. Frac with 5,000# 80/100

& 30,000# 20/40 Ottawa sand and N2 foam 2nd stage

Bradford: 4460-69'- 8 shots, 4445-50'-4 shots,

Balltown: 4250-56'-4 shots, 4246-48'-2 shots

Speechley: 3778'-2 shots, 3817'-2 shots

frac with 5,000# & 30,000# 80/100-20/40 Ottawa sand with N2 foam 3rd stage

Wattren: 3488-90'-6 shots 3377-82'-4 shots 3346-50'-4 shots. 3330-35'-6 sh

Warren: 3488-90'-6 shots, 3377-82'-4 shots, 3346-50'-4 shots, 3330-35'-6 shot frac with 5,000# 80/100 & 25,000# 20/40 Ottawa sand and N2 foam

1st stage-spot 500 gal 15% HCl, 2nd stage-spot 500 gal 28% HCl 3rd stage-spot 750 gal 28% HCl, 4th stage-spot 500 gal 28% HCl

Formation	Top	Bottom	Remarks
Claÿ	0	10	
Shale, sand	10	425	
Coal	425	437	
sand, shale, red rock	437	680	
sand, shale	680	1896	
Big Lime	1896	2000	
Big Injun	2000	2052	
shale	2052	2208	
Weir	2208	2328	
shale & siltstone	2328		gas on camera
Warren	3286	3286	*
siltstone & shale	3387	3387	
Speechley		3730	
siltstone & shale	3730	3868	
Balltown	3868	4244	
	4244	4286	gas on camera
shale & siltstone	4286	4460	
Bradford	4460	4476	gas on camera
siltstone & shale	4476	4670	
Riley	4670	4714	
siltstone & shale	4714	4782	
Benson	4782	4866	gas on camera
siltstone & shale	4866	5136	8 0 0
Alexander	5136	5172	
Devonian Shale	5172	TD 5481	



CIVISION OF OIL & GAS DEPARTMENT OF CIVERGY

57

permitting office of Oil & Om

## State of West Virginia Division of Environmental Protection Section of Oil and Gas

Well Operator's Report of Well Work

Farm name: HOLT, JACK

Operator Well No.: HURST 1

LOCATION:

Elevation: 1000.00 Quadrangle: WEST UNION

District: CENTRAL

County: DODDRIDGE

Latitude: 850 Feet South of 39 Deg. 17Min. 30 Sec. Longitude 10880 Feet West of 80 Deg. 50 Min. 0 Sec.

Company: DEVONIAN APPALACHIAN COMP				
ROUTE 1, BOX 114B MINERAL WELLS, WV 26150-0114	Casing	Used in	Left	Cement
Agent: ROBERT A. ANDERSON		Drilling	in Well	Fill Up  Cu. Ft.
Inspector: MIKE UNDERWOOD	Size			
Well work Commenced: 2 2/62	no	CHANGE	!	Topological Control of the Control o
Verbal Plugging	######################################			
Permission granted on:  Rotary Cable Rig	_300 od	FGENTAL W	E 35	
Total Depth (feet)		mayoos as	***************************************	anagyu.
Fresh water depths (ft)				
Salt water depths (ft)			***	a. strippina
Is coal being mined in area (Y/N)?				
OPEN FLOW DATA				·

Gas: Initial Communication WEIR	Pay zone donth (st)
Gas: Initial open flow (1) MCF(d Oi	Pay zone depth (ft) 2207-239
Gas: Initial open flow 600 MCF/d Oi Final open flow 200 MCF/d	Final open flow Bbl/d  Bbl/d  Bbl/d
D: 10 Jos MCF/d	Final open flow This
rime or open flow between initia	l and final backBDI/Q
Static rock Pressure	Final open flow Bbl/d l and final tests Hours
/ - DOIN SU	LIGUE DIRECTIVAL SELS.
Second producing formation Blue Monda.  Gas: Initial open flow 600 MCF/d Oil	56 · ( )
Gas: Initial open flow 600 MCF/d OF Final open flow	2 Pay zone depth (ft)///201982
MCF/d Oz	1: Initial open flow
Final open flow nor MCF/d	BD1/d
Time of open flow between initia	Final open flow Bbl/d Bbl/d
Static rock Pressure 720 psig (su	reface product tests Bbl/d Hours
psig (su	riace pressure) after /2 Hours

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

5 TM/	For:	DEVONIAN APPALACHIAN COMPANY, INC.
Reviewed TM6 -		By: That O Can
Necolucu		Date: 2-/2-93

98-52/

1st Stage: Perforate 2395-2 holes, 2387-90 3 holes, 2243 2 holes, 2239-41 3 holes, 2232-34 3 holes, 2229 2 holes, 2211-13 3 holes, 2207-09 3 holes. Frac with 500 gal. 22% HCl, 50 sks 80/100 sand, 500 sks 20/40 sand, 720 bbl H2O, Nitrogen assist.

2nd Stage: Perforate 1782-86 10 holes, 1737 2 holes, 1627 2 holes, 1610 2 holes, 500 gal. 22% HCl, water flush.

DET = 439 DET = 484 DE = 548 DE = 548

STATE OF WEST VIRGINIA Order 9/14/89 Expures

DEPARTMENT	OF	ENER		DIV	IS	ION	OF	OIL	AND	GAS	
6.717° F	F F	MODE	ממממ		3 5		~ ~ · · · · ·				

		DEPART	MENT OF E	ENERGY, DIY ORK PERMIT	VISION OF O APPLICATIO	IL AND GAS	0,00	2/14/91
۲)	Well Ope	erator:	Devonia	4518 n Appalachia	n Company, Ir	nc. 1353	0 (1)	670
2)	Operator	's Well	Number:	Hurst Well N	0.1	3) El	evation:_1	011'
4)	Well typ	e: (a)	oil_/	or Gas	5 <u>X</u> /			
		(b)	If Gas:	Production	nX/Underg	round Storag		
5)	Proposed	l Target	Formation	-	evonian Shale	Shallo	W <u> </u>	
6)	•					,		
	3	TOTAL D	eptn:	5995	teet	506	Possible O	4991
7)	Approxim	ace rres	n water s	trata dept	hs:	175' /24' N/A /X	711 1/10	
8)	Approxim	ate salt	water de	pths:		N/A //X	14 1461	<del></del>
9)	Approxim	ate coal	seam dep	ths:		N/A	<b>*</b>	
10)				•		ive mine? You	es/ No_	<u>X_</u> /
11)	Proposed	Well Wo	rk: Dri	ll & Stimula	te New Us	ell.		
12)			CASIN	C AND THE	NG PROGRAM			
TYPE		· ·		IONS		<u> </u>		0.000
1		٥	PECIFICAL				CEME	1
**************************************		Size	Grade	Weight per ft.	For drilling	Left in	Fill-up Cu. ft	1
Condu	uctor	11-3/4"			301	7775'-OF 115	0 Sacks	- Anna Anna Anna Anna Anna Anna Anna Ann
Fresi	n Water	8-5/8"	•		1411'	G5 1411'	rBy Rule 38 CSR 18-11/3	}
Coal	***************************************							
Inter	rmediate	and the second s					ed topic in Color in the Color	
Produ	iction	4-1/2"			59951	5995'	By Rule 38 CSR 18-11.1	
Tubir	ıg		***					and the same of th
Liner	rs .		and the second s	and the second s		1818	FIETWI	南面
PACKE	ERS : Kin						1000	
		es ths <b>set</b> _					406 23 1303	
V20		F	pr Divisor	n of Oil a	nd Gas Use		SION OF OIL & RTMENT OF EN	LAS IERGY
	Fee(s) p			ork Permit	(18	lamation Fund	SEI WPO	: CP
THE STATE OF THE S	Plat	WW-9	ZI WW-	2B	and Single	of the	A Age	
	0	,		0		(Type)		

Page 1 of Form WW2-A (09/87) File Copy



1)	Date:
21	Operator's well number

47 - 017

State - County - Permit

API Well No:

Hurst #1 3743

DIVISION OF OIL & GAS DEPARTMENT OF ENERGY STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY, DIVISION OF OIL AND GAS

3)

	NOTICE AND APPLICATION F	OR A WELL WORK PERMIT
4)	Surface Owner(s) to be served:  (a) Name <u>Jack Holt</u> Address <u>Now Rok 5</u> BREEKWOOD, WV 26360	5) (a) Coal Operator: Name
	(b) NameAddress	(b) Coal Owner(s) with Declaration Name ///A Address
	(c) NameAddress	Name //A Address
6)	Inspector Mike Underwook  Address R+2 Bix 135  Salen, WV 21426  Telephone (304)-782-1043	(c) Coal Lessee with Declaration NameA Address
	TO THE PERSON(S) NAMED AR	OVE TAKE NOTICE THAT:
Secti I hav	e served copies of this notice and	extract oil and gas <u>OR</u> ed by Chapter 22B, Article 1, iia (see page 2) chapter 22B of the <u>West Virginia Code</u> application, a location plat, and on the above named parties, by: ttached) stal receipt attached)
famil attac respo is tr	I certify under penalty of law that iar with the information submitted them. I can be and that based on my inquiposible for obtaining the information, accurate, and complete.  I am aware that there are signification, including the possibility of the possibilit	t I have personally examined and am on this application form and all ry of those individuals immediately on, I believe that the information ant penalties for submitting false of fine and imprisonment.    Devonian Applichian ( Inc. Robur A. Anima
Apr	ST. RT. 83, BOX 38 Address ELLENBORO, W. VA. 26346  Immission Expires August 10, 1998 Felephone 30	President (+1 Box 114B Mineral Deus, WV 26150 4-489-9314
	ribed and sworn before me this 21	day of
му со	mmission expires Hug 10	1448

FORM WW-28 DEC 0 7 92

Environmental

Page of STATE OF WEST VIRGINIA

<b>(5</b> )	fice DEPARTME	VT OF END VELL WORK	ERGY, DIV	/ISION OF O APPLICATIO	IL AND GAS	
l) Well Ope	rator: <u>Neve</u>	onian App	alackian	E. Fac	13530	(1) 67
2) Operator	's Well Nur	mber:	urst #1		3) El	evation://c
	e: (a) Oi:					,
·			Deeg	3	round Storag	W/
5) Proposed	Target For	rmation(s	5): <u>[weie</u>	Bis Inju	in Blue M	i nday
6) Proposed	Total Dept	h:	1-	feet	•	
	ate fresh w			,		
8) Approxim	ate salt wa	ater dept	ths:	MIA	Michigan da de la companya da de la co	
	ate coal se					
10) Does lan	d contain o	coal sear	ms tribut	ary to act	ive mine? Y	es/ No@
11) Proposed	Well Work	: Set t	emporar	plug, kr	ac New Zon all zones	es, knock
12)		•				
TYPE	an m		-	ING PROGRAM		
<u> </u>	j j	CIFICATIO		FOOTAGE I		CEMEN
	Size (	Grade	Weight per ft.	For drilling	Left in well	Fill-up (cu. ft.
Conductor			Compared to the other properties of the compared to the other of the other of the other ot		128	
Fresh Water	A 7/4			178 -	178	
Coal					(9/6	2 xeeling
Intermediate	8 5/8.			1366		form,
Production	42			5273	5273	well.
Tubing						Kaeordo
Liners						
PACKERS : Kin	ıđ		4.41			
	es oths set					
2/2		Divisor	of Oil	and Gas Use	Only	
)/ \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					lamation Fun	.a 1 1 11000
	/614.	METT MOI	rv Egrunn	. II Rec	ramarron run	I - 1 - ME (

	1 of	Office of Directors  Office of Directors  STATE  DEPARTMENT OF ENE	2) Operato 3) API We: OF WEST VIRGIN: RGY, DIVISION (	OF OIL AND GAS	t
	(a) Name _ Address	NOTICE AND APPLIC  Vner(s) to be serv  JACK HOIT  RHI BULIU  Greenwal wv	ed: 5) (a) Name AH Address	LL WORK PERMIT  Coal Operator:  S  al Owner(s) with Declaration	on
	Address (c) Name		NameName	s	
	Address _	Mike Underwood Ph 2 Box 135 Salom W. 2642 (304) - 782-1043	(c) Coo Name Address	al Lessee with Declaration	
Secti I hav	Included on 8(d) or I certify se served opanying do the person cert	nich I hold the ri is the information f the Code of West that as required copies of this not	ght to extract required by Control (see under Chapter ice and application) on davit attached rked postal re-	hapter 22B, Article 1, page 2) 22B of the <u>West Virginia C</u> ation, a location plat, and the above named parties; by ) ceipt attached)	d
to th famil attac respo is tr	I certify iar with thments, and insible for ue, accurate a maware a market series and	nd conditions of a under penalty of the information sund that based on making the interest and complete. That there are succluding the possi	law that I have abmitted on this aformation, I be significant pendicularly of fine perator Perator	d 38 CSR 11-18, and I agreed under this application. e personally examined and sapplication form and all hose individuals immediate elieve that the informational alties for submitting fals and imprisonment.	am ly n
Subsc	ribed and	Its:	President Rt   Bux Motoral We one (304) 489-	14 B 16 W 26150 9314	72
		Kinda R. Sheet		Notary Pub	lic