

State of West Virginia Division of Environmental Protection Section of Oil and Gas

Well Operator's Report of Well Work

·arm name:	FARR, JOHN C	•	Operato	r Well No. : CLINE	#1	The second of th
OCATION:	Elevation:	922.00	Quadrar	ngle: WEST UNION	.	ilidean of
	District: Latitude: Longitude:		uth of 39 Deg. 20 Min. st of 80 Deg. 45 Min.			(((((((((((((((((((
Company:	22 G WES	OIL COMPANY Sarton Plaza	Casing & Tubing Size	Used in Drilling	Left In Well	Cement Fill Up Cu. Ft.
Agent:	JAN	E. CHAPMAN				
nspector: Permit Issued Well Work Co Well Work Co Verbal Pluggi	ommenced: ompleted:	MIKE UNDERWO 08/29/97 10/28/97 11/11/97	OD 8 5/8"	928.15'	928.15'	250 sks To Surface
	ranted on: Cable	Rig	4 ½" 2 3/8"	5240'	5240' 5051'	47 0 s ks
resh water o	depths (ft) 3 pths (ft) NON	310'	2,00		0001	
	mined in area ((ft): <u>NONE</u>					V-1-V-1-1-1-1
OPEN FLOW	/ DATA	Warren Speechley Rileys Benson		3170' - 32 3248' - 33 4344' - 47	47' 60'	
Prod Gas:	Initial open fl Final open fl	Alexander low Show MCF ow 1,540 MCF	Pay zone depth / d Oil: Initial open / d Oil: Final open and final testsN	flow 0 Bt		
Statio	c rock pressure		ce pressure) after	96 H	ours	
Gas:	Initial open fl Final open fl Time of oper	ormation Comming low MCF / d ow MCF / d in flow between initial a	Oil: Initial open	flowE flowB	Bbl / d Bbl / d Hours	
Otati	c rook pressure	paig (aulia	ice piessuie) ailei	⊓	oui 5	

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

For: KEY OIL COMPANY

Date: _____ March 27, 1998

85h G

MAY 0 1 1995

PRESIDENT

Cline #1 (47-017-04386) Four Stage Foam Frac - Halliburton

1 st Stage:	Alexander (14 holes) (5071.50' to 5138.25')	60 Quality Foam. 500 gal. 15% HCL. 60,000# 20/40 sand, 550,000 SCF N2, 809 bbls foam.
2 nd Stage:	Benson (7 holes) (4817' to 4848.50') Third Riley (5 holes) (4739' to 4740')	60 Quality Foam. 750 gal. 15% HCL. 50,000# 20/40 sand, 481,000 SCF N2, 710 bbls foam.
3 rd Stage:	Riley (12 holes) (4372.50' to 4404.25')	60 Quality Foam. 750 gal 15% HCL. 5,000# 80/100 sand, 45,000# 20/40 sand, 502,000 SCF N2, 740 bbls foam.
4 th Stage:	Speechley (6 holes) (3259.25' to 3338') Warren (7 holes) (3211.25' to 3231.75')	60 Quality Foam. 750 gal 15% HCL. 5,000# 80/100 sand, 45,000# 20/40 sand, 502,000 SCF N2, 684 bbls foam.

WELL LOG

Fill and clay	0	14	
Sand & Shale	13	178	
Red Rock	178	191	
Sand & Shale	191	830	3/4" H ² O @ 310'
Red Rock & Shale	830	935	
Sand & Shale	935	1340	
Sand	1340	1391	
Sand & Shale	1391	1420	
Sand	1420	1452	
Sand & Shale	1452	1771	
Little Lime	1771	1791	
Shale	1791	1820	
Big Lime	1820	1900	
Big Injun	1900	1968	GAS CHECKS
Shale	1968	2114	1731' - No Show
Weir	2114	2218	2504' - No Show
Sand & Shale	2218	2321	3001' - No Show
Berea	2321	2329	3530' - No show
Sand & Shale	2329	2510	4210' - No Show
Gordon	2510	2567	4703 - 3/10 ^{ths} - ½" w/ H ² O
Sand & Shale	2567	3170	4919 - 10/10 ^{ths} - ½" w/ H ² O
Warren	3170	3234	TD - Show
Shale	3234	3248	
Speechley	3248	3347	
Shale & Sand	3347	4344	
Riley	4344	4416	
Sand & Shale	4416	4728	
Third Riley	4728	4760	
Shale	4760	4811	
Benson	4811	4823	
Sand & Shale	4823	5048	
Alexander	5048	5153	
Shale	5153	5277	
T.D.	5277		

017 - 4386 Page__or__

- 4	٥				1300			- 490	·~	*
		STATE O	F WEST	VIRGI	NIA					
ח	TUTSTON OF	FNVTRONMENTAL				OF	OIL	AND	GAS	

	DIVISI	on of env	IRONMENT	OF WEST V	ION, OFFICE	OF OIL AND	GAS
			WELL WOR	K PERMIT	APPLICATION		
L)	Well Oper	ator:	KEY OIL CO	MPANY 5	5655	(Y) (71	
2)	Operator'	s Well Nu	umber:	CLINE #1			evation: 922'
4)	Well type	e: (a) Oi	11 <u>X</u> /	or Gas_	<u>X</u> /	Signed	08 29 97 08 29 99
		(b) I	E Gas: P	roduction	X / Undergro	ound Storag	e/
71				Deep		Shallo	<u>w_X_</u> /
241	Proposed	Target Fo	ormation(s):ALE	XANDER		
	Proposed	Total Dep	pth:	5600	_ feet	<u>ب</u>	
	Approxima	ate fresh	water st	rata depti	ns: 80'	0, 3	
	Approxima	ate salt	water dep	ths:	0-	To com	
9)	Approxima	ate coal	seam dept	:hs:	/A		3
10)	Does land	d contain	coal sea	ums tribut	ary to acti	.ve, mine ?	es/ No_X_/
11)				, STIMULATE		Mullell	
,					7	-	-
121	CASING AND TUBING PROGRAM						
12)			CASING	S AND TUBI	NG PROGRAM		
12) TYPE	3	SI	<u>CASIN</u> PECIFICAT		NG PROGRAM FOOTAGE II	NTERVALS	CEMENT
·	3		PECIFICAT	IONS Weight	FOOTAGE II	Left in	
TYPE		Size	PECIFICAT	Weight per ft.	FOOTAGE II		Fill-up
Conc	ductor	Size	Grade ERW	Weight per ft.	FOOTAGE II For drilling 42	Left in well	Fill-up
Conc	ductor sh Water	Size	PECIFICAT	Weight per ft.	FOOTAGE II	Left in well	Fill-up (cu. ft.) 3984943
Conce Free Coa	ductor sh Water	Size	Grade ERW	Weight per ft.	FOOTAGE II For drilling 42	Left in well	Fill-up (cu. ft.) 3984943
Conc Free Coa	ductor sh Water l ermediate	Size 11 3/4 8 5/8	Grade ERW ERW	Weight per ft. 42 23	FOOTAGE II For drilling 42	Left in well 0 922	Fill-up (cu. ft.) 3989993 250 SKS. TO SURFACE
Conc Free Coa	ductor sh Water	Size	Grade ERW	Weight per ft.	FOOTAGE II For drilling 42	Left in well	Fill-up (cu. ft.) 3984943
Conce Free Coal Inte	ductor sh Water l ermediate	Size 11 3/4 8 5/8	Grade ERW ERW	Weight per ft. 42 23	FOOTAGE II For drilling 42	Left in well 0 922	Fill-up (cu. ft.) 3989993 250 SKS. TO SURFACE
Cond Free Coal Into	ductor sh Water l ermediate duction	Size 11 3/4 8 5/8	Grade ERW ERW	Weight per ft. 42 23	FOOTAGE II For drilling 42	Left in well 0 922	Fill-up (cu. ft.) 3989993 250 SKS. TO SURFACE
Concern Coal Interpretation Tub	ductor sh Water l ermediate duction ing ers	Size 11 3/4 8 5/8 4 1/2 1.5	Grade ERW ERW	Weight per ft. 42 23	FOOTAGE II For drilling 42	Left in well 0 922	Fill-up (cu. ft.) 3989993 250 SKS. TO SURFACE
Concern Coal Interpretation Tub	ductor sh Water l ermediate duction ing ers KERS : Kin	Size 11 3/4 8 5/8 4 1/2 1.5	Grade ERW ERW	Weight per ft. 42 23	FOOTAGE II For drilling 42	Left in well 0 922	Fill-up (cu. ft.) 3989993 250 SKS. TO SURFACE
Concern Free Coal Into Pro Lin PAC	ductor sh Water l ermediate duction sing sers EXERS: Kin Sin Den	Size 11 3/4 8 5/8 4 1/2 1.5 1.5	Grade ERW ERW J-55	Weight per ft. 42 23 10.5	For drilling 42 922	Left in well 0 922 5450 Only	Fill-up (cu. ft.) 3989993 250 SKS. TO SURFACE

Page 1	of
Form V	$MW\overline{2-A}$
6/94)	
6/94) File Co	ру

1)	Date: AUGUST 18, 1997	
1) 2)	Operator's well number	
	CLINE #1	
3)	API Well No: 47 - <u>017</u> - <u>4386</u>	
•	State County Permit	

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

Chico of Chic Gas

NOTICE AND APPLICATION FOR A WELL WORK PERMIT

4)	Surface Ov	vner(s) to be served: 5) (a)	Coal Operator:
•	(a) Name	JOHN C FARR BY HIS	Name NONE
	Address	ATTORNEY-IN-FACT	Address
	71.51	P. D. FARR II	Address (b) Coal Owner(s) with Declaration Name Address
	(XXX)X (KNO)CODE _	RT. 1 BOX 162	(b) Coal Owner(s) with Declaration
		LITTLE HOCKING, OH 45/42	Name
	(a) Nama		_Additess
	(C) Name _		Name
			NameAddress
6)	Inspector	MIKE UNDERWOOD	(c) Coal Lessee with Declaration
Ο,	Address	RT 2 BOX 135	Name
		SALEM. WV 26426	_Address
	Telephone	(304)- 782-1043	
			AND ADOVE TAKE MOTION THAT.
		TO THE PERSON(S) NAM	MED ABOVE TAKE NOTICE THAT:
	Included is	the lease or leases or other	er continuing contract or contracts by which I hold the
right	to extract oi	l and gas OR	
<u>X</u>			Chapter 22, Article 6, Section 8(d) of the Code of West
Virgi	nia (see pag	je 2)	On the NATIONAL CONTRACTOR OF THE CONTRACTOR OF
	I certify th	at as required under Chapte	er 22 of the West Virginia Code I have served copies of
this i	notice and a	application, a location plat, a	and accompanying documents pages 1 through on
the a	bove named	d parties, by:	L A
	Per	sonal Service (Affidavit attac	ched)
	X Ce	rtified Mail (Postmarked post	al receipt attached)
	Pul	olication (Notice of Publication	on attached)
	I have re	and understand Chapter	22-6 and 38 CSR 11-18, and I agree to the terms and
conc	i liave red	permit issued under this ap	plication
COLIC	I cortify i	inder penalty of law that I	have personally examined and am familiar with the
infor	motion subr	nitted on this application for	m and all attachments, and that based on my inquiry of
thos	nialion subi	immediately responsible for	r obtaining the information, I believe that the information
ie to	e iliulviuuais ie accurate	, and complete.	obtaining the information, i solicite that the information
15 (1)	e, accurate	re that there are significant	penalties for submitting false information, including the
noss	ibility of fine	e and imprisonment.	portation for deprinting raise when the
post	ibility of fine	W ell Op era	ATOP KEY OIL COMPANY
		By	Lama
		lis:	PRESIDENT
		· · · · · · · · · · · · · · · · · · ·	22 GARTON PLAZA
			WESTON, WV 26452
		Telephone	
Sub	scribed and	sworn before me this 18TH	tay of AUGUST . 19 97
		<u> </u>	STATE OF WEST VIRGINIA
		Karen Cook	AREN OPERATY Public
Mv	commission		2 ANE LEW, WV 26378
iviy '		<u> </u>	My Commission Expires Mar. 24, 2003
•	•		h