

WR-35
Rev (9-11)

State of West Virginia
Department of Environmental Protection
Office of Oil and Gas
Well Operator's Report of Well Work

DATE: 1/14/2013
API #: 47-017-06079

Farm name: Davis, Jonathan Operator Well No.: Valentine Unit 2H

LOCATION: Elevation: 1159' Quadrangle: West Union 7.5'

District: Central County: Doddridge
Latitude: 10.547 Feet South of 39 Deg. 20 Min. 00 Sec.
Longitude 12.378 Feet West of 80 Deg. 47 Min. 30 Sec.

Company: Antero Resources Appalachian Corp.

Address:	Casing & Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.
1625 17th Street Denver, CO 80202	20" 94#	40'	40'	38 Cu. Ft Class A
Agent: CT Corporation System	13-3/8" 48#	664'	664'	922 Cu. Ft Class A
Inspector: Sam Ward	9-5/8" 36#	2610'	2610'	1083 Cu. Ft Class A
Date Permit Issued: 3/30/2012	5-1/2" 20#	14321'	14321'	3506 Cu. Ft Class H
Date Well Work Commenced: 6/29/2012				
Date Well Work Completed: 10/22/2012				
Verbal Plugging: N/A				
Date Permission granted on: N/A	2-3/8" 4.7#	7134'		
Rotary <input checked="" type="checkbox"/> Cable <input type="checkbox"/> Rig <input type="checkbox"/>				
Total Vertical Depth (ft): 6816' TVD				
Total Measured Depth (ft): 14321' MD				
Fresh Water Depth (ft.): est. 161', 286'				
Salt Water Depth (ft.): est. 780', 837'				
Is coal being mined in area (N/Y)? No				
Coal Depths (ft.): est. 824', 828'				
Void(s) encountered (N/Y) Depth(s) No, N/A				

OPEN FLOW DATA (If more than two producing formations please include additional data on separate sheet)

Producing formation Marcellus Pay zone depth (ft) 6680' TVD (Top)

Gas: Initial open flow --- MCF/d Oil: Initial open flow N/A Bbl/d

Final open flow WOPL MCF/d Final open flow N/A Bbl/d

Time of open flow between initial and final tests N/A Hours

Static rock Pressure 3600 psig (surface pressure) after --- Hours

Second producing formation _____ Pay zone depth (ft) _____

Gas: Initial open flow _____ MCF/d Oil: Initial open flow _____ Bbl/d

Final open flow _____ MCF/d Final open flow _____ Bbl/d

Time of open flow between initial and final tests _____ Hours

Static rock Pressure _____ psig (surface pressure) after _____ Hours

RECEIVED

JAN 25 2013

WV GEOLOGICAL SURVEY
MORGANTOWN, WV

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this document and all the attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information I believe that the information is true, accurate, and complete.

Shawn Ki
Signature

1/24/13
Date

Were core samples taken? Yes _____ No **X**

Were cuttings caught during drilling? Yes **X** No _____

Were Electrical, Mechanical or Geophysical logs recorded on this well? If yes, please list **Yes - CBL**

This is a subsequent well. Antero only runs wireline logs on the first well on a multi-well pad (Valentine Unit 1H, AP# 47-017-00063). Please reference the wireline logs submitted with Form WR-35 for Valentine Unit 1H.

NOTE: IN THE AREA BELOW PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF THE TOPS AND BOTTOMS OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE FROM SURFACE TO TOTAL DEPTH.

Perforated Intervals, Fracturing, or Stimulating:

Perforations: 7241'-14,255' MD (1416 holes)

Frac'd w/ 11,000 gals 15% HCL Acid, 154,773 bbls Slick Water carrying 811,000# 100 mesh, 2,811,700# 40/70 and 1,590,000# 20/40 sand.

Plug Back Details Including Plug Type and Depth(s): **N/A**

<u>Formations Encountered:</u>	<u>Top Depth</u>	<u>Bottom Depth</u>
<u>Surface:</u>		
Big Lime est.	2,066'	2,176'
Big Injun est.	2,177'	2,574'
Gantz Sand est.	2,575'	2,717'
Fifty Foot Sandstone est.	2,718'	2,808'
Gordon est.	2,809'	3,122'
Fifth Sandstone est.	3,123'	3,147'
Bayard est.	3,148'	3,911'
Speechley est.	3,912'	4,176'
Balltown est.	4,177'	4,621'
Bradford est.	4,622'	5,063'
Benson est.	5,064'	5,324'
Alexander est.	5,325'	5,507'
Elk est.	5,508'	6,004'
Rhinestreet	6,005'	6,313'
Sycamore	6,314'	6,484'
Middlesex	6,485'	6,610'
Burket	6,611'	6,670'
Tully	6,671'	6,679'
Marcellus	6,680'	6,818' TVD

RECEIVED

JAN 25 2013

WV GEOLOGICAL SURVEY
MORGANTOWN, WV

Hydraulic Fracturing Fluid Product Component Information Disclosure

Fracture Date:	10/10/2012
State:	West Virginia
County:	Doddridge
API Number:	47-017-06079
Operator Name:	Antero Resources
Well Name and Number:	Valentina 2H
Longitude:	-80.8289444
Latitude:	39.2993333
Long/Lat Projection:	NAD27
Production Type:	Gas
True Vertical Depth (TVD):	6,816
Total Water Volume (gal)*:	8,506,052

RECEIVED

JAN 25 2013

WV GEOLOGICAL SURVEY
MORGANTOWN, WV

Hydraulic Fracturing Fluid Composition:

Trade Name	Supplier	Purpose	Ingredients	Chemical Abstract Service Number (CAS #)	Maximum Ingredient Concentration in Additive (% by mass)**	Maximum Ingredient Concentration in HF Fluid (% by mass)**	Comments
HCL Acid (12.5%-18.0%)	Nabors Completion and Production Services	Bulk Acid	Hydrogen Chloride	7841-01-1	18.00	0.030092	
HCL Acid (12.5%-18.0%)	Nabors Completion and Production Services	Bulk Acid	Water	7732-18-5	87.50	0.146282	
Acid Inhibitor 2 (AI-2)	Nabors Completion and Production Services	Acid Corrosion Inhibitors	Ethoxylated Nonylphenol	68412-54-4	13.00	0.000040	
Acid Inhibitor 2 (AI-2)	Nabors Completion and Production Services	Acid Corrosion Inhibitors	Glycol Ethers	11-76-2	20.00	0.000062	
Acid Inhibitor 2 (AI-2)	Nabors Completion and Production Services	Acid Corrosion Inhibitors	Isopropyl Alcohol	67-63-0	15.00	0.000046	
Acid Inhibitor 2 (AI-2)	Nabors Completion and Production Services	Acid Corrosion Inhibitors	Propargyl Alcohol	107-19-7	20.00	0.000062	
Acid Inhibitor 2 (AI-2)	Nabors Completion and Production Services	Acid Corrosion Inhibitors	Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7	10.00	0.000031	

	Services						
Acid Inhibitor 2 (AI-2)	Nabors Completion and Production Services	Acid Corrosion Inhibitors	Water	7732-18-5	40.00	0.000124	
KR-153SL	Nabors Completion and Production Services	Biocides	2,2-dibromo-3-nitropropionamide	10222-01-2	20.00	0.002358	
KR-153SL	Nabors Completion and Production Services	Biocides	Water	7732-18-5	80.00	0.008432	
WFR-3B	Nabors Completion and Production Services	Friction Reducer	Ethoxylated alcohols	68551-12-2	15.00	0.008625	
WFR-3B	Nabors Completion and Production Services	Friction Reducer	Ethoxylated oleylamine	26635-93-8	5.00	0.002675	
WFR-3B	Nabors Completion and Production Services	Friction Reducer	Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8	50.00	0.028750	
WFR-3B	Nabors Completion and Production Services	Friction Reducer	Microparticle	Proprietary	1.00	0.000575	
WFR-3B	Nabors Completion and Production Services	Friction Reducer	Polycrylamide	57-55-6	40.00	0.023000	
WFR-3B	Nabors Completion and Production Services	Friction Reducer	Propylene glycol	57-55-6	15.00	0.008625	
WFR-3B	Nabors Completion and Production Services	Friction Reducer	Water	7732-18-5	40.00	0.023000	
EB-4L	Nabors Completion and Production Services	Gel Breakers	Breaker Component	Proprietary	Proprietary	Proprietary	
EB-4L	Nabors Completion and Production Services	Gel Breakers	Cellulase enzyme	Proprietary	Proprietary	Proprietary	
EB-4L	Nabors Completion and	Gel Breakers	Demulsifier Base	Proprietary	Proprietary	Proprietary	

RECEIVED

JAN 25 2013

WV GEOLOGICAL SURVEY
MORGANTOWN, WV

	Production Services						
EB-4L	Nabors Completion and Production Services	Gel Breakers	Ethylene Glycol	107-21-1	25.00	0.000169	
EB-4L	Nabors Completion and Production Services	Gel Breakers	Sugar	57-50-1	Proprietary	Proprietary	
EB-4L	Nabors Completion and Production Services	Gel Breakers	Water	7732-18-5	Proprietary	Proprietary	
OB-2	Nabors Completion and Production Services	Gel Breakers	Ammonium Persulfate	7727-54-0	100.00	0.016971	
OB-2	Nabors Completion and Production Services	Gel Breakers	Silica, crystalline quartz	7631-86-9	10.00	0.001697	
OB-2	Nabors Completion and Production Services	Gel Breakers	vinylidene chloride-methyl acrylate copolymer	25038-72-6	20.00	0.003394	
LSG-100L	Nabors Completion and Production Services	Gelling Agents	guar gum	9000-30-0	50.00	0.049186	
LSG-100L	Nabors Completion and Production Services	Gelling Agents	Petroleum Distillates	64742-47-8	60.00	0.059023	
LSG-100L	Nabors Completion and Production Services	Gelling Agents	Surfactant	68439-51-0	2.00	0.001967	
LSG-100L	Nabors Completion and Production Services	Gelling Agents	Suspending agent (solid)	14808-60-7	2.00	0.001967	
PH-15L	Nabors Completion and Production Services	pH Control Additives	Sodium Chloride	7647-14-5	5.00	0.000016	
PH-15L	Nabors Completion and Production Services	pH Control Additives	Sodium Hydroxide	1310-73-2	30.00	0.000098	
PH-15L	Nabors Completion	pH Control Additives	Water	7732-18-5	65.00	0.000212	

RECEIVED

JAN 9 5 2013

WV GEOLOGICAL SURVEY
MORGANTOWN, WV

	and Production Services						
Super TSC-LT	Nabors Completion and Production Services	Paraffin & Scale Additives	Proprietary	Proprietary	15.00	0.002345	
Super TSC-LT	Nabors Completion and Production Services	Paraffin & Scale Additives	Proprietary	Proprietary	15.00	0.002345	
Super TSC-LT	Nabors Completion and Production Services	Paraffin & Scale Additives	Proprietary	Proprietary	15.00	0.002345	
Super TSC-LT	Nabors Completion and Production Services	Paraffin & Scale Additives	Proprietary	Proprietary	50.00	0.007817	
Super TSC-LT	Nabors Completion and Production Services	Paraffin & Scale Additives	Water	7732-18-5	60.00	0.009380	
WV Local 100 mesh Sand	Nabors Completion and Production Services	Sand - Bulk - West Virginia	Aluminum Oxide	1344-28-1	1.10	0.014945	
WV Local 100 mesh Sand	Nabors Completion and Production Services	Sand - Bulk - West Virginia	Crystalline Silica, quartz	14808-60-7	99.90	1.357253	
WV Local 100 mesh Sand	Nabors Completion and Production Services	Sand - Bulk - West Virginia	Iron Oxide	1309-37-1	0.10	0.001359	
WV Local 100 mesh Sand	Nabors Completion and Production Services	Sand - Bulk - West Virginia	Titanium Oxide	13463-67-7	0.10	0.001359	
WV Specific 20/40 mesh Sand	Nabors Completion and Production Services	Sand - Bulk - West Virginia	Aluminum Oxide	1344-28-1	1.10	0.029300	
WV Specific 20/40 mesh Sand	Nabors Completion and Production Services	Sand - Bulk - West Virginia	Crystalline Silica, quartz	14808-60-7	99.90	2.660952	
WV Specific 20/40 mesh Sand	Nabors Completion and Production Services	Sand - Bulk - West Virginia	Iron Oxide	1309-37-1	0.10	0.002664	
WV Specific 20/40	Nabors	Sand - Bulk - West	Titanium Oxide	13463-67-7	0.10	0.002664	

1000000

JAN 25 2013

WV GEOLOGICAL SURVEY
MORGANTOWN, WV

mesh Sand	Completion and Production Services	Virginia					
WV Specific 40/70 mesh Sand	Nabors Completion and Production Services	Sand - Bulk - West Virginia	Aluminum Oxide	1344-28-1	1.10	0.051813	
WV Specific 40/70 mesh Sand	Nabors Completion and Production Services	Sand - Bulk - West Virginia	Crystalline Silica, quartz	14808-60-7	99.90	4.705534	
WV Specific 40/70 mesh Sand	Nabors Completion and Production Services	Sand - Bulk - West Virginia	Iron Oxide	1309-37-1	0.10	0.004710	
WV Specific 40/70 mesh Sand	Nabors Completion and Production Services	Sand - Bulk - West Virginia	Titanium Oxide	13463-67-7	0.10	0.004710	

* Total Water Volume sources may include fresh water, produced water, and/or recycled water
 ** Information is based on the maximum potential for concentration and thus the total may be over 100%

All component information listed was obtained from the supplier's Material Safety Data Sheets (MSDS). As such, the Operator is not responsible for inaccurate and/or incomplete information. Any questions regarding the content of the MSDS should be directed to the supplier who provided it. The Occupational Safety and Health Administration's (OSHA) regulations govern the criteria for the disclosure of this information. Please note that Federal Law protects "proprietary", "trade secret", and "confidential business information" and the criteria for how this information is reported on an MSDS is subject to 29 CFR 1910.1200(i) and Appendix D.

RECEIVED
 JAN 25 2013
 WV GEOLOGICAL SURVEY
 MORCANTON, WV