

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 19, 2013

WELL WORK PERMIT

Horizontal 6A Well

This permit, API Well Number: 47-1706247, issued to ANTERO RESOURCES APPALACHIAN CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: DUFF UNIT 2H

Farm Name: SMITH, ROBERT J.

API Well Number: 47-1706247

Permit Type: Horizontal 6A Well

Date Issued: 06/19/2013



PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. The subject application contains information which indicates that the proposed activity may require permit coverage from the United States Army Corps of Engineers (USACOE). Through this permit, you are hereby being advised to consult with USACOE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the fill material shall be within plus or minus 2% of the optimum moisture content as determined by the standard proctor density test, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort. Each lift must meet 95 % compaction of the optimum density based on results from the standard proctor density test of the actual soils used in specific engineered fill sites. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

	W.VA. CODE §22-6A - WEL	L WORK PERM		03	611
1) Well Operator:	Antero Resources Appalachian Corporation	494488557	017- Doddridge	Grant	Smithburg 7.5
		Operator ID	County	District	Quadrang
2) Operator's Well	Number: Duff Unit 2H		Well Pad Nan	ne: RJ Smith Pad	9
3 Elevation, currer	nt ground:1002' E	levation, proposed	post-construc	ction:	996'
4) Well Type: (a)	Gas _ _ Oil	_			
(b) I	f Gas: Shallow Horizontal	Deep			
5) Existing Pad? Yo	es or No: No				
	Formation(s), Depth(s), Anticipa VD, Anticipated Thickness- 55 Feet, Associated Pres		d Associated	Pressure(s):	-
) Proposed Total V					
) Formation at Tot	[14] [15] [16] [17] [18] [18] [18] [18] [18] [18] [18] [18				
Proposed Total N					
	일 하이님 아이들이 가셨다고 하면 되었다면 하면 하는데 하는데 하면 되었다	3', 370'			
		Offset well records. Depths h.	ave been adjusted a	according to surface	elevations.
2) Approximate Sa					
Approximate C					
	epth to Possible Void (coal mine,		None anticipate	d	/
	ain coal seams tributary or adjaces	nt to, active mine?	No		1
6) Describe propos	sed well work: Drill, perforate, frac	ture a new horizontal shallow	w well and complete	Marcellus Shale	
	the fresh water string which makes it difficult to deter	mine when freshwater is enco	untered, therefore w	e have built in a buffe	er for the casing
setting depth which helps	to ensure that all fresh water zones are covered.				
	ring/stimulating methods in detail		. The fluid will be co	mprised of approxima	ately 99 percent
water and sand, with less	than 1 percent special-purpose additives as shown	in the attached "List of Anticip	ated Additives Used	for Fracturing or Stim	nulating Well."
4	-				
8) Total area to be	disturbed, including roads, stock	pile area, pits, etc,	(acres):	13.39 acres	
9) Area to be distu	rbed for well pad only, less acces	s road (acres):	2.70 acres		
				Office of (eived Oil & Gas
		N		APH 1	3010

06/21/2013

WW - 6B (1/12) Received Office of Oil & Gas

A/48 2013

20)

CASING AND TUBING PROGRAM

ТҮРЕ	Size	New or Used	Grade	Weight per ft.	FOOTAGE: For Drilling	INTERVALS: Left in Well	CEMENT: Fill -up (Cu. Ft.)
Conductor	20"	New	H-40	94#	40'	40'	CTS, 38 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/ 48#	425'	425' *See above	CTS, 590 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2560'	2560'	CTS, 1042 Cu. Ft.
Intermediate			14 -				
Production	5-1/2"	New	P-110	20#	18700'	18700'	4713 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#		7000'	
Liners							

ТҮРЕ	Size	Wellbore Diameter	Wall Thickness	Burst Pressure	Cement Type	Cement Yield
Conductor	20"	24"	0.438"	1530	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	Class A	1.18
Intermediate						
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12630	Lead-H/POZ & Tall - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11200		
Liners						

PACKERS

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	

DCN

Jul 06/21/2013

21) Describe centralizer placement for each casing string.

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.

Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

22) Describe all cement additives associated with each cement type.

Conductor: no additives, Class A cement.

Surface: Class A cement with 2% calcium and 1/4 lb flake, 5 gallons of clay treat
Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement-50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51

Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer. Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water. Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

12/18-0

"Note: Attach additional sheets as needed.

Proposed borehole conditioning procedures.

Received Office of Oil & Gas

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

APR 2 8 2013

API No. 47 - 017	-	06247
Operator's Well No. D	Juff Unit	2H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name_Antero Resources Ap	opalachian Corporation	OP Code 494488557	
Watershed Little Flint Run	Quadr	angle Smithburg 7.5'	
Elevation 996	County_Doddridge	District Grant	
그 없이 가게 되었다면 하는 이렇지? 그리고 하셨다면 된 생각이	te: No pit will be used at this site (Drilling and Flowbac		CA CA P COLOR CO CA
Do you anticipate using more than	5,000 bbls of water to complete the pro-	posed well work? Yes X	No
	e pit? N/A . If so, what		20 13
Proposed Disposal Method For Tre Land A Undergr Reuse (Off Site		ions when applicable. API# will be provide	PC 13 H-18-13
Drilling medium anticipated for thi	s well? Air, freshwater, oil based, etc. Synthetic, petroleum, etc. N/A	Surface - Alr/Freshwaler, Intermediate - Dust/Stiff Foam, F	Production - Walar Based Mud
Will closed loop system be used?	/es		
Drill cuttings disposal method? Le	ave in pit, landfill, removed offsite, etc	Removed offsite and taken to landfill	
	olidify what medium will be used? Cer		
-Landfill or offsite name/p	ermit number? Meadowfill Landfill (Permit	#SWF-1032-98)	
or regulation can lead to enforceme I certify under penalty of application form and all attachment the information, I believe that the	f law that I have personally examine ts thereto and that, based on my inquir information is true, accurate, and con ling the possibility of fine of informa- merand a Alberts	and am familiar with the inform of those individuals immediately	nation submitted on this
Subscribed and sworn before me thi	s 22 day of Marc	, 20 13	
GRAGUS	Lei	Notary Public	Received Office of Oil & Ga
My commission expires	lalle -	*****	APR 2 3 2013
	Му	LISA BOTTINELLI Notary Public State of Colorado Notary ID 20124072365 Commission Expires Nov 9, 2016	06/21/201

Property Boundar	y ^	Diversion	
Road	=======	□ □ Spring	○
Existing Fence	—	Wet Spot	Ö
Planned Fence	-////-	Drain Pipe w/ size in inches	
Stream	~>~>~	~	
Open Ditch	>>> >	Waterway =	
Rock	్కే ద్దర్గాం	Cross Drain 7777777	
	A	Artificial Filter Strip XXXXXX	******
North	Ň	Pit: Cut Walls	
Buildings		Pit: Compacted Fill Walls	Junitering.
Water Wells	®	Area for Land Application	Contract.
Drill Sites	⊕	of Pit Waste	
		Spoil Pads (3.92) = 13.39 Acres	
Proposed Revegetation Trea	atment: Acres Disturbed 13.39	Prevegetation	pH
Lime 2-4	Tons/acre or to correct to	pH 6.5	
Fardit (10.00.0			
remuzer (10-20-2	0 or equivalent) 500	lbs/acre (500 lbs minimum)	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Mulch 2-3	To:	ns/acre Hay or straw or Wood Fiber (wil	l be used where needed)
		Seed Mixtures	
		Seed Whittures	
	rea I (Temporary)		rea II (Permanent)
Seed Type	lbs/acre	Seed Type	lbs/acre
Tall Fescue	45	Tall Fescue	45
Perennial Rye Grass	20	Perennial Rye Grass	20
*or type of grass seed reques	sted by surface owner	*or type of grace cood requester	I by audono aumon
or type or grass seed reques	ted by surface owner	*or type of grass seed requested	by surface owner
A Mark			
Attach: Drawing(s) of road, location	n,pit and proposed area for land a	application	
		ipplication.	
Photocopied section of invo	lved 7.5' topographic sheet.		
n	to all March		
	ougles / Devlo		
Comments: Presee	dr Mulch 1.	15 Tall EtS To	DEP regulation
7 200 2019			- 10 chances
A7 - 21		11-10-1212	
Title: Oil + Das	inspector	Date: 4-19-2013	Re Office o
Field Reviewed? (Yes () No	Office
			APR -
			AFA

APR 2 3 2013

Dail author 06/21/2013

west virginia department of environmental protection





Water Management Plan: Primary Water Sources



WMP-01125

API/ID Number:

047-017-06247

Operator:

Antero Resources

Duff Unit 2H

Important:

For each proposed primary water source (including source intakes for purchased water sources) identified in your water management plan, and summarized herein, DEP has made an evaluation concerning water availability over the specified date range. DEP's assessment is based on the following considerations:

- •Statistical analysis of historical USGS stream gauge data (transferred to un-gauged locations as necessary);
- •Identification of sensitive aquatic life (endangered species, mussels, etc.);
- Quantification of known existing demands on the water supply (Large Quantity Users);
- •Minimum flows required by the Army Corps of Engineers; and
- · Designated stream uses.

Based on these factors, DEP has provided, for each intake location (and origination point for purchased water), a reference gauge location and discharge flow reading which must be surpassed prior to withdrawals. Additionally, DEP has established a minimum passby flow at the withdrawal location which must also be surpassed prior to withdrawals. These thresholds are considered terms of the permit and are enforceable as such.

DEP is aware that some intake points will be used for mutiple wells and well sites. In these cases, the thresholds set by the Water Management Plan are to be interepreted as total withdrawal limits for each location over the specified date range regardless of how many wells are supported by that intake.

For all purchased water intakes, determinations of water availability are made at the original source intake location. It is the responsibility of the Oil and Gas Operator, not the seller, to cease withdrawal of water from the seller when flows are less than the minimum gauge reading at the stream gauge referenced by the Water Management Plan in order to protect stream uses.

Note that the determinations made herein are based on the best available data, but it is impossible to predict water availability in the future. While the DEP has carefully established these minimum withdrawal thresholds, it remains the operator's responsibility to protect aquatic life at all times. Approval to withdrawal is contingent upon permission from the land owner. It is the responsibility of the operator to secure and maintain permission prior to any withdrawals.

The operator is reminded that 24-48 hours prior to withdrawing (or purchasing) water, DEP must be notified by email at DEP.water.use@wv.gov.

APPROVED MAY 2 4 2013

	Source Summary		
WMP-01125	API Number: 047-017-06247 Duff Unit 2H	Operator: Antero	Resources
Stream/River			
Source West Fork River @ JCP	Withdrawal	Owner: James	s & Brenda Raines
Start Date End Date 12/17/2013 12/17/2014	Total Volume (gal) Max. daily purchase (ga	Intake Latitude: 39.320913	Intake Longitude -80.337572
Regulated Stream? Stonewall Jack	kson Dam Ref. Gauge ID: 3061000	WEST FORK RIVER AT ENTER	RPRISE, WV
Max. Pump rate (gpm): 2,000 DEP Comments:	Min. Gauge Reading (cfs): 175.00	Min. Passby (cfs	146.25
Source West Fork River @ McD	onald Withdrawal	Owner:	David Shrieves
Start Date End Date 12/17/2013 12/17/2014	Total Volume (gal) Max. daily purchase (ga 11,440,000	Intake Latitude: 39.16761	Intake Longitude -80.45069
✓ Regulated Stream? Stonewall Jack	kson Dam Ref. Gauge ID: 3061000	WEST FORK RIVER AT ENTE	RPRISE, WV
Max. Pump rate (gpm): 3,000	Min. Gauge Reading (cfs): 175.00	Min. Passby (cfs	s) 106.30
DEP Comments:			
Source West Fork River @ GAL	Withdrawal	Owner:	David Shrieve
Start Date End Date 12/17/2013 12/17/2014	Total Volume (gal) Max. daily purchase (ga 11,440,000	Intake Latitude: 39.16422	Intake Longitude -80.45173
✓ Regulated Stream? Stonewall Jack	kson Dam Ref. Gauge ID: 3061000	WEST FORK RIVER AT ENTE	RPRISE, WV
Max. Pump rate (gpm): 2,000	Min. Gauge Reading (cfs): 175.00	Min. Passby (cfs	106.30
DEP Comments:			

Source	Middle Island (Creek @ D	awson Withdrawal			Owner: G	ary D. and Relia A. Dawson
Start Date 12/17/2013	End Date 12/17/2014		Total Volume (gal) 11,440,000	Max. daily pu	urchase (gal)	Intake Latitude: 39.379292	Intake Longitude: -80.867803
☐ Regulated	Stream?		Ref. Gauge I	ID: 311450	0	MIDDLE ISLAND CREEK AT	LITTLE, WV
Max. Pump	rate (gpm):	3,000	Min. Gauge Read	ding (cfs):	76.03	Min. Passby (c	fs) 28.83
	DEP Commer	nts:					:
Source	McElroy Creek	@ Forest \	Withdrawal			Owner: Fo	rest C. & Brenda L. Moore
Start Date 12/17/2013	End Date 12/17/2014		Total Volume (gal) 11,440,000	Max. daily pu	urchase (gal)	Intake Latitude: 39.39675	Intake Longitude: -80.738197
☐ Regulated	Stream?		Ref. Gauge I	ID: 311450	0	MIDDLE ISLAND CREEK AT	LITTLE, WV
Max. Pump	rate (gpm):	1,000	Min. Gauge Read	ding (cfs):	74.77	Min. Passby (c	fs) 13.10
	DEP Commer	nts:					
Source	McElroy Creek	@ Sween	ey Withdrawal			Owner:	Bill Sweeney
Start Date 12/17/2013	End Date 12/17/2014		Total Volume (gal) 11,440,000	Max. daily p	urchase (gal)	Intake Latitude: 39.398123	Intake Longitude: -80.656808
☐ Regulated	Stream?		Ref. Gauge I	ID: 311450	0	MIDDLE ISLAND CREEK AT	LITTLE, WV
Max. Pump	rate (gpm):	1,000	Min. Gauge Read	ding (cfs):	69.73	Min. Passby (c	fs) 6.66
	DEP Commer	nts:					

Ø	Source	Meathouse For	k @ Gagno	n Withdrawal			Owner:	_	e L. Gagnon and Susan C. Gagnon
	Start Date 12/17/2013	End Date 12/17/2014		Total Volume (gal) 11,440,000	Max. daily pu	rchase (gal)	Intake Latii 39.260		ntake Longitude: -80.720998
	☐ Regulated	Stream?		Ref. Gauge II	D: 3114500		MIDDLE ISLAND CRE	EK AT LI	TTLE, WV
	Max. Pump i	rate (gpm):	1,000	Min. Gauge Read	ing (cfs):	71.96	Min. Pass	by (cfs)	13.10
		DEP Commen	ts:						. !
0	Source	Meathouse For	k @ Whitel	hair Withdrawal			Owner:		Elton Whitehair
	Start Date 12/17/2013	End Date 12/17/2014		Total Volume (gal) 11,440,000	Max. daily pu	rchase (gal)	Intake Latii 39.211 3		ntake Longitude: -80.679592
	☐ Regulated	Stream?		Ref. Gauge II	D: 3114500		MIDDLE ISLAND CRE	EK AT LI	TTLE, WV
	Max. Pump ı	rate (gpm):	1,000	Min. Gauge Read	ing (cfs):	69.73	Min. Pass	by (cfs)	7.28
		DEP Commen	ts:						
Ø	Source	Tom's Fork @ E	rwin Witho	Irawal			Owner: Joh	n F. Erw	in and Sandra E. Erwin
	Start Date 12/17/2013	End Date 12/17/2014		Total Volume (gal) 11,440,000	Max. daily pu	rchase (gal)	Intake Lati 39.174 3		ntake Longitude: -80.702992
	☐ Regulated	Stream?		Ref. Gauge II	D: 3114500		MIDDLE ISLAND CRE	EK AT LI	TTLE, WV
	Max. Pump i	rate (gpm):	1,000	Min. Gauge Read	ing (cfs):	69.73	Min. Pass	by (cfs)	0.59

DEP Comments:

Source	Arnold Creek (@ Davis Wi	thdrawal			Owner:	Jonathon Davis
Start Da 12/17/2 0			Total Volume (gal) 11,440,000	Max. daily p	urchase (gal)	Intake Latitude: 39.302006	Intake Longitude: -80.824561
☐ Regulat	ed Stream?		Ref. Gauge I	D: 31145 0	00	MIDDLE ISLAND CREEK AT	LITTLE, WV
Max. Pum	p rate (gpm):	1,000	Min. Gauge Read	ling (cfs):	69.73	Min. Passby (c	fs) 3.08
	DEP Comme	nts:					: - - :
Source	Buckeye Creek	(@ Powell	Withdrawal			Owner:	Dennis Powell
Start Da 12/17/2 0			Total Volume (gal) 11,440,000	Max. daily p	urchase (gal)	Intake Latitude: 39.277142	Intake Longitude: -80.690386
☐ Regulat	ed Stream?		Ref. Gauge I	D: 31145 0	00	MIDDLE ISLAND CREEK AT	LITTLE, WV
Max. Pum	p rate (gpm):	1,000	Min. Gauge Read	ling (cfs):	69.73	Min. Passby (c	fs) 4. 59
	DEP Comme	nts:					
⊙ Source	South Fork of	Hughes Riv	er @ Knight Withdraw	al		Owner:	Tracy C. Knight & Stephanie C. Knight
Start Da 12/17/20			Total Volume (gal) 11,440,000	Max. daily p	urchase (gal)	Intake Latitude: 39.198369	Intake Longitude: -80.870969
☐ Regulat	ed Stream?		Ref. Gauge I	D: 31552 2	20 iouth	FORK HUGHES RIVER BELO	W MACFARLAN, W\
Max. Pum	p rate (gpm):	3,000	Min. Gauge Reac	ling (cfs):	39.80	Min. Passby (c	fs) 1.95

06/21/2013


DEP Comments:

Source	North Fork of Hi	ughes Rive	er @ Davis Withdrawa	I		Owner: Lewis P.	Davis and Norma J. Davis
Start Date 12/17/2013	End Date 12/17/2014		Total Volume (gal) 11,440,000	Max. daily pu	rchase (gal)	Intake Latitude: 39.322363	Intake Longitude: -80.936771
☐ Regulated	Stream?		Ref. Gauge I	D: 3155220	OUTH FO	RK HUGHES RIVER BELOV	W MACFARLAN, W
Max. Pump r	ate (gpm): DEP Comment	1,000	Min. Gauge Read	ling (cfs):	35.23	Min. Passby (cf	s) 2.19
			Source	e Summary			
	WMP-01125		API Number:	047-017-06	247 Op	erator: Antero	Resources
				Duff Unit 2	Н		
Purchased	Water						
Source	Middle Island Cr	eek @ So	lo Construction			Owner: Solo	Construction, LLC
Start Date 12/17/2013	End Date 12/17/2014		Total Volume (gal) 11,440,000	Max. daily pu		Intake Latitude: 39.399094	Intake Longitude: -81.185548
✓ Regulated	Stream? Ohio	o River Mi	n. Flow Ref. Gauge I	D: 9999999	Ohio	River Station: Willow Isla	nd Lock & Dam
Max. Pump r	ate (gpm):		Min. Gauge Read	ling (cfs):	6,468.00	Min. Passby (cf	s)
	DEP Comment	Cre		the Ohio Rive	er. As such, it	the same elevation as Notes is deemed that water	
Source	Sun Valley Publi	c Service I	District			Owner:	Sun Valley PSD
Start Date 12/17/2013	End Date 12/17/2014		Total Volume (gal) 11,440,000	Max. daily pu		Intake Latitude:	Intake Longitude: -
▼ Regulated	Stream? Stone	wall Jackso	on Dam Ref. Gauge I	D: 3061000	o w	EST FORK RIVER AT ENTE	RPRISE, WV
Max. Pump r	ate (gpm):		Min. Gauge Read	ling (cfs):	171.48	Min. Passby (cf	s)
	DEP Comment	S:					



Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	45,700.00		-
2	49,200.00		2
3	65,700.00	1.00	- +
4	56,100.00		*
5	38,700.00	40	+:
6	24,300.00	91	*
7	16,000.00		-
8	13,400.00		
9	12,800.00	4	- 4
10	15,500.00	+	(4)
11	26,300.00	147	-
12	41,300.00	-	-

Water Availability Profile



Water Availability Assessment of Location

Base Threshold (cfs):	-
Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

	MAND (1125	API/ID Number: 047-	017 06247 Operators Autoro 6	2000111000
	WMP-0	71125	Duff Unit 2H		Resources
			Duli Offic 211		
Source II	D: 14548 Sou	irce Name Sun	Valley Public Service District	Source Latitude: -	
		Sun	Valley PSD	Source Longitude: -	
	HUC-8 Code:	5020002		Carried Miles Control	12/17/2012
	Drainage Area	(sq. mi.): 391	.85 County: Harrison	Anticipated withdrawal start date:	12/17/2013
□ En	dangered Species			Anticipated withdrawal end date:	12/17/2014
	out Stream?	☐ Tier 3?	otteam:	Total Volume from Source (gal):	11,440,000
			Jackson Dam	Max. Pump rate (gpm):	
	gulated Stream?	Stonewan	ackson Dam	Max. Simultaneou	ic Trucker
	oximate PSD?				
✓ Ga	uged Stream?			Max. Truck pump ra	ate (gpm)
	Reference Gaug	3061000	WEST FORK RIVER AT ENTE	RPRISE, WV	
	Drainage Area (so	q. mi.) 75	59.00	Gauge Threshold (cfs):	234
	Median	- 11-11	Estimated		
0.0.03	monthly flow	Threshold	Available		
Month	(cfs)	(+ pump	water (cfs)		
1	1,200.75		-		
2	1,351.92				
3	1,741.33	3-1			
4	995.89				
5	1,022.23	-	14		
6	512.21				
7	331.86	+	-		
8	316.87	-	1-8		
9	220.48	-2	-		
10	216.17	÷-			
			7. 10. 10.		
11	542.45				
11 12	542.45 926.12	*			
	926.12	Vater Avail	ability Profile	Water Availability Assessn	nent of Locatio
	926.12	/ater Avail	ability Profile		nent of Locatio
12	926.12 V	/ater Avail	ability Profile	Base Threshold (cfs):	nent of Locatio
	926.12 V	/ater Avail	ability Profile		nent of Locatio
2000	926.12 V			Upstream Demand (cfs): Downstream Demand (cfs):	
2000 1500	926.12	nis stream is r	egulated by the Army Cor	Upstream Demand (cfs): Downstream Demand (cfs):	
2000	926.12 Flow on ti	nis stream is r	egulated by the Army Cor	Upstream Demand (cfs): Downstream Demand (cfs) Pump rate (cfs):):
2000 1500	Fiow on the Figure 1	nis stream is r	egulated by the Army Cor	Upstream Demand (cfs): Downstream Demand (cfs) Pump rate (cfs):	0.0

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

7

◆ Median Monthly Flow ■ Threshold

11

10

12

Min. Gauge Reading (cfs):

Passby at Location (cfs):

1


2



tream is regulated by the Army Corps of Median Monthly Flow — Threshold


Upstream Demand (cfs):	24.29
Downstream Demand (cfs):	0.00
Pump rate (cfs):	4.46
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00
Min. Gauge Reading (cfs):	
Passby at Location (cfs):	

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.



Water Availability Profile 1500 1000 Flow on this stream is regulated by the Army Corps of Engineers. Please at here to the stated thresholds to maintain the minimum guaranteed flow requirements. 1 2 3 4 5 6 7 8 9 10 11 12 Median Monthly Flow — Threshold

Base Threshold (cfs):	-
Upstream Demand (cfs):	24.29
Downstream Demand (cfs):	0.00
Pump rate (cfs):	6.68
Headwater Safety (cfs):	24.27
Ungauged Stream Safety (cfs):	0.00
Min. Gauge Reading (cfs):	
Passby at Location (cfs):	7.




Flow on this stream is regulated by the Army Corps of Engineers. Please adhere to the stated thresholds to Median Monthly Flow — Threshold


Base Threshold (cfs):	-
Upstream Demand (cfs):	24.29
Downstream Demand (cfs):	0.00
Pump rate (cfs):	4.46
Headwater Safety (cfs):	24.18
Ungauged Stream Safety (cfs):	0.00
Min. Gauge Reading (cfs):	
Passby at Location (cfs):	




<u>Month</u>	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	194.47	42.06	152.68
2	244.62	42.06	202.83
3	273.72	42.06	231.93
4	203.26	42.06	161.47
5	107.22	42.06	65.43
6	37.44	42.06	-4.35
7	21.19	42.06	-20.60
8	17.45	42.06	-24.34
9	8.94	42.06	-32.85
10	11.23	42.06	-30.56
11	54.82	42.06	13.04
12	133.96	42.06	92.17



Min. Gauge Reading (cfs): Passby at Location (cfs):	76.03 28.82
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	4.45
Pump rate (cfs):	6.68
Downstream Demand (cfs):	6.55
Upstream Demand (cfs):	13.10
Base Threshold (cfs):	17.82




Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	95.28	19.78	75.68
2	119.86	19.78	100.25
3	134.11	19.78	114.51
4	99.59	19.78	79.99
5	52.54	19.78	32.93
6	18.35	19.78	-1.26
7	10.38	19.78	-9.22
8	8.55	19.78	-11.05
9	4.38	19.78	-15.23
10	5.50	19.78	-14.10
11	26.86	19.78	7.26
12	65.63	19.78	46.03



Min. Gauge Reading (cfs): Passby at Location (cfs):	74.19 13.09
Ungauged Stream Safety (cfs):	2.18
Headwater Safety (cfs):	2.18
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	4.46
Base Threshold (cfs):	8.73




Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	48.43	8.88	39.93
2	60.92	8.88	52.42
3	68.17	8.88	59.67
4	50.62	8.88	42.12
5	26.70	8.88	18.21
6	9.32	8.88	0.83
7	5.28	8.88	-3.22
8	4.34	8.88	-4.15
9	2.23	8.88	-6.27
10	2.80	8.88	-5.70
11	13.65	8.88	5.16
12	33.36	8.88	24.86



Min. Gauge Reading (cfs): Passby at Location (cfs):	69.73 6.66
Min Gauge Boading (efc)	60.72
Ungauged Stream Safety (cfs):	1.11
Headwater Safety (cfs):	1.11
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	4.44




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	64.99	13.39	51.70
2	81.75	13.39	68.46
3	91.47	13.39	78.19
4	67.93	13.39	54.64
5	35.83	13.39	22.55
6	12.51	13.39	-0.77
7	7.08	13.39	-6.20
8	5.83	13.39	-7.45
9	2.99	13.39	-10.30
10	3.75	13.39	-9.53
11	18.32	13.39	5.04
12	44.76	13.39	31.48



71.96 11.74
1.49
1.49
2.23
2.81
2.23
5.95




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	32.57	6.70	26.15
2	40.97	6.70	34.55
3	45.84	6.70	39.42
4	34.04	6.70	27.62
5	17.96	6.70	11.54
6	6.27	6.70	-0.15
7	3.55	6.70	-2.87
8	2.92	6.70	-3.50
9	1.50	6.70	-4.92
10	1.88	6.70	-4.54
11	9.18	6.70	2.76
12	22.43	6.70	16.01



Min. Gauge Reading (cfs): Passby at Location (cfs):	69.73 7.29
Ungauged Stream Safety (cfs):	0.75
Headwater Safety (cfs):	0.75
Pump rate (cfs):	2.23
Downstream Demand (cfs):	2.81
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	2.98




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	4.30	2.82	1.88
2	5.41	2.82	2.98
3	6.05	2.82	3.63
4	4.49	2.82	2.07
5	2.37	2.82	-0.05
6	0.83	2.82	-1.60
7	0.47	2.82	-1.96
8	0.39	2.82	-2.04
9	0.20	2.82	-2.23
10	0.25	2.82	-2.18
11	1.21	2.82	-1.21
12	2.96	2.82	0.54



Min. Gauge Reading (cfs): Passby at Location (cfs):	69.73 0.59
Ungauged Stream Safety (cfs):	0.10
Headwater Safety (cfs):	0.10
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	0.39




Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	22.34	5.30	17.29
2	28.10	5.30	23.05
3	31.44	5.30	26.39
4	23.35	5.30	18.30
5	12.32	5.30	7.26
6	4.30	5.30	-0.75
7	2.43	5.30	-2.62
8	2.00	5.30	-3.05
9	1.03	5.30	-4.03
10	1.29	5.30	-3.76
11	6.30	5.30	1.25
12	15.39	5.30	10.34




Min. Gauge Reading (cfs):	69.73
Ungauged Stream Safety (cfs):	0.51
Headwater Safety (cfs):	0.51
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	2.05

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.



Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	33.41	6.82	26.95
2	42.02	6.82	35.56
3	47.02	6.82	40.56
4	34.92	6.82	28.46
5	18.42	6.82	11.96
6	6.43	6.82	-0.03
7	3.64	6.82	-2.82
8	3.00	6.82	-3.46
9	1.53	6.82	-4.92
10	1.93	6.82	-4.53
11	9.42	6.82	2.96
12	23.01	6.82	16.55




Min. Gauge Reading (cfs): Passby at Location (cfs):	69.73 4.59
Ungauged Stream Safety (cfs):	0.77
Headwater Safety (cfs):	0.77
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	3.06

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.



Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	45.67	14.26	31.44
2	59.55	14.26	45.31
3	65.21	14.26	50.97
4	36.87	14.26	22.63
5	25.86	14.26	11.63
6	13.90	14.26	-0.33
7	6.89	14.26	-7.34
8	3.98	14.26	-10.25
9	4.79	14.26	-9.45
10	5.20	14.26	-9.04
11	15.54	14.26	1.30
12	32.06	14.26	17.82




Min. Gauge Reading (cfs): Passby at Location (cfs):	39.80 1.95
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	0.39
Pump rate (cfs):	6.68
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	5.62
Base Threshold (cfs):	1.56

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

WMP-01125		AF	PI/ID Number	047-017-0	06247	Operator:	Ante	ro Resources	
			C	ouff Unit 2H					
Source ID: 14546 Source	North Fork of Hughes River @ Davis Withdra			hdrawal	Source	Latitude:	39.322363		
Lewis P. Da			ivis and Norma J. Davis			Source Longitude:		-80.936771	
HUC-8 Code: 5030203 Drainage Area (sq. mi.): 15.18 County: Ritchie ✓ Endangered Species? ✓ Mussel Stream? ☐ Trout Stream? ☐ Tier 3?			Ritchie	Anticipated withdrawal start date: Anticipated withdrawal end date: Total Volume from Source (gal):			12/17/2014 11,440,000		
☐ Regulated Stream? ☐ Proximate PSD?					Max. Pump rate (gpm): Max. Simultaneou				0
Gauged Stream?						N	Max. Truck pum	p rate (gpm)	0
Reference Gaug	31552	220 SOI	UTH FORK HU	JGHES RIVER BE	LOW MACFA	ARLAN, WV			
Drainage Area (sq. mi	.)	229.00				Gauge Th	reshold (cfs): 2:	2

Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	42.64	4.42	38.36
2	55.59	4.42	51.32
3	60.88	4.42	56.60
4	34.42	4.42	30.14
5	24.15	4.42	19.87
6	12.98	4.42	8.70
7	6.44	4.42	2.16
8	3.72	4.42	-0.56
9	4.47	4.42	0.19
10	4.85	4.42	0.57
11	14.50	4.42	10.23
12	29.93	4.42	25.65



Base Threshold (cfs):	1.46
Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	2.23
Headwater Safety (cfs):	0.36
Ungauged Stream Safety (cfs):	0.36
Min. Gauge Reading (cfs):	35.23
Passby at Location (cfs):	2.19

west virginia department of environmental protection



Water Management Plan: Secondary Water Sources



WMP-01125

API/ID Number

047-017-06247

Operator:

Antero Resources

Duff Unit 2H

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Lake/Reservior

Source ID: 14549 Source Name		City of Salem	Reservior (Lower D	Source start date	: 12/17/2013		
			Public Water	Provider		Source end date	: 12/17/2014
		Source Lat:	39.28834	Source Long:	-80.54966	County	Harrison
		Max. Daily Pu	rchase (gal)	1,000,000	Total Volu	me from Source (gal):	11,440,000
	DEP Co	omments:					

	1		1	
WMP-01125	API/ID Number	047-017-06247	Operator:	Antero Resources
				•

Duff Unit 2H

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID: 14550 Source Name Pennsboro Lake Source start date: 12/17/2013

Source end date: 12/17/2014

Source Lat: 39.281689 Source Long: -80.925526 County Ritchie

Max. Daily Purchase (gal)

Total Volume from Source (gal): 11,440,000

DEP Comments:

Source ID: 14551 Source Name Powers Lake (Wilderness Water Park Dam) Source start date: 12/17/2013

Source Long:

39.255752

Private Owner Source end date: 12/17/2014

-80.463262

County

Max. Daily Purchase (gal)

Total Volume from Source (gal): 11,440,000

DEP Comments:

Source Lat:

Harrison

WMP- 01125	API/ID Number 047-017-0624		Antero Resources
	Duff Unit 2H	. "	

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID: 14552 Source Name Powers Lake Two Source start date: 12/17/2013
Source end date: 12/17/2014

Source Lat: 39.247604 Source Long: -80.466642 County Harrison

Max. Daily Purchase (gal) Total Volume from Source (gal): 11,440,000

DEP Comments:

WMP-01125	API/ID Number	047-017-06247	Operator:	Antero Resources
		ff Unit 2H		

Duff Unit 2

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Other

Source ID: 14553 Source Name			Poth Lake (Lan	Source start date:		12/17/2013		
			Private Owner			Source end	date:	12/17/2014
		Source Lat:	39.221306	Source Long:	-80.463028	County	Н	arrison
		Max. Daily Pu	rchase (gal)		Total Volu	me from Source (g	al):	11,440,000
	DEP Co	omments:						

Source ID: 14554 Source Name			Williamson Po	nd (Landowner Po	Source start date:	12/17/2013	
						Source end date:	12/17/2014
		Source Lat:	39.19924	Source Long:	-80.886161	County	Ritchie
		Max. Daily Pu	rchase (gal)		Total Volu	me from Source (gal):	11,440,000
	DEP Co	omments:					

WMP-01125	API/ID Number 047-017-06247		Operator:	Antero Resources	
	Du	ff Unit 2H			

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID: 14555 Source Name Eddy Pond (Landowner Pond) 12/17/2013 Source start date: Source end date: 12/17/2014 -80.886161 Ritchie 39.19924 Source Long: County Source Lat: 11,440,000 Total Volume from Source (gal): Max. Daily Purchase (gal) **DEP Comments:**

Source ID: 14556 Source Name Hog Lick Quarry 12/17/2013 Source start date: Industrial Facility Source end date: 12/17/2014 -80.217941 Marion 39.419272 County Source Lat: Source Long: 1,000,000 11,440,000 Total Volume from Source (gal): Max. Daily Purchase (gal) **DEP Comments:**

			1	
WMP-01125	API/ID Number	047-017-06247	Operator:	Antero Resources
	•	40.0	•	

Duff Unit 2H

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID: 14557 Source Name Glade Fork Mine Source start date: 12/17/2013
Industrial Facility Source end date: 12/17/2014

Source Long:

Industrial Facility Source end date: 12/17/2014

-80.299313

County

Max. Daily Purchase (gal) 1,000,000 Total Volume from Source (gal): 11,440,000

DEP Comments:

Source Lat:

38.965767

Recycled Frac Water

Source ID: 14558 Source Name Duff Unit 1H Source start date: 12/17/2013

Source end date: 12/17/2014


Source Lat: Source Long: County

Max. Daily Purchase (gal)

Total Volume from Source (gal): 11,440,000

DEP Comments:

Upshur



APR 06/21/2013

In the t mirror terms told the same .

