

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 25, 2013

WELL WORK PERMIT Horizontal 6A Well

This permit, API Well Number: 47-1706258, issued to ANTERO RESOURCES APPALACHIAN CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: SQUIRREL UNIT 1H

Farm Name: BEE, LEWIS P.

API Well Number: 47-1706258

Permit Type: Horizontal 6A Well

Date Issued: 06/25/2013



PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the fill material shall be within plus or minus 2% (unless soil test results show a greater range of moisture content is appropriate and 95% compaction can still be achieved) of the optimum moisture content as determined by the standard proctor density test, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort. Each lift must meet 95 % compaction of the optimum density based on results from the standard proctor density test of the actual soils used in specific engineered fill sites. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 3. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 4. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 5. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS W.VA. CODE §22-6A - WELL WORK PERMIT APPLICATION

			<u>08</u>	671
1) Well Operator: Antero Resources Appalachian Corporation	494488557	017- Doddridge	West Union	West Union 7.5'
	Operator ID	County	District	Quadrangle
2) Operator's Well Number: Squirrel Unit 1H	v	Vell Pad Nam	ne: Bee Lewis Pad	<u> </u>
3 Elevation, current ground: ~1010' Ele	evation, proposed	post-construc	tion:	1003'
4) Well Type: (a) Gas Other (b) If Gas: Shallow	 Deep			
Horizontal	Deep			
5) Existing Pad? Yes or No: No.				
6) Proposed Target Formation(s), Depth(s), Anticipated Marcellus Shale: 6800' TVD, Anticipated Thickness- 60 Feet, Associated Press		d Associated	Pressure(s):	
11) Method to Determine Fresh Water Depth: Or 12) Approximate Saltwater Depths: 523', 1489' 13) Approximate Coal Seam Depths: None available 14) Approximate Depth to Possible Void (coal mine, 15) Does land contain coal seams tributary or adjacen	karst, other):	None anticipate	ed V	e elevations.
17) Describe fracturing/stimulating methods in detail: Antero plans to pump Slickwater into the Marcellus Shale formation in order to water and sand, with less than 1 percent special-purpose additives as shown in	ready the well for production			mulating Well."
18) Total area to be disturbed, including roads, stockp	oile area, pits, etc,	(acres):	APR8.3 acres	3
19) Area to be disturbed for well pad only, less access			Descrimental P	_

20)

CASING AND TUBING PROGRAM

ТУРЕ	Size	New or Used	Grade	Weight per ft.	FOOTAGE: For Drilling	INTERVALS: Left in Well	CEMENT: Fill -up (Cu. Ft.)
Conductor	20"	New	H-40	94#	40'	40'	CTS, 38 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/ 48#	315'	315'	CTS, 438 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2560'	2560'	CTS, 1042 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	20#	14500'	14500'	3556 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#		7200'	
Liners							

TYPE	Size	Wellbore Diameter	Wall Thickness	Burst Pressure	Cement Type	Cement Yield
Conductor	20"	24"	0.438"	1530	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	Class A	1.18
Intermediate						
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12630	Lead-H/POZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11200		
Liners						

PACKERS

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	Received

Office of Oil & Gas

DCN 4-19-2017 APR 2 3 2013 906/28/2013

(1) Describe centralizer placement for each casing string.	Conductor: no centralizers
Surface Casing: one centralizer 10' above the float shoe, one	on the insert float collar and one every 4th joint
spaced up the hole to surface.	
Intermediate Casing: one centralizer above float joint, one cen	tralizer 5' above float collar and one every 4th collar
to surface.	
Production Casing: one centralizer at shoe joint and one every	3 joints to top of cement in intermediate casing.
22) Describe all cement additives associated with each cemer	nt type.
Conductor: no additives, Class A cement.	
Surface: Class A cement with 2% calcium and 1/4 lb flake, 5 g	gallons of clay treat
Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of	clay treat
Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-4	45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51
Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0%	FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20
(3) Proposed borehole conditioning procedures. Condu	ctor: blowhole clean with air, run casing, 10 bbls fresh water

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.

Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

*Note: Attach additional sheets as needed.



API No. 47 - 017	<u> </u>	6258
Operator's Well No. 8	quirrel U	nit 1H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name_Ant	tero Resources Appalachian Corporation	OP Code 494488557				
Watershed Middle R	un	Quadrangle	West Union 7.5'			
Elevation 1003'	County_Doddridge		District_West Union			
Description of antic	cipated Pit Waste: No pit will be used at this site (Drilling an	nd Flowback Fluids	will be stored in tanks. Cuttings will be	tanked and hauled off site.)		
Do you anticipate u	using more than 5,000 bbls of water to complete	e the propose	d well work? Yes X	No		
	er be used in the pit? N/A . If s					
	Method For Treated Pit Wastes: Land Application Underground Injection (UIC Permit N			,		
_	Reuse (at API Number Future permitted		hen applicable. API# will be pr	ovided on Form WR-34)		
_	Off Site Disposal (Meadowfill Landfill Pe					
	Other (Explain					
Additives to be used Will closed loop sy		014	nound offsite and teles to Issue	GII		
	sal method? Leave in pit, landfill, removed off			till.		
	bit and plan to solidify what medium will be us					
-Landfill o	or offsite name/permit number? Meadowfill Landfi	III (Permit #5vvi	-1032-98)			
provisions of the per or regulation can le I certify un application form and the information, I is submitting false information of the Company Official of Company Official (Typed Name) Cole Kilstrom	y term or con examined and y inquiry of to and comple	dition of the general perm I am familiar with the in hose individuals immedia	it and/or other applicable law formation submitted on this rely responsible for obtaining		
Company Official 7	Title Environmental Specialist					
-			- df	CENTED		
Subscribed and swo	orn before me this 27 day of Mo	arch	, 20 13 Notary Public	CH & CO12		
My commission ex	pires LISA BOTT Notary P State of Co	Public	Notary Public	Densiting to of proteotion		
	Notary ID 201	24072365	016	00/00/004		
	TO THE STATE OF TH	-		06/28/201		

Dranady Roun	dans A	Diversion -	
Property Boun			
Existing Fence		Spring Wet Spot	punity.
Planned Fence		_ Drain Pipe	O
Stream		w/ size in inches	—(12)—— >
Open Ditch		Waterway	\leftarrow
Rock	රුදුරුදුර	Cross Drain	
	•••••	Artificial Filter Strip	***************************************
North	↑ N	Pit: Cut Walls	en Time
Buildings		Pit: Compacted Fill Walls	Warning to the same of the sam
Water Wells	(W)	Area for Land Application	muchan.
Drill Sites	\oplus	of Pit Waste	
	(0.43) + Drilling Pad (4.92) + Staging Ar		
Proposed Revegetation 7	Freatment: Acres Disturbed 8.30	Prevegetation	n pH
Lime 2-4	Tons/acre or to correct to pl	6.5	
Fertilizer (10-20	0-20 or equivalent) 500	s/acre (500 lbs minimum)	
		Hay or straw or Wood Fiber (u	vill be used where needed)
Mulch 2-3	Tons	acre	
	Se	eed Mixtures	
	Area I (Temporary)		Area II (Permanent)
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Ryegrass	40	Tall Fescue	30
		Perennial Ryegrass	20
*See table 3 on attached E	Bee Lewis Pad design (page 11)	*See table 4a on attached Be	e Lewis Pad design (Page 11)
*or type of grass seed r	requested by surface owner	*or type of grass seed requ	uested by surface owner
	tion,pit and proposed area for land appropriate to the standard and standard area for land appropriate to the standard area for landard area for landa	plication.	
Plan Approved by:	Dauglas Newton		
Comments: Mr63	eed + Mulch 11131	rall 12 45 to De	p regulations
Title: Od + 9	Sas inspector	Date: 4-18-2	Peo Office of
			0.1100 01
Field Reviewed?	Yes () No	100 1
			APA .

Fam Duller 06/28/2013

west virginia department of environmental protection4/5



Water Management Plan: Primary Water Sources



WMP-01184

API/ID Number:

047-017-06258

Operator:

Antero Resources

Squirrel Unit 1H

Important:

For each proposed primary water source (including source intakes for purchased water sources) identified in your water management plan, and summarized herein, DEP has made an evaluation concerning water availability over the specified date range. DEP's assessment is based on the following considerations:

- •Statistical analysis of historical USGS stream gauge data (transferred to un-gauged locations as necessary);
- Identification of sensitive aquatic life (endangered species, mussels, etc.);
- Quantification of known existing demands on the water supply (Large Quantity Users);
- ·Minimum flows required by the Army Corps of Engineers; and
- Designated stream uses.

Based on these factors, DEP has provided, for each intake location (and origination point for purchased water), a reference gauge location and discharge flow reading which must be surpassed prior to withdrawals. Additionally, DEP has established a minimum passby flow at the withdrawal location which must also be surpassed prior to withdrawals. These thresholds are considered terms of the permit and are enforceable as such.

DEP is aware that some intake points will be used for mutiple wells and well sites. In these cases, the thresholds set by the Water Management Plan are to be interepreted as total withdrawal limits for each location over the specified date range regardless of how many wells are supported by that intake.

For all purchased water intakes, determinations of water availability are made at the original source intake location. It is the responsibility of the Oil and Gas Operator, not the seller, to cease withdrawal of water from the seller when flows are less than the minimum gauge reading at the stream gauge referenced by the Water Management Plan in order to protect stream uses.

Note that the determinations made herein are based on the best available data, but it is impossible to predict water availability in the future. While the DEP has carefully established these minimum withdrawal thresholds, it remains the operator's responsibility to protect aquatic life at all times. Approval to withdrawal is contingent upon permission from the land owner. It is the responsibility of the operator to secure and maintain permission prior to any withdrawals.

The operator is reminded that 24-48 hours prior to withdrawing (or purchasing) water, DEP must be notified by email at DEP.water.use@wv.gov.

APPROVED MAY 2 8 2013

Source Summary

WMP-01184

API Number:

047-017-06258

Operator:

Antero Resources

Squirrel Unit 1H

Stream/River

Ohio River @ Ben's Run Withdrawal Site Source

Owner:

Ben's Run Land Company

Limited Partnership

Start Date

End Date

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

12/30/2013

12/30/2014

7,550,000

39.46593

-81.110781

Regulated Stream?

Ohio River Min. Flow Ref. Gauge ID:

999999

Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm):

3,360

Min. Gauge Reading (cfs):

6,468.00

Min. Passby (cfs)

DEP Comments:

Refer to the specified station on the National Weather Service's Ohio River forecast

website: http://www.erh.noaa.gov/ohrfc//flows.shtml

Source

West Fork River @ JCP Withdrawal

Owner:

James & Brenda Raines

Start Date 12/30/2013

End Date 12/30/2014 Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: 39.320913

Intake Longitude: -80.337572

7,550,000

3061000

WEST FORK RIVER AT ENTERPRISE, WV

Max. Pump rate (gpm):

2,000

Regulated Stream? Stonewall Jackson Dam Ref. Gauge ID:

Min. Gauge Reading (cfs):

175.00

Min. Passby (cfs)

146.25

DEP Comments:

Source

West Fork River @ McDonald Withdrawal

Owner:

David Shrieves

Start Date

End Date

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: 39.16761

Intake Longitude: -80.45069

12/30/2013

12/30/2014

7,550,000

3061000

WEST FORK RIVER AT ENTERPRISE, WV

Max. Pump rate (gpm):

3,000

Regulated Stream? Stonewall Jackson Dam Ref. Gauge ID:

Min. Gauge Reading (cfs):

175.00

Min. Passby (cfs)

106.30

Source	West Fork Rive	r @ GAL Withdraw	al			Owner:	David Shrieves
Start Date 12/30/2013	End Date 12/30/2014		/olume (gal) 5 50,000	Max. daily pu	rchase (gal)	Intake Latitude 39.16422	e: Intake Longitude: -80.45173
✓ Regulated	Stream? Stone	ewall Jackson Dam	Ref. Gauge II	D: 306100 6)	WEST FORK RIVER AT EN	TERPRISE, WV
Max. Pump ı	rate (gpm):	2,000 Min	. Gauge Read	ing (cfs):	175.00	Min. Passby	(cfs) 106.30
	DEP Commer	nts:					
Source	Middle Island (Creek @ Dawson W	/ithdrawal			Owner:	Gary D. and Rella A. Dawson
Start Date 12/30/2013	End Date 12/30/2014		/olume (gal) 5 50,000	Max. daily pu	rchase (gal)	Intake Latitude 39.379292	e: Intake Longitude: -80.867803
☐ Regulated	Stream?		Ref. Gauge II	D: 311450 0)	MIDDLE ISLAND CREEK	AT LITTLE, WV
Max. Pump ı	rate (gpm):	3,000 Min	. Gauge Read	ing (cfs):	76.03	Min. Passby	(cfs) 28.83
	DEP Commer	nts:					Ĭ.
Source	McElroy Creek	@ Forest Withdrav	wal			Owner:	orest C. & Brenda L. Moore
Start Date 12/30/2013	End Date 12/30/2014		/olume (gal) 5 50,000	Max. daily ρι	irchase (gal)	Intake Latitude 39.39675	e: Intake Longitude: -80.738197
\square Regulated	Stream?		Ref. Gauge I	D: 311450 0	ס	MIDDLE ISLAND CREEK	AT LITTLE, WV

Min. Gauge Reading (cfs):

1,000

74.77

Min. Passby (cfs)

13.10


Max. Pump rate (gpm):


o Source	McElroy Creek	@ Sweene	ey Withdrawal			Owner:	Bill Sweeney
Start Date 12/30/2013	End Date 12/30/2014		Total Volume (gal) 7,550,000	Max. daily p	urchase (gal)	Intake Latitude: 39.398123	Intake Longitude -80.656808
☐ Regulated S	Stream?		Ref. Gauge I	D: 311450	00	MIDDLE ISLAND CREEK AT	T LITTLE, WV
Max. Pump ra	ate (gpm):	1,000	Min. Gauge Reac	ling (cfs):	69.73	Min. Passby (c	efs) 6.66
	DEP Commen	its:					
Source	Meathouse For	k @ Gagno	on Withdrawal			Owner: Geo	orge L. Gagnon and Susan C. Gagnon
Start Date 12/30/2013	End Date 12/30/2014		Total Volume (gal) 7,550,000	Max. daily p	urchase (gal)	Intake Latitude: 39.26054	Intake Longitude: -80.720998
☐ Regulated S	Stream?		Ref. Gauge I	D: 311450	00	MIDDLE ISLAND CREEK AT	T LITTLE, WV
Max. Pump ra	ate (gpm):	1,000	Min. Gauge Read	ling (cfs):	71.96	Min. Passby (c	rfs) 11.74
	DEP Commen	its:					· ! !
o Source	Meathouse For	k @ White	ehair Withdrawal			Owner:	Elton Whitehair
Start Date 12/30/2013	End Date 12/30/2014		Total Volume (gal) 7,550,000	Max. daily p	urchase (gal)	Intake Latitude: 39.211317	Intake Longitude: -80.679592
☐ Regulated S	Stream?		Ref. Gauge I	D: 311450	00	MIDDLE ISLAND CREEK AT	T LITTLE, WV
Max. Pump ra	ate (gpm):	1,000	Min. Gauge Read	ling (cfs):	69.73	Min. Passby (c	rfs) 7.28
	DEP Commen	its:					

Source Tom's Fork @ Erwin Withdrawal Owner: John F. Erwin and Sandra E. **Erwin** Start Date **End Date** Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 12/30/2013 7,550,000 12/30/2014 39.174306 -80.702992 ☐ Regulated Stream? Ref. Gauge ID: 3114500 MIDDLE ISLAND CREEK AT LITTLE, WV Max. Pump rate (gpm): 1.000 Min. Gauge Reading (cfs): 69.73 Min. Passby (cfs) 0.59 **DEP Comments:** Arnold Creek @ Davis Withdrawal Source Owner: **Jonathon Davis** Start Date **End Date** Total Volume (gal) Max. daily purchase (gal) Intake Longitude: Intake Latitude: 12/30/2013 12/30/2014 7,550,000 39.302006 -80.824561 ☐ Regulated Stream? Ref. Gauge ID: 3114500 MIDDLE ISLAND CREEK AT LITTLE, WV Max. Pump rate (gpm): 1.000 Min. Gauge Reading (cfs): 69.73 Min. Passby (cfs) 3.08 **DEP Comments: Buckeye Creek @ Powell Withdrawal** Owner: **Dennis Powell** Source Total Volume (gal) Max. daily purchase (gal) Intake Longitude: Start Date **End Date** Intake Latitude: 12/30/2013 12/30/2014 7,550,000 -80.690386 39.277142 ☐ Regulated Stream? Ref. Gauge ID: 3114500 MIDDLE ISLAND CREEK AT LITTLE, WV Min. Gauge Reading (cfs): Max. Pump rate (gpm): 1,000 69.73 Min. Passby (cfs) 4.59

South Fork of Hughes River @ Knight Withdrawal Source Owner: Tracy C. Knight & Stephanie C. Knight Start Date **End Date** Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 12/30/2013 12/30/2014 7,550,000 39.198369 -80.870969 Regulated Stream? Ref. Gauge ID: 3155220 **JOUTH FORK HUGHES RIVER BELOW MACFARLAN, W**\ Max. Pump rate (gpm): 3,000 Min. Gauge Reading (cfs): 39.80 Min. Passby (cfs) 1.95 **DEP Comments:** Source North Fork of Hughes River @ Davis Withdrawal Owner: Lewis P. Davis and Norma J. Davis Start Date **End Date** Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 12/30/2013 12/30/2014 -80.936771 7,550,000 39.322363 ☐ Regulated Stream? Ref. Gauge ID: 3155220 **SOUTH FORK HUGHES RIVER BELOW MACFARLAN, W**\ Max. Pump rate (gpm): Min. Gauge Reading (cfs): Min. Passby (cfs) 1,000 35.23 2.19

Source Summary WMP-01184 API Number: 047-017-06258 Antero Resources Operator: Squirrel Unit 1H **Purchased Water** Middle Island Creek @ Solo Construction Solo Construction, LLC Source Owner: Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 12/30/2013 12/30/2014 7,550,000 1,000,000 39.399094 -81.185548 ✓ Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 9999999 Ohio River Station: Willow Island Lock & Dam Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs) Max. Pump rate (gpm): **DEP Comments:** Elevation analysis indicates that this location has the same elevation as Middle Island Creek's pour point into the Ohio River. As such, it is deemed that water flow at this location is heavily influenced by the Ohio River. Sun Valley Public Service District Owner: Sun Valley PSD Source Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 12/30/2013 12/30/2014 7,550,000 200,000 Regulated Stream? Stonewall Jackson Dam Ref. Gauge ID: 3061000 WEST FORK RIVER AT ENTERPRISE, WV Max. Pump rate (gpm): Min. Gauge Reading (cfs): 171.48 Min. Passby (cfs) **DEP Comments:**





Min. Gauge Reading (cfs): Passby at Location (cfs):	
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	0.00
Pump rate (cfs):	
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	-

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

26,300.00

41,300.00

11 12

WMP-01184		API/ID Number:			Antero Resour	ces	
			Squirr	el Unit 1H			
Source II	D: 16709 Sou		'alley Public Service Di 'alley PSD	istrict		Latitude: - ongitude: -	
	HUC-8 Code:	5020002					
	Drainage Area	(sq. mi.): 391.8	35 County: H	Harrison	icipated withdrawal ticipated withdrawa		30/2013
	☐ Endangered Species? ☐ Mussel Stream? ☐ Tier 3?				otal Volume from S	ource (gal): 7,5	550,000
✓ Regulated Stream? Stonewall Jackson Dam					Max. Pump	rate (gpm):	
	oximate PSD?					Max. Simultaneous Truck	s:
	uged Stream?				M	ax. Truck pump rate (gpn	n)
	N. T. C.	2061000	WEST FORK BIVER	AT CAITEDDDICE MAY			
	Reference Gaug	3061000		AT ENTERPRISE, WV			
	Drainage Area (so	į. mi.) 759	0.00		Gauge Thr	reshold (cfs):	234
Month 1 2 3 4 5 6 7 8 9 10 11	Median monthly flow (cfs) 1,200.75 1,351.92 1,741.33 995.89 1,022.23 512.21 331.86 316.87 220.48 216.17 542.45	Threshold (+ pump	Estimated Available water (cfs)				
12	926.12						
	V	/ater Availa	bility Profile		Water Availa	ability Assessment o	f Location
					Base Thresh	old (cfs):	-
2000	1				Upstream De	emand (cfs):	
1500		\			Downstream	Demand (cfs):	
	•		gulated by the Ari e to the stated th	A STATE OF THE PARTY OF THE PAR	Pump rate (cfs):	
1000			e to the stated the uaranteed flow re		Headwater S		0.00
500	mamtain t	ne minimum g	uaranteed now re	quirements.			
0	0 0				Ungauged St	tream Safety (cfs):	0.00
U	1 2 3	3 4 5	6 7 8 9	10 11 12	Min. Gauge	Reading (cfs):	

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

◆ Median Monthly Flow ■ Threshold

Passby at Location (cfs):




80000	т —											
			_									
60000	Flov	w on						•		ny Coi	•	
40000					-					eshol		
	200	maintain the minimum guaranteed flow requirements.					intee	d flo	w red	uirer	nent	s.
20000	mai	IIIaiii										
20000	mai	-	_			_	-	•	•	-		
20000	mai	III.	-								-	-

Min. Gauge Reading (cfs): Passby at Location (cfs):	
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	0.00
Pump rate (cfs):	7.49
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	



Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	1,630.82		-
2	1,836.14		-
3	2,365.03		
4	1,352.59		
5	1,388.37	-	4
6	695.67		-
7	450.73	Ψ.	9
8	430.37	-	
9	299.45	4	-
10	293.59		-
11	736.74	-	
12	1 257 84		




Base Threshold (cfs):		
Upstream Demand (cfs):	24.29	
Downstream Demand (cfs):	0.00	
Pump rate (cfs):	4.46	
Headwater Safety (cfs):	0.00	
Ungauged Stream Safety (cfs):	0.00	

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.





Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	964.98		-
2	1,086.47	-	
3	1,399.42		-
4	800.34		
5	821.52	4	-
6	411.64		-
7	266.70	4	0.9
8	254.66	-	-
9	177.19		-
10	173.72		
11	435.94		
12	744.28	1-	



Min. Gauge Reading (cfs): Passby at Location (cfs):	
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	24.27
Pump rate (cfs):	6.68
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	24.29
Base Threshold (cfs):	-

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.





Base Threshold (cfs):	
Upstream Demand (cfs):	24.29
Downstream Demand (cfs):	0.00
Pump rate (cfs):	4.46
Headwater Safety (cfs):	24.18
Ungauged Stream Safety (cfs):	0.00

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

9

10

11

12


176.49

173.04


434.22 741.35




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	194.47	42.06	152.68
2	244.62	42.06	202.83
3	273.72	42.06	231.93
4	203.26	42.06	161.47
5	107.22	42.06	65.43
6	37.44	42.06	-4.35
7	21.19	42.06	-20.60
8	17.45	42.06	-24.34
9	8.94	42.06	-32.85
10	11.23	42.06	-30.56
11	54.82	42.06	13.04
12	133.96	42.06	92.17



76.03
76.03
0.00
4.45
6.68
6.55
13.10
17.82




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	95.28	19.78	75.68
2	119.86	19.78	100.25
3	134.11	19.78	114.51
4	99.59	19.78	79.99
5	52.54	19.78	32.93
6	18.35	19.78	-1.26
7	10.38	19.78	-9.22
8	8.55	19.78	-11.05
9	4.38	19.78	-15.23
10	5.50	19.78	-14.10
11	26.86	19.78	7.26
12	65.63	19.78	46.03



Min. Gauge Reading (cfs): Passby at Location (cfs):	74.19 13.09
Ungauged Stream Safety (cfs):	2.18
Headwater Safety (cfs):	2.18
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	4.46
Base Threshold (cfs):	8.73




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	48.43	8.88	39.93
2	60.92	8.88	52.42
3	68.17	8.88	59.67
4	50.62	8.88	42.12
5	26.70	8.88	18.21
6	9.32	8.88	0.83
7	5.28	8.88	-3.22
8	4.34	8.88	-4.15
9	2.23	8.88	-6.27
10	2.80	8.88	-5.70
11	13.65	8.88	5.16
12	33.36	8.88	24.86




Base Threshold (cfs):	4.44
Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	2.23
Headwater Safety (cfs):	1.11
Ungauged Stream Safety (cfs):	1.11
Min. Gauge Reading (cfs):	69.73
Passby at Location (cfs):	6.66




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	64.99	13.39	51.70
2	81.75	13.39	68.46
3	91.47	13.39	78.19
4	67.93	13.39	54.64
5	35.83	13.39	22.55
6	12.51	13.39	-0.77
7	7.08	13.39	-6.20
8	5.83	13.39	-7.45
9	2.99	13.39	-10.30
10	3.75	13.39	-9.53
11	18.32	13.39	5.04
12	44.76	13.39	31.48



Min. Gauge Reading (cfs): Passby at Location (cfs):	71.96 11.74
Ungauged Stream Safety (cfs):	1.49
Headwater Safety (cfs):	1.49
Pump rate (cfs):	2.23
Downstream Demand (cfs):	2.81
Upstream Demand (cfs):	2.23
Base Threshold (cfs):	5.95




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	32.57	6.70	26.15
2	40.97	6.70	34.55
3	45.84	6.70	39.42
4	34.04	6.70	27.62
5	17.96	6.70	11.54
6	6.27	6.70	-0.15
7	3.55	6.70	-2.87
8	2.92	6.70	-3.50
9	1.50	6.70	-4.92
10	1.88	6.70	-4.54
11	9.18	6.70	2.76
12	22.43	6.70	16.01




Min. Gauge Reading (cfs): Passby at Location (cfs):	69.73 7.29
Ungauged Stream Safety (cfs):	0.75
Headwater Safety (cfs):	0.75
Pump rate (cfs):	2.23
Downstream Demand (cfs):	2.81
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	2.98

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.



Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	4.30	2.82	1.88
2	5.41	2.82	2.98
3	6.05	2.82	3.63
4	4.49	2.82	2.07
5	2.37	2.82	-0.05
6	0.83	2.82	-1.60
7	0.47	2.82	-1.96
8	0.39	2.82	-2.04
9	0.20	2.82	-2.23
10	0.25	2.82	-2.18
11	1.21	2.82	-1.21
12	2.96	2.82	0.54




Min. Gauge Reading (cfs): Passby at Location (cfs):	69.73 0.59
Ungauged Stream Safety (cfs):	0.10
Headwater Safety (cfs):	0.10
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	0.39

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	22.34	5.30	17.29
2	28.10	5.30	23.05
3	31.44	5.30	26.39
4	23.35	5.30	18.30
5	12.32	5.30	7.26
6	4.30	5.30	-0.75
7	2.43	5.30	-2.62
8	2.00	5.30	-3.05
9	1.03	5.30	-4.03
10	1.29	5.30	-3.76
11	6.30	5.30	1.25
12	15.39	5.30	10.34



Min. Gauge Reading (cfs):	69.73
Ungauged Stream Safety (cfs):	0.51
Headwater Safety (cfs):	0.51
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	2.05



<u>Month</u>	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	33.41	6.82	26.95
2	42.02	6.82	35.56
3	47.02	6.82	40.56
4	34.92	6.82	28.46
5	18.42	6.82	11.96
6	6.43	6.82	-0.03
7	3.64	6.82	-2.82
8	3.00	6.82	-3.46
9	1.53	6.82	-4.92
10	1.93	6.82	-4.53
11	9.42	6.82	2.96
12	23.01	6.82	16.55




Min. Gauge Reading (cfs): Passby at Location (cfs):	69.73 4.59
Ungauged Stream Safety (cfs):	0.77
Headwater Safety (cfs):	0.77
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	3.06

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.



Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	45.67	14.26	31.44
2	59.55	14.26	45.31
3	65.21	14.26	50.97
4	36.87	14.26	22.63
5	25.86	14.26	11.63
6	13.90	14.26	-0.33
7	6.89	14.26	-7.34
8	3.98	14.26	-10.25
9	4.79	14.26	-9.45
10	5.20	14.26	-9.04
11	15.54	14.26	1.30
12	32.06	14.26	17.82




Min. Gauge Reading (cfs): Passby at Location (cfs):	39.80 1.95
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	0.39
Pump rate (cfs):	6.68
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	5.62
Base Threshold (cfs):	1.56

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.



Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	42.64	4.42	38.36
2	55.59	4.42	51.32
3	60.88	4.42	56.60
4	34.42	4.42	30.14
5	24.15	4.42	19.87
6	12.98	4.42	8.70
7	6.44	4.42	2.16
8	3.72	4.42	-0.56
9	4.47	4.42	0.19
10	4.85	4.42	0.57
11	14.50	4.42	10.23
12	29.93	4.42	25.65



Min. Gauge Reading (cfs): Passby at Location (cfs):	35.23 2.19
Ungauged Stream Safety (cfs):	0.36
Headwater Safety (cfs):	0.36
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	1.46

west virginia department of environmental protection



Lake/Reservior

Water Management Plan: Secondary Water Sources



WMP-01184

API/ID Number

047-017-06258

Operator:

Antero Resources

Squirrel Unit 1H

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

	Source ID:	16710	Source Name	City of Salem F	Reservior (Lower D	og Run)	Source start	date:	12/30/2013	
				Public Water Provider		Source end date:		12/30/2014		
			Source Lat:	39.28834	Source Long:	-80.54966	County	Н	arrison	

Max. Daily Purchase (gal)

1,000,000

Total Volume from Source (gal):

7,550,000

WMP-01184	API/ID Number	047-017-06258	Operator:	Antero Resources	
	Squii	rrel Unit 1H			

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

					Source end date:	12/20/201
					Source end date:	12/30/201
	Source Lat:	39.281689	Source Long:	-80.925526	County	Ritchie
Max. Daily Purchase (gal)				Total Volum	7,550,000	
DEP Co	omments:					

Source ID:	16712	Source Name	Powers Lake (V	Wilderness Water	Park Dam)	Source start of	date:	12/30/2013
			Private Owner			Source end	date:	12/30/2014
			Source Lat:	39.255752	Source Long:	-80.463262	County	Н
	Max. Daily Purchase (gal)				Total Volume from Source (g		il):	7,550,000
	DEP Co	mments:						

WMP-01184 API/ID Number 047-017-06258 Operator: Antero Resources

Squirrel Unit 1H

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID:	16713	Source Name	Powers Lake To	wo		Source start date	: 12/30/201
						Source end date	: 12/30/201
		Source Lat: 39.2476	39.247604	504 Source Long: -80.466642	County	Harrison	
		Max. Daily Pu	rchase (gal)		Total Volum	me from Source (gal):	7,550,000

WMP-01184	API/ID Number	047-017-06258	Operator:	Antero Resources
	Squir	rrel Unit 1H		

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Other

Source ID: 16714	16714	Source Name	Poth Lake (Landowner Pond)			Source start date:		12/30/2013
			Private Owner	Private Owner			Source end date:	
		Source Lat:	39.221306	Source Long:	-80.463028	County	Н	arrison
		Max. Daily Pu	rchase (gal)		Total Volu	me from Source (ga	al):	7,550,000
	DEP Co	omments:						

Source ID:	16715	Source Name	Williamson Pond (Landowner Pond)			Source start date:	12/30/2013
						Source end date:	12/30/2014
		Source Lat:	39.19924	Source Long:	-80.886161	County	Ritchie
	Max. Daily Purchase (gal)				Total Volum	me from Source (gal):	7,550,000
	DEP Co	omments:					

WMP- 01184	API/ID Number	047-017-06258	Operator:	Antero Resources	
		·			
:	Squir	rol Unit 1H			

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Eddy Pond (Landowner Pond) Source ID: 16716 Source Name 12/30/2013 Source start date: 12/30/2014 Source end date: -80.886161 Ritchie Source Lat: 39.19924 Source Long: County

> 7,550,000 Max. Daily Purchase (gal) Total Volume from Source (gal):

DEP Comments:

Hog Lick Quarry Source ID: 16717 Source Name 12/30/2013 Source start date:

Source Long:

39.419272

Industrial Facility 12/30/2014 Source end date: -80.217941

County

7,550,000 1,000,000

Total Volume from Source (gal): Max. Daily Purchase (gal)

DEP Comments:

Source Lat:

Marion

WMP-01184 API/ID Number 047-017-06258 Operator: Antero Resources

Squirrel Unit 1H

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID:	16718	Source Name	Glade Fork Mine			Source start date:	12/30/2013
			Industrial Facility		Source end date:	12/30/2014	
		Source Lat:	38.965767	Source Long:	-80.299313	County	Upshur
		Max. Daily Pu	rchase (gal)	1,000,000	Total Volu	me from Source (gal):	7,550,000
	DEP Co	mments:					

Source ID:	16719	Source Name	Livingston Unit 2	2H		Source start date:	12/30/2013
					Source end date:		12/30/2014
	Source Lat:			Source Long:			
		Max. Daily Pu	rchase (gal)		Total Volume from Source (gal):		7,550,000
	DEP Co	omments:					

17-06258

