

*pm*

State of West Virginia  
Department of Environmental Protection - Office of Oil and Gas  
Well Operator's Report of Well Work

API 47-017-06411H6A County Doddridge District Southwest  
Quad Oxford 7.5' Pad Name OXFD11HS Field/Pool Name Oxford  
Farm Name MORRIS, I. L. Well Number OXFD11CHS  
Operator (as registered with the OOG) CNX Gas Company LLC  
Address P.O. Box 1248 City Jane Lew State WV Zip 26378

As Drilled location NAD 83/UTM Attach an as-drilled plat, profile view, and deviation survey  
Top Hole Northing 4,335,751.00 m Easting 520,424.00 m  
Landing Point of Curve Northing 4,335,975.88 m Easting 520,391.55 m  
Bottom Hole Northing 4,337,736.24 m Easting 519,722.93 m

Elevation (ft) 1340' GL Type of Well  New  Existing Type of Report  Interim  Final  
Permit Type  Deviated  Horizontal  Horizontal 6A  Vertical Depth Type  Deep  Shallow  
Type of Operation  Convert  Deepen  Drill  Plug Back  Redrilling  Rework  Stimulate  
Well Type  Brine Disposal  CBM  Gas  Oil  Secondary Recovery  Solution Mining  Storage Other \_\_\_\_\_  
Type of Completion  Single  Multiple Fluids Produced  Brine  Gas  NGL  Oil Other \_\_\_\_\_  
Drilled with  Cable  Rotary

Drilled Media Surface hole  Air  Mud  Fresh Water Intermediate hole  Air  Mud  Fresh Water  Brine  
Production hole  Air  Mud  Fresh Water  Brine  
Mud Type(s) and Additive(s)  
Mineral Oil Based Mud, Bactericide, Polymers and Weighting Agents.

Date Permit Issued 02/12/2014 Date drilling commenced 06/26/2014 Date drilling ceased 10/02/2014  
Date completion activities began 03/31/2015 Date completion activities ceased 04/17/2015  
Verbal plugging (Y/N) N Date permission granted N/A Granted by N/A

Please note: Operator is required to submit a plugging application within 5 days of verbal permission to plug

Freshwater depth(s) ft 50', 620' Open mine(s) (Y/N) depths N  
Salt water depth(s) ft 1,810' Void(s) encountered (Y/N) depths N  
Coal depth(s) ft None Reported Cavern(s) encountered (Y/N) depths N  
Is coal being mined in area (Y/N) N

RECEIVED  
Office of Oil and Gas

NOV 30 2015  
Reviewed by:  
Goff, Kevin  
Department of  
Environmental Protection  
02/12/2016

**APPROVED**

NAME: *Jacquelin Shovtes*  
DATE: *2/11/2016*

API 47-017-06411H6A Farm name MORRIS, I. L. Well number OXFD11CHS

CASING STRINGS	Hole Size	Casing Size	Depth	New or Used	Grade wt/ft	Basket Depth(s)	Did cement Circulate (Y/N) * Provide details to the right *
Conductor	24"	20"	100'	N	J-55 94# / 100'	N/A	Y
Surface	17 1/2"	13 3/8"	729'	N	J-55 54.5# / 729'	N/A	Y
Coal	-	-	-	-	-	-	-
Intermediate 1	12 1/4"	9 5/8"	2630'	N	J-55 36# / 2630'	N/A	Y
Intermediate 2	-	-	-	-	-	-	-
Intermediate 3	-	-	-	-	-	-	-
Production	8 3/4"	5 1/2"	13387'	N	P-110 20# / 13387'	N/A	N
Tubing	5 1/2"	2 3/8"	6971'	N	P-110 4.7# / 6971'	N/A	N

Packer Type and Depth Set None

Comment Details \_\_\_\_\_

CEMENT DATA	Class/Type of Cement	Number of Sacks	Slurry wt (ppg)	Yield ( ft 3/sks)	Volume ( ft 3 )	Cement Top (MD)	WOC (hrs)
Conductor	Class A	127	15.2	1.18	150	Surface	24
Surface	Class A	577	15.6	1.18	679	Surface	8
Coal	-	-	-	-	-	-	-
Intermediate 1	Class A	1009	15.6	1.18	1190	Surface	8
Intermediate 2	-	-	-	-	-	-	-
Intermediate 3	-	-	-	-	-	-	-
Production	Class A (Lead) / Class A (Tail)	809 / 1682	14.2 / 14.8	1.24 / 1.25	1003 / 2103	2100'	8
Tubing	-	-	-	-	-	-	-

Drillers TD (ft) 6818' Loggers TD (ft) 6905'

Deepest formation penetrated: Onondaga Plug back to (ft) 4595'

Plug back procedure: Solid Plug from 6818'-4595'

Kick Off Depth (ft) 4595'

Check all wireline logs run  caliper  density  deviated/directional  induction  
 neutron  resistivity  gamma ray  temperature  sonic

Well Cored  Yes  No  Conventional  Sidewall Were Cuttings Collected  Yes  No

DESCRIBE THE CENTRALIZER PLACEMENT USED FOR EACH CASING STRING \_\_\_\_\_

Conductor - No centralizers used. Fresh Water - Bow spring centralizers on first joint then every fourth joint to 100 feet from surface.  
Intermediate - Bow spring centralizers one on the first two joints and every fourth joint until inside surface casing. Production - Rigid bow spring centralizer on first joint then every 2 casing joints (free floating) through the lateral and the curve. (Note: cementing the 5 1/2" casing completely in open hole lateral and curve.)

WAS WELL COMPLETED AS SHOT HOLE  Yes  No DETAILS Plug and Perforation Shot Hole

WAS WELL COMPLETED OPEN HOLE  Yes  No DETAILS \_\_\_\_\_

WERE TRACERS USE  Yes  No TYPES OF TRACER(S) USED Chemical

RECEIVED  
Office of Oil and Gas  
NOV 30 2015  
WV Department of  
Environmental Protection

API 47-017-06411H6A

Farm name MORRIS, I. L.

Well number OXFD11CHS

**PERFORATION RECORD**

Stage No.	Perforation date	Perforated from MD ft.	Perforated to MD ft.	Number Of Perforations	Formation(s)
					See Attached

Please insert additional pages as applicable.

**STIMULATION INFORMATION PER STAGE**

Complete a separate record for each stimulation stage.

Stage No.	Stimulations Date	Avg Pump Rate (BPM)	Avg Treatment Pressure (PSI)	Max Breakdown Pressure (PSI)	ISIP (PSI)	Amount of Proppant (lbs)	Amount of Water (bbls)	Amount of Nitrogen / other (gals)
								See Attached

RECEIVED  
Office of Oil and Gas  
NOV 30 2015  
WV Department of  
Environmental Protection

Please insert additional pages as applicable.

API 47-017-06411H6A Farm name MORRIS, I. L. Well number OXFD11CHS

PERFORATION RECORD

Stage No.	Perforation date	Perforated from MD ft.	Perforated to MD ft.	Number Of Perforations	Formation(s)
1	3/31/2015	13329	13327	12	Marcellus
2	3/31/2015	13262	13119	40	Marcellus
3	4/1/2015	13085	12942	40	Marcellus
4	4/1/2015	12908	12765	40	Marcellus
5	4/1/2015	12731	12588	40	Marcellus
6	4/2/2015	12554	12411	40	Marcellus
7	4/3/2015	12377	12234	40	Marcellus
8	4/3/2015	12200	12057	40	Marcellus
9	4/3/2015	12023	11880	40	Marcellus
10	4/4/2015	11846	11703	40	Marcellus
11	4/7/2015	11669	11526	40	Marcellus
12	4/8/2015	11492	11349	40	Marcellus
13	4/8/2015	11315	11172	40	Marcellus
14	4/8/2015	11138	10995	40	Marcellus
15	4/9/2015	10961	10818	40	Marcellus
16	4/10/2015	10784	10641	40	Marcellus
17	4/11/2015	10607	10464	40	Marcellus
18	4/11/2015	10430	10287	40	Marcellus
19	4/11/2015	10253	10110	40	Marcellus
20	4/12/2015	10076	9933	40	Marcellus
21	4/12/2015	9899	9756	40	Marcellus
22	4/12/2015	9722	9579	40	Marcellus
23	4/12/2015	9545	9402	40	Marcellus
24	4/13/2015	9368	9225	40	Marcellus
25	4/13/2015	9191	9048	40	Marcellus
26	4/13/2015	9014	8871	40	Marcellus
27	4/14/2015	8837	8694	40	Marcellus
28	4/14/2015	8660	8517	40	Marcellus
29	4/14/2015	8483	8340	40	Marcellus
30	4/15/2015	8306	8163	40	Marcellus
31	4/15/2015	8129	7986	40	Marcellus
32	4/16/2015	7952	7809	40	Marcellus
33	4/16/2015	7775	7632	40	Marcellus
34	4/16/2015	7598	7456	40	Marcellus
35	4/17/2015	7422	7280	40	Marcellus
36	4/17/2015	7246	7104	40	Marcellus

REC'D  
Office of Oil and Gas  
NOV 9 0 2015  
WV Department of  
Environmental Protection

API 47-017-06411H6A Farm name MORRIS, I. L. Well number OXFD11CHS

STIMULATION INFORMATION PER STAGE

Stage No.	Stimulations Date	Avg Pump Rate (BPM)	Avg Treatment Pressure (PSI)	Max Breakdown Pressure (PSI)	ISIP (PSI)	Amount of Proppant (lbs)	Amount of Water (bbls)	Amount of Nitrogen / other (gals)
1	3/31/2015	74.5	8533	7158	3698	100850	3648	3156
2	3/31/2015	81	8232	6561	3357	234950	8123	3329
3	4/1/2015	81.5	7979	6865	3385	233650	6628	3223
4	4/1/2015	84.3	7909	7902	3492	235250	6497	3225
5	4/1/2015	84.9	8102	7597	3618	234200	6582	3255
6	4/2/2015	78.4	8249	6952	3918	234450	6792	3424
7	4/3/2015	80.1	7935	6575	4715	234200	6457	3270
8	4/3/2015	85.1	8134	7130	4005	234800	6476	3265
9	4/3/2015	84.5	8043	6641	4581	234200	6440	3269
10	4/4/2015	94.5	8647	7173	3984	233750	6760	3235
11	4/7/2015	83	8227	7272	3765	233200	6166	3273
12	4/8/2015	91.5	8381	6842	4435	234150	6432	3339
13	4/8/2015	82.7	7598	8382	3841	233900	6677	3289
14	4/8/2015	93.6	8129	7673	3734	234500	6577	3269
15	4/9/2015	97.5	8280	8011	4050	234450	5925	3242
16	4/10/2015	93	8182	7974	4372	234550	5716	3233
17	4/11/2015	95	8414	8275	3828	234950	6388	3265
18	4/11/2015	93.5	8316	7687	3556	234800	6321	3234
19	4/11/2015	90.1	7716	7617	3675	234350	6469	3308
20	4/12/2015	86	7562	8398	4482	233400	5481	3209
21	4/12/2015	90.1	8112	7977	3391	234150	6423	3257
22	4/12/2015	79	7715	7778	3265	234950	6758	3270
23	4/12/2015	88.5	7756	7979	3517	233750	5698	3227
24	4/13/2015	92	8168	8429	3724	233700	5210	3216
25	4/13/2015	84.3	7677	7684	4113	234450	6469	3243
26	4/13/2015	94.3	8167	8092	3949	236550	5224	3211
27	4/14/2015	94.7	8132	7901	3855	236050	5888	3237
28	4/14/2015	93.5	8020	7950	3673	233950	6155	3210
29	4/14/2015	95.6	7923	8010	4105	233750	5806	3200
30	4/15/2015	87.7	7929	9043	4287	222200	5060	3177
31	4/15/2015	89	7996	8351	4272	233700	5336	3224
32	4/16/2015	77.8	8122	7925	5136	234000	10562	9791
33	4/16/2015	96.6	8073	7002	4270	234150	6125	3287
34	4/16/2015	83.4	7606	8320	4082	235000	5151	3187
35	4/17/2015	88.3	7290	8062	4031	234550	5170	3155
36	4/17/2015	94.3	7804	8041	4090	234000	6045	3251

Office of Oil and Gas  
NOV 30 2015  
WV Department of Environmental Protection

02/12/2016

API 47-017-06411H6A Farm name MORRIS, I. L. Well number OXFD11CHS

PRODUCING FORMATION(S) \_\_\_\_\_ DEPTHS \_\_\_\_\_  
MARCELLUS 6760'- 6820' TVD 6760'- 6820' MD

Please insert additional pages as applicable.

GAS TEST  Build up  Drawdown  Open Flow OIL TEST  Flow  Pump  
 SHUT-IN PRESSURE Surface 3100 psi Bottom Hole 1800 psi DURATION OF TEST 58.5 hrs  
 OPEN FLOW Gas 4444.80 mcfpd Oil 0 bpd NGL 0 bpd Water 480 bpd GAS MEASURED BY  
 Estimated  Orifice  Pilot

LITHOLOGY / FORMATION	TOP DEPTH IN FT TVD	BOTTOM DEPTH IN FT TVD	TOP DEPTH IN FT MD	BOTTOM DEPTH IN FT MD	DESCRIBE ROCK TYPE AND RECORD QUANTITY TYPE OF FLUID (FRESHWATER,BRINE,GAS,H2S, ETC)
					SEE ATTACHED

Please insert additional pages as applicable.

Drilling Contractor Patterson UTI  
 Address 207 Carlton Drive City Eighty Four State PA Zip 15330  
 Logging Company Horizon  
 Address 7136 South Yale, Suite 414 City Tulsa State OK Zip 74136-6378  
 Cementing Company CalFrac  
 Address 2001 Summit View Rd City Smithfield State PA Zip 15478  
 Stimulating Company CalFrac  
 Address 2001 Summit View Rd City Smithfield State PA Zip 15478

Please insert additional pages as applicable.

Completed by CNX Gas WV Operations Company, LLC - Drilling and Completions  
 Signature Steve Spittle Title Steve Spittle - Completions Manager-Gas WV

Submittal of Hydraulic Fracturing Chemical Disclosure Information

RECEIVED  
 NOV 30 2015  
 Telephone 304-884-2000  
 WV Department of Environmental Protection  
 Office of Oil and Gas  
 Attached Copy of FRAC FOCUS Registry

02/12/2016

API 47-017-06411H6A Farm name MORRIS, I. L. Well number OXFD11CHS

LITHOLOGY / FORMATION	TOP	BOTTOM	TOP	BOTTOM	DESCRIBE ROCK TYPE AND RECORD QUANTITY TYPE OF FLUID (FRESHWATER,BRINE,GAS,H2S, ETC)
	DEPTH IN FT	DEPTH IN FT	DEPTH IN FT	DEPTH IN FT	
	TVD	TVD	MD	MD	
FILL	0	130	0	130	
SHALE	130	310	130	310'	
50/50: SHALE /SS	310	340'	310'	340'	
80/20: SHALE/ SS	340'	370'	340'	370'	
60/40: SHALE/SS	370'	400'	370'	400'	
SHALE	400'	430'	400'	430'	
80/20: SHALE/ SS	430'	460'	430'	460'	
60/40: SHALE/SS	460'	490	460'	490	
60/40: SS/SHALE	490	520	490	520	
SHALE	520	550	520	550	
80/20: SHALE/ SS	550	580	550	580	
60/40: SHALE/SS	580	610	580	610	
60/40: SS/SHALE	610	670	610	670	
70/30: SS/SHALE	670	700	670	700	
90/10: SS/SHALE	700	790	700	790	
CEMENT	790	820	790	820	
SHALE	820	1090	820	1090	
50/50: SHALE /SS	1090	1150	1090	1150	
SHALE	1150	1210	1150	1210	
SS	1210	1390	1210	1390	
SHALE	1390	1450	1390	1450	
SS	1450	1480	1450	1480	
70/30: SS/SILTSTONE	1480	1510	1480	1510	
SILTSTONE	1510	1540	1510	1540	
90/10: SS/SILTSTONE	1540	1570	1540	1570	
SS	1570	1630	1570	1630	
80/20: SS/SILTSTONE	1630	1660	1630	1660	
SILTSTONE	1660	1720	1660	1720	
70/30: SILTSTONE/SS	1720	1750	1720	1750	
SS	1750	1810	1750	1810	
90/10: SS/SILTSTONE	1810	1870	1810	1870	
70/30: SS/SILTSTONE	1870	1900	1870	1900	
80/20: SILTSTONE/SS	1900	1930	1900	1930	
50/50: SILTSTONE/SS	1930	1960	1930	1960	
SHALE	1960	2020	1960	2020	
80/20: SS/SILTSTONE	2020	2050	2020	2050	
BIG LIME FORMATION (LS)	2050	2080	2050	2080	
80/20: SS/SHALE	2080	2110	2080	2110	

RECEIVED  
Office of Oil and Gas  
NOV 30 2015  
WV Department of  
Environmental Protection

02/12/2016

API 47-017-06411H6A Farm name MORRIS, I. L. Well number OXFD11CHS

LITHOLOGY / FORMATION	TOP	BOTTOM	TOP	BOTTOM	DESCRIBE ROCK TYPE AND RECORD QUANTITY TYPE OF FLUID (FRESHWATER,BRINE,GAS,H2S, ETC)
	DEPTH IN FT	DEPTH IN FT	DEPTH IN FT	DEPTH IN FT	
	TVD	TVD	MD	MD	
LS	2110	2200	2110	2200	
70/30: LS/SS	2200	2230	2200	2230	
LS	2230	2260	2230	2260	
BIG INJUN (SS)	2260	2290	2260	2290	
SS	2290	2320	2290	2320	
80/20: SS/SILTSTONE	2320	2410	2320	2410	
90/10: SS/SILTSTONE	2410	2440	2410	2440	
50/50: SS/SILTSTONE	2440	2500	2440	2500	
COFFEE SHALE (60/40: SILTSTON	2500	2530	2500	2530	
50/50: SILTSTONE/SH	2530	2560	2530	2560	
60/40: SHALE/ SILTSTONE	2560	2740	2560	2740	
GORDON (SS)	2740	2770	2740	2770	
SS	2770	3340	2770	3340	
80/20: SS/SHALE	3340	3490	3340	3490	
WARREN (SS)	3490	4930	3490	4930	
BENSON SAND (SS)	4930	5200	4930	5200	
ALEXANDER SAND	5200	6610	5200	6610	
BURKETT	6610	6700	6610	6700	
TULLY	6700	6760	6700	6760	
MARCELLUS	6760	6820	6760	6820	
ONONDAGA	6820	6905	6820	6905	

RECEIVED  
 Office of Oil and Gas

NOV 30 2015

WV Department of  
 Environmental Protection

02/12/2016