

PM

State of West Virginia  
Department of Environmental Protection - Office of Oil and Gas  
Well Operator's Report of Well Work

API 47-017-06414H6A County Doddridge District Southwest  
Quad Oxford 7.5' Pad Name OXFD11HS Field/Pool Name Oxford  
Farm Name MORRIS, I. L. Well Number OXFD11KHS  
Operator (as registered with the OOG) CNX Gas Company LLC  
Address P.O. Box 1248 City Jane Lew State WV Zip 26378

As Drilled location NAD 83/UTM Attach an as-drilled plat, profile view, and deviation survey  
Top Hole Northing 4,335,765.00 m Easting 520,436.00 m  
Landing Point of Curve Northing 4,336,067.48 m Easting 520,725.85 m  
Bottom Hole Northing 4,338,111.06 m Easting 519,947.56 m

Elevation (ft) 1340' GL Type of Well  New  Existing Type of Report  Interim  Final  
Permit Type  Deviated  Horizontal  Horizontal 6A  Vertical Depth Type  Deep  Shallow  
Type of Operation  Convert  Deepen  Drill  Plug Back  Redrilling  Rework  Stimulate  
Well Type  Brine Disposal  CBM  Gas  Oil  Secondary Recovery  Solution Mining  Storage Other \_\_\_\_\_  
Type of Completion  Single  Multiple Fluids Produced  Brine  Gas  NGL  Oil Other \_\_\_\_\_  
Drilled with  Cable  Rotary

Drilled Media Surface hole  Air  Mud  Fresh Water Intermediate hole  Air  Mud  Fresh Water  Brine  
Production hole  Air  Mud  Fresh Water  Brine  
Mud Type(s) and Additive(s)  
Mineral Oil Based Mud, Bactericide, Polymers and Weighting Agents.

Date Permit Issued 02/12/2014 Date drilling commenced 06/29/2014 Date drilling ceased 10/25/2014  
Date completion activities began 02/25/2015 Date completion activities ceased 03/28/2015  
Verbal plugging (Y/N) N Date permission granted N/A Granted by N/A

Please note: Operator is required to submit a plugging application within 5 days of verbal permission to plug

Freshwater depth(s) ft 50', 620' Open mine(s) (Y/N) depths N  
Salt water depth(s) ft 1,809' Void(s) encountered (Y/N) depths N  
Coal depth(s) ft None Reported Cavern(s) encountered (Y/N) depths N  
Is coal being mined in area (Y/N) N

**APPROVED**

NAME: Paqualin Ithante  
DATE: 2/11/2016

RECEIVED  
Office of Oil and Gas  
Reviewed by  
NOV 30 2015  
Gorr, Kevin  
WV Department of  
Environmental Protection  
AX 02/11/16  
02/12/2016

APPROVED

NAME: 02/12/2016

DATE

API 47-017-06414H6A

Farm name MORRIS, I. L.

Well number OXFD11KHS

CASING STRINGS	Hole Size	Casing Size	Depth	New or Used	Grade wt/ft	Basket Depth(s)	Did cement Circulate (Y/N) * Provide details to the right *
Conductor	24"	20"	100'	N	J-55 94# / 100'	N/A	Y
Surface	17 1/2"	13 3/8"	702'	N	J-55 54.5# / 702'	N/A	Y
Coal	-	-	-	-	-	-	-
Intermediate 1	12 1/4"	9 5/8"	2828'	N	J-55 36# / 2828'	N/A	Y
Intermediate 2	-	-	-	-	-	-	-
Intermediate 3	-	-	-	-	-	-	-
Production	8 3/4"	5 1/2"	14994'	N	P-110 20# / 14994'	N/A	N
Tubing	5 1/2"	2 3/8"	7315.3'	N	P-110 4.7# / 7315.3'	N/A	N
Packer Type and Depth Set		None					

Comment Details \_\_\_\_\_

CEMENT DATA	Class/Type of Cement	Number of Sacks	Slurry wt (ppg)	Yield (ft 3/sks)	Volume (ft 3)	Cement Top (MD)	WOC (hrs)
Conductor	Class A	127	15.2	1.18	150	Surface	24
Surface	Class A	547	15.6	1.00	646	Surface	8
Coal	-	-	-	-	-	-	-
Intermediate 1	Class A	1003	15.6	1.2	1207	Surface	8
Intermediate 2	-	-	-	-	-	-	-
Intermediate 3	-	-	-	-	-	-	-
Production	Class A (Lead) / Class A (Tail)	761 / 2037	14.2 / 14.8	1.24 / 1.25	944 / 2546	719'	8
Tubing	-	-	-	-	-	-	-

Drillers TD (ft) 6837'

Loggers TD (ft) 6911'

Deepest formation penetrated: Marcellus

Plug back to (ft) N/A

Plug back procedure: N/A

Kick Off Depth (ft) 3900'

Check all wireline logs run  caliper  density  deviated/directional  induction  
 neutron  resistivity  gamma ray  temperature  sonic

Well Cored  Yes  No  Conventional  Sidewall Were Cuttings Collected  Yes  No

DESCRIBE THE CENTRALIZER PLACEMENT USED FOR EACH CASING STRING \_\_\_\_\_

Conductor - No centralizers used. Fresh Water - Bow spring centralizers on first joint then every fourth joint to 100 feet from surface. Intermediate - Bow spring centralizers one on the first two joints and every fourth joint until inside surface casing. Production - Rigid bow spring centralizer on first joint then every 2 casing joints (free floating) through the lateral and the curve. (Note: cementing the 5 1/2" casing completely in open hole lateral and curve.)

WAS WELL COMPLETED AS SHOT HOLE  Yes  No DETAILS Plug and Perforation Shot Hole

WAS WELL COMPLETED OPEN HOLE  Yes  No DETAILS \_\_\_\_\_

WERE TRACERS USE  Yes  No TYPES OF TRACER(S) USED Chemical

RECEIVED  
Office of Oil and Gas  
NOV 30 2015  
Department of  
Natural Resources  
02/2/2016





API 47-017-06414H6A Farm name MORRIS, I. L. Well number OXFD11KHS

PERFORATION RECORD

Stage No.	Perforation date	Perforated from MD ft.	Perforated to MD ft.	Number Of Perforations	Formation(s)
1	2/25/2015	14924	14923	6	Marcellus
2	2/26/2015	14857	14714	40	Marcellus
3	2/26/2015	14680	14537	40	Marcellus
4	2/27/2015	14503	14360	40	Marcellus
5	2/27/2015	14326	14183	40	Marcellus
6	2/28/2015	14149	14006	40	Marcellus
7	2/28/2015	13972	13829	40	Marcellus
8	3/1/2015	13790	13652	40	Marcellus
9	3/1/2015	13618	13475	40	Marcellus
10	3/1/2015	13441	13298	40	Marcellus
11	3/2/2015	13264	13121	40	Marcellus
12	3/2/2015	13087	12944	40	Marcellus
13	3/3/2015	12910	12767	40	Marcellus
14	3/3/2015	12733	12590	40	Marcellus
15	3/3/2015	12556	12413	40	Marcellus
16	3/3/2015	12379	12236	40	Marcellus
17	3/4/2015	12202	12059	40	Marcellus
18	3/6/2015	12025	11882	40	Marcellus
19	3/7/2015	11848	11705	40	Marcellus
20	3/8/2015	11671	11528	40	Marcellus
21	3/8/2015	11494	11351	40	Marcellus
22	3/9/2015	11317	11174	40	Marcellus
23	3/9/2015	11140	10997	40	Marcellus
24	3/11/2015	10963	10820	40	Marcellus
25	3/21/2015	10786	10643	40	Marcellus
26	3/21/2015	10609	10466	40	Marcellus
27	3/22/2015	10432	10289	40	Marcellus
28	3/22/2015	10255	10112	40	Marcellus
29	3/23/2015	10078	9940	40	Marcellus
30	3/23/2015	9901	9758	40	Marcellus
31	3/24/2015	9724	9581	40	Marcellus
32	3/24/2015	9547	9404	40	Marcellus
33	3/25/2015	9370	9227	40	Marcellus
34	3/25/2015	9192	9050	40	Marcellus
35	3/25/2015	9016	8873	40	Marcellus
36	3/26/2015	8839	8696	40	Marcellus
37	3/26/2015	8661	8519	40	Marcellus
38	3/26/2015	8485	8342	40	Marcellus
39	3/27/2015	8308	8166	40	Marcellus

RECEIVED  
 Office of Oil and Gas  
 NOV 30 2015  
 Department of Environmental Protection  
 02/12/2016



API 47-017-06414H6A Farm name MORRIS, I. L. Well number OXFD11KHS

PERFORATION RECORD

Stage No.	Perforation date	Perforated from MD ft.	Perforated to MD ft.	Number Of Perforations	Formation(s)
40	3/27/2015	8022	7983	40	Marcellus
41	3/28/2015	7956	7814	40	Marcellus
42	3/28/2015	7780	7642	40	Marcellus
43	3/28/2015	7604	7462	40	Marcellus

RECEIVED  
Office of Oil and Gas  
NOV 30 2015  
WV Department of  
Environmental Protection

02/12/2016



API 47-017-06414H6A Farm name MORRIS, I. L. Well number OXFD11KHS

STIMULATION INFORMATION PER STAGE

Stage No.	Stimulations Date	Avg Pump Rate (BPM)	Avg Treatment Pressure (PSI)	Max Breakdown Pressure (PSI)	ISIP (PSI)	Amount of Proppant (lbs)	Amount of Water (bbls)	Amount of Nitrogen / other (gals)
1	2/25/2015	62.4	8421	7127	3295	100500	4494	3240
2	2/26/2015	92.3	8000	7764	3778	234500	6881	3262
3	2/26/2015	83.1	8469	7777	4000	236350	6866	3253
4	2/27/2015	75.8	8197	7044	4137	233400	7400	3215
5	2/27/2015	81.4	8323	8399	4237	234300	7099	3216
6	2/28/2015	81.2	8212	7679	4036	233700	7076	3255
7	2/28/2015	79.6	8266	7455	4486	235800	6586	3189
8	3/1/2015	83.3	8351	7418	4096	233900	6640	3195
9	3/1/2015	76.5	8193	7730	3922	233700	6530	3265
10	3/1/2015	78.4	8433	7651	3823	236000	6349	3187
11	3/2/2015	79.4	8336	7877	3706	234900	6273	3239
12	3/2/2015	78	8023	7081	3817	234700	6481	3211
13	3/3/2015	63.8	8264	7746	4160	235300	7689	3295
14	3/3/2015	72.1	7917	7076	3680	234050	7014	3218
15	3/3/2015	73.2	8059	6649	3928	234750	6940	3238
16	3/3/2015	80.2	8187	6877	4660	233700	5918	3176
17	3/4/2015	82	8067	7707	4298	236750	8234	3316
18	3/6/2015	73.5	8314	7857	4274	232400	6457	3200
19	3/7/2015	80.4	8373	6677	4546	231200	6260	3257
20	3/8/2015	71.7	8184	7958	3782	233800	6448	3223
21	3/8/2015	70	8196	8311	3789	233650	6556	3262
22	3/9/2015	77	8081	8097	4519	233550	7442	3286
23	3/9/2015	73.3	8066	7870	3922	228950	6212	3219
24	3/11/2015	75.9	7914	7733	4154	235100	6453	3219
25	3/21/2015	86.7	8159	8350	4317	233850	6500	3251
26	3/21/2015	70.2	8015	8187	3572	237450	6485	3228
27	3/22/2015	89	7757	8518	3902	234550	6334	3304
28	3/22/2015	85.7	7833	7923	3933	236100	6534	3315
29	3/23/2015	90	8329	7245	4075	233750	6205	3237
30	3/23/2015	94.5	7565	7641	3874	235750	6585	3271
31	3/24/2015	98.5	7948	7646	3842	237300	6272	3238
32	3/24/2015	97.4	7870	7812	3701	235200	6271	3216
33	3/25/2015	97.1	8085	7799	3840	237850	6197	3207
34	3/25/2015	97.5	8060	7190	3737	234500	6666	3273
35	3/25/2015	90.9	8246	7780	3755	234650	7619	3487
36	3/26/2015	97.4	7870	7852	3707	234900	6518	3251
37	3/26/2015	100	8029	7186	3433	235000	6343	3185
38	3/26/2015	93.7	7863	7123	3626	234400	6942	3280
39	3/27/2015	96.8	8188	7510	3668	235000	6353	3196

RECEIVED  
Office of Oil and Gas  
NOV 30 2015  
WV Department of Environmental Protection  
02/12/2016



API 47-017-06414H6AFarm name MORRIS, I. L.Well number OXFD11KHS

## STIMULATION INFORMATION PER STAGE

Stage No.	Stimulations Date	Avg Pump Rate (BPM)	Avg Treatment Pressure (PSI)	Max Breakdown Pressure (PSI)	ISIP (PSI)	Amount of Proppant (lbs)	Amount of Water (bbls)	Amount of Nitrogen / other (gals)
40	3/27/2015	64.2	8240	7612	3833	233350	13759	8952
41	3/28/2015	95.4	8058	7271	3698	234800	6332	3191
42	3/28/2015	97.4	8095	7842	3737	234000	6236	3178
43	3/28/2015	97.9	8084	7696	3759	234300	6182	3180



API 47-017-06414H6A Farm name MORRIS, I. L. Well number OXFD11KHS

PRODUCING FORMATION(S)	DEPTHS			
MARCELLUS	6906'-6911'	TVD	7523'-7528'	MD

Please insert additional pages as applicable.

GAS TEST  Build up  Drawdown  Open Flow OIL TEST  Flow  Pump  
 SHUT-IN PRESSURE Surface 2975 psi Bottom Hole 2400 psi DURATION OF TEST 76 hrs  
 OPEN FLOW Gas 1012.80 mcfpd Oil 48 bpd NGL 0 bpd Water 384 bpd GAS MEASURED BY  Estimated  Orifice  Pilot

LITHOLOGY / FORMATION	TOP DEPTH IN FT TVD	BOTTOM DEPTH IN FT TVD	TOP DEPTH IN FT MD	BOTTOM DEPTH IN FT MD	DESCRIBE ROCK TYPE AND RECORD QUANTITY TYPE OF FLUID (FRESHWATER,BRINE,GAS,H2S, ETC)
					SEE ATTACHED

Please insert additional pages as applicable.

Drilling Contractor Patterson UTI  
 Address 207 Carlton Drive City Eighty Four State PA Zip 15330  
 Logging Company Horizon  
 Address 7136 South Yale, Suite 414 City Tulsa State OK Zip 74136-6378  
 Cementing Company CalFrac  
 Address 2001 Summit View Rd City Smithfield State PA Zip 15478  
 Stimulating Company CalFrac  
 Address 2001 Summit View Rd City Smithfield State PA Zip 15478

Please insert additional pages as applicable.

Completed by CNX Gas WY Operations Company, LLC - Drilling and Completions  
 Signature Steve Spitler Title Steve Spitler - Completions Manager-Gas WV

RECEIVED  
 Office of Oil and Gas  
 Telephone 304-884-2000  
 NOV 30 2015  
 Date 11/11/2015  
 Attach copy of FRACFOCUS Registry  
 WV Department of Environmental Protection  
 2016

Submittal of Hydraulic Fracturing Chemical Disclosure Information

API 47-017-06414H6A Farm name MORRIS, I. L. Well number OXFD11KHS

LITHOLOGY / FORMATION	TOP	BOTTOM	TOP	BOTTOM	DESCRIBE ROCK TYPE AND RECORD QUANTITY TYPE OF FLUID (FRESHWATER,BRINE,GAS,H2S, ETC)
	DEPTH IN FT	DEPTH IN FT	DEPTH IN FT	DEPTH IN FT	
	TVD	TVD	MD	MD	
FILL	0	100	0	100	
SS/ SHALE	100	135	100	135	
REDROCK	135	150	135	150	
SS/ SHALE	150	560	150	560	
REDROCK	560	570	560	570	
SS/ SHALE	570	595	570	595	
GREY SHALE	595	630	595	630	
REDROCK	630	640	630	640	
SS/ SHALE	640	675	640	675	
SHALE	675	690	675	690	
SS/ SHALE	690	820	690	820	
SHALE	820	1090	820	1090	
SS/ SHALE	1090	1150	1090	1150	
SHALE	1150	1220	1150	1220	
SS	1220	1390	1220	1390	
SHALE	1390	1450	1390	1450	
SS/ SILTSTONE	1450	1960	1450	1960	
SHALE	1960	3161	1960	3161	
SS/ SILTSTONE	3161	3220	3161	3220	
SHALE/ SILT	3220	3500	3220	3500	
REDROCK/ SILTSTONE/ GREY SH	3500	3815	3500	3815	
SS/ SHALE	3815	4232	3815	4236	
SS	4232	4293	4236	4300	
SHALE/ SILT	4293	4480	4300	4500	
SS/ SHALE/ SILT	4480	4570	4500	4600	
SHALE/ SILT	4570	4650	4600	4700	
SHALE	4650	5090	4700	5200	
SS/SHALE	5090	5177	5200	5297	
SHALE	5177	5580	5297	5782	
SS/ SHALE	5580	5837	5782	6075	
CASHAQUA	6555	6693	6886	7090	
MIDDLESEX	6693	6752	7090	7196	
WEST RIVER	6752	6829	7196	7446	
BURKETT	6829	6854	7446	7471	
TULLY	6854	6879	7471	7496	
HAMILTON	6879	6906	7496	7523	
UPPER MARCELLUS	6906	6911	7523	7528	
MIDDLE MARCELLUS	6911		7528		

RECEIVED  
Office of Oil and Gas

NOV 30 2015

WV Department of  
Environmental Protection

02/12/2016