

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

January 28, 2014

#### WELL WORK PERMIT

#### Horizontal 6A Well

This permit, API Well Number: 47-1706432, issued to ANTERO RESOURCES CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: AMANDA UNIT2H

Farm Name: HOLLAND, ROBERT L. JR.

API Well Number: 47-1706432

Permit Type: Horizontal 6A Well

Date Issued: 01/28/2014

Promoting a healthy environment.

# **PERMIT CONDITIONS**

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### **CONDITIONS**

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACOE). Through this permit, you are hereby being advised to consult with USACOE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the fill material shall be within plus or minus 2% of the optimum moisture content as determined by the standard proctor density test, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort. Each lift must meet 95 % compaction of the optimum density based on results from the standard proctor density test of the actual soils used in specific engineered fill sites. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

4717006432

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Opera	tor: Antero F	Resources Co	orporation	494488557	017-Doddridge	Central	West Union 7.5'
				Operator ID	County	District	Quadrangle
2) Operator's	Well Number	: Amanda U	nit 2H	Well Pad	Name: Dotso	n Holland I	Pad
3) Farm Name	/Surface Own	ner: Robert	Holland J	Public Road	d Access: CR	50/31	
4) Elevation, c	urrent ground	d: ~990	Ele	evation, proposed j	post-construction	n: 989'	
5) Well Type	(a) Gas Other		_ Oil	Unde	erground Storag	e	
	(b)If Gas	Shallow		Deep			- 1
	(b)II Gus	Horizontal		Всер			Der
6) Existing Page	d: Yes or No	No					"a. W
				pated Thickness ar 60 feet, Associated			1920 1920
8) Proposed To	otal Vertical I	Depth: 6600	D' TVD				
9) Formation a	t Total Vertic	cal Depth:	Marcellus S	hale			
10) Proposed 7	Total Measure	ed Depth:	13,500' MD				
11) Proposed H	Horizontal Le	g Length:	6023'				
12) Approxima	ate Fresh Wat	er Strata Dej	oths:	250'			
13) Method to	Determine Fr	resh Water D	epths: 0	ffset well records. Dep	oths have been adj	usted accord	ing to surface elevations.
14) Approxima	ate Saltwater	Depths: 66	65'				
15) Approxima	ate Coal Seam	Depths: 9	31', 3001'				
16) Approxima	ate Depth to P	ossible Voic	l (coal mir	ne, karst, other):	lone anticipated		
17) Does Propo directly overly				Yes	No	<b>V</b>	
(a) If Yes, pro	ovide Mine Ir	ifo: Name:					
		Depth:				REC	EIVED
		Seam:				Office of	Oil and Gas
		Owner	·			IAM	1 0 2014
						JAIN	TOTOLI

WV Department of Environmental Protection 18)

#### **CASING AND TUBING PROGRAM**

TYPE	Size	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling	INTERVALS: Left in Well	CEMENT: Fill-up (Cu. Ft.)
Conductor	20"	New	H-40	94#	40'	40'	CTS, 38 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/ 48#	310'	310'	CTS, 431Cu. Ft
Coal	9-5/8"	New	J-55	36#	2460'	2460'	CTS, 1002 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	20#	13500'	13500'	3317 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners							

ТҮРЕ	Size	Wellbore Diameter	Wall Thickness	Burst Pressure	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.438"	1530	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	Class A	1.18
Intermediate						
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12630	Lead-H/POZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11200		
Liners						

#### **PACKERS**

Kind:	N/A		
Sizes:	N/A	RECEIVED Office of Cilians (	Cac
Depths Set:	N/A	JAN 1 0 2014	uas

WV Department of Environmental Protection

	ng the drilling and plugging back of any pilot hole:
Drill, perforate, fracture a new horizontal shall	ow well and complete Marcellus Shale.
20) Describe fracturing/stimulating mathe	ods in detail, including anticipated max pressure and max rate:
Antero plans to pump Slickwater into the Marc	cellus Shale formation in order to ready the well for production. The fluid will ter and sand, with less than 1 percent special-purpose additives as shown in
21) Total Area to be disturbed, including r	
23) Describe centralizer placement for each	
o surface.	one on the insert float collar and one every 4th joint spaced up the hole ne centralizer 5' above float collar and one every 4th collar to surface. every 3 joints to top of cement in intermediate casing.
24) Describe all cement additives associate	ed with each cement type:
Conductor: no additives, Class A cement. Furface: Class A cement with 2-3% calcium chloride Intermediate: Class A cement with 1/4 lb of flake, 5 gaild Froduction: Lead cement-50/50 Class H/Poz + 1.5% sait Froduction: Tail cement-Class H + 45 PPS Calcium Carbo	ons of clay treat : + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 :nate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20
resh water followed by 25 bbls bentonite mud, 10 bbls f ntermediate: blowhole clean with air, trip to surface cas vater followed by 10 bbls fresh water and 25 bbls bento Production: circulate with 14 lb/gal NaCl mud, trip to mic	resh water. trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water spacer. sing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine

\*Note: Attach additional sheets as needed.

barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

MV Department of Environ Rase A of Protection

JAN 1 0 2014

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

#### FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Reso	ources Corporation	OP Code 494488557
Watershed (HUC 10)_Wilheli	m Run	Quadrangle West Union 7.5'
Elevation 989'	County_Doddridge	District Central
Will a pit be used? Yes  If so, please describe	anticipated pit waste: tanked and had	used at this site (Drilling and Flowback Fluids will be stored in tanks. Cuttings will be uled off site.)
		No ✓ If so, what ml.? N/A
	Method For Treated Pit Wastes:	1926
	nd Application derground Injection (UIC Permit N	
	그리스프랑 시간 이 모든 경기를 하는 말을 때 전하는 것이다. 물이 하다 나를 다 했다.	vell locations when applicable. API# will be provided on Form WR-34
	f Site Disposal (Supply form WW-9 her (Explain	for disposal location) (Meadowfill Landfill Permit #SWF-1032-98)
Will closed loop system be us	sed? If so, describe: Yes	
Drilling medium anticipated f	or this well (vertical and horizontal)	? Air, freshwater, oil based, etc. Dust/Suff Foam, Production - Water Based Mud
-If oil based, what ty	pe? Synthetic, petroleum, etc. N/A	
Additives to be used in drillin	g medium? Please See Attachment	
		fsite, etc. Stored in tanks, removed offsite and taken to landfill.
	to solidify what medium will be us	
	ame/permit number? Meadowfill Landfi	
on August 1, 2005, by the Off provisions of the permit are elaw or regulation can lead to e I certify under penal application form and all atta obtaining the information, I penalties for submitting false Company Official Signature	ice of Oil and Gas of the West Virginforceable by law. Violations of an enforcement action.  Ity of law that I have personally exachments thereto and that, based of believe that the information is true information, including the possibility	ditions of the GENERAL WATER POLLUTION PERMIT issued in Department of Environmental Protection. I understand that the my term or condition of the general permit and/or other applicable examined and am familiar with the information submitted on this on my inquiry of those individuals immediately responsible for e, accurate, and complete. I am aware that there are significantly of fine or imprisonment.
Company Official (Typed Na		REPERGA
Company Official Title Env	rironmental Representative	Office of Oil and Gas
Subscribed and sworn before  My commission expires	ne this 13 day of 10	, 20 13 ISA BOTTINELLI - V ZUII Notary Public Notary PSigle of Colorado Notary ID 20124072365 My Commission Expires Nov 9, 2016 (1907)

Environmental Protection

**₩,**₩

Operator's Well No. Amanda Unit 2H

Proposed Revegetation Treatment: Acres Disturb	<sub>ed</sub> 33.17	Prevegetat	ion pH
Lime 2-3 Tons/acre or to	6	5.5	
Fertilizer type Hay or straw or Wood Fiber	(will be used wher	e needed)	
Fertilizer amount 500	lbs/a	cre	" ¬ ^ ^ E / 7 ?
Mulch 2-3	Tons/acre	47	97006432
New Access Roads (15.54) + New Staging Areas A & B (6.66)	+ New Well Pad (4.13)	+ New Tank Pad (2.49) + New Topsoi	il/Excess Materials Stockpiles (4.35) = 33.17 Acr
	Seed M	<u>lixtures</u>	
Temporary		P	ermanent
Seed Type lbs/acre		Seed Type	lbs/acre
Annual Rye Grass 10		Crownvetch	10-15
"See attached Table 3 for additional seed type (Dotson Holland Pad Desig	n Page 26)	*See attached Table 4a for additional se	eed type (Dotson Holland Pad Design Page 26)
*or type of grass seed requested by surface	owner	*or type of grass seed	requested by surface owner
NOTE: No Fescue or Timothy Gra	ss shall be	used.	
Drawing(s) of road, location, pit and proposed are	a for land applica		ans including this info have been
Orawing(s) of road, location, pit and proposed are provided)  Photocopied section of involved 7.5' topographic s			ans including this info have been
Photocopied section of involved 7.5' topographic section Approved by:	wheet.	ation (unless engineered pla	ans including this info have been
Photocopied section of involved 7.5' topographic section Approved by:  Douglas  Plan Approved by:  Douglas  Plan Approved by:  Douglas  Mulc	wheet.		ans including this info have been and Laff
Prawing(s) of road, location, pit and proposed are provided) Photocopied section of involved 7.5' topographic section Approved by:	wheet.	ation (unless engineered pla	ans including this info have been and Haff
regulations	iheet. infor- /2 11,554	Much	s we sep.
Photocopied section of involved 7.5' topographic s  Plan Approved by:	iheet. infor- /2 11,554	Much	s we sep.
Photocopied section of involved 7.5' topographic section of involved 7.5' topographic section Approved by:    Douglas   New Comments:   Pleseed + Mulc.	iheet. infor- /2 11,554	Much	s we sep.
Photocopied section of involved 7.5' topographic section Approved by:  Plan Approved by:	iheet. infor- /2 11,554	Much	s we sep.
Photocopied section of involved 7.5' topographic section of involved 7.5' topographic section Approved by:    Douglas   New Comments:   Pleseed + Mulc.	iheet. infor- /2 11,554	Much	ou Degine
Photocopied section of involved 7.5' topographic section of involved 7.5' topographic section Approved by:    Douglas   New Comments:   Pleseed + Mulc.	iheet. infor- /2 11,554	Much	Tou Degins
Provided) Photocopied section of involved 7.5' topographic section of involved 7.5' topographic section Approved by:  Plan Appr	before	Michael Construct	FIECULED Office of Oil and (
Photocopied section of involved 7.5' topographic section of involved 7.5' topographic section Approved by:    Douglas   New Comments:   Pleseed + Mulc.	before	Much	FILEDEIVED Office of Oil and 6

# west virginia department of environmental protection



# Water Management Plan: Primary Water Sources



WMP-01729

API/ID Number:

047-017-06432

Operator:

Antero Resources

Amanda Unit 2H

#### Important:

For each proposed primary water source (including source intakes for purchased water sources) identified in your water management plan, and summarized herein, DEP has made an evaluation concerning water availability over the specified date range. DEP's assessment is based on the following considerations:

- Statistical analysis of historical USGS stream gauge data (transferred to un-gauged locations as necessary);
- •Identification of sensitive aquatic life (endangered species, mussels, etc.);
- •Quantification of known existing demands on the water supply (Large Quantity Users);
- •Minimum flows required by the Army Corps of Engineers; and
- Designated stream uses.

Based on these factors, DEP has provided, for each intake location (and origination point for purchased water), a reference gauge location and discharge flow reading which must be surpassed prior to withdrawals. Additionally, DEP has established a minimum passby flow at the withdrawal location which must also be surpassed prior to withdrawals. These thresholds are considered terms of the permit and are enforceable as such.

DEP is aware that some intake points will be used for mutiple wells and well sites. In these cases, the thresholds set by the Water Management Plan are to be interepreted as total withdrawal limits for each location over the specified date range regardless of how many wells are supported by that intake.

For all purchased water intakes, determinations of water availability are made at the original source intake location. It is the responsibility of the Oil and Gas Operator, not the seller, to cease withdrawal of water from the seller when flows are less than the minimum gauge reading at the stream gauge referenced by the Water Management Plan in order to protect stream uses.

Note that the determinations made herein are based on the best available data, but it is impossible to predict water availability in the future. While the DEP has carefully established these minimum withdrawal thresholds, it remains the operator's responsibility to protect aquatic life at all times. Approval to withdrawal is contingent upon permission from the land owner. It is the responsibility of the operator to secure and maintain permission prior to any withdrawals.

The operator is reminded that 24-48 hours prior to withdrawing (or purchasing) water, DEP must be notified by email at DEP.water.use@wv.gov.

APPROVED DEC 2 6 2013-

Source Summary WMP-01729 API Number: 047-017-06432 Operator: Antero Resources Amanda Unit 2H Stream/River Ohio River @ Ben's Run Withdrawal Site Tyler Owner: Ben's Run Land Company Source Limited Partnership Max. daily purchase (gal) End Date Total Volume (gal) Intake Latitude: Intake Longitude: Start Date 9/16/2014 9/16/2015 6,540,000 39,46593 -81.110781 ✓ Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 9999999 Ohio River Station: Willow Island Lock & Dam Max. Pump rate (gpm): 3,360 Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs) Refer to the specified station on the National Weather Service's Ohio River forecast DFP Comments: website: http://www.erh.noaa.gov/ohrfc//flows.shtml James & Brenda Raines West Fork River @ JCP Withdrawal Harrison · Owner: Source Start Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: End Date 39.320913 9/16/2014 9/16/2015 6,540,000 -80.337572 Regulated Stream? Stonewall Jackson Dam Ref. Gauge ID: 3061000 WEST FORK RIVER AT ENTERPRISE, WV 2.000 Min. Gauge Reading (cfs): Max. Pump rate (gpm): 175.00 Min. Passby (cfs) 146.25 DEP Comments: Source West Fork River @ McDonald Withdrawal Harrison Owner: **David Shrieves** Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 9/16/2014 9/16/2015 6.540.000 39.16761 -80.45069 Regulated Stream? Stonewall Jackson Dam Ref. Gauge ID: 3061000 WEST FORK RIVER AT ENTERPRISE, WV 3,000 Min. Gauge Reading (cfs): 175.00 Min. Passby (cfs) 106.30 Max. Pump rate (gpm): **DEP Comments:** 

Source	West Fork Rive	er @ GAL Withdrav	val		Harrison	Owner:	David Shrieves
Start Date <b>9/16/2014</b>	End Date <b>9/16/2015</b>		Volume (gal) <b>540,000</b>	Max. daily p	ourchase (gal)	Intake Latitude: <b>39.16422</b>	Intake Longitude: -80.45173
✓ Regulated	Stream? <b>Ston</b>	ewall Jackson Dam	Ref. Gauge เเ	D: <b>30610</b> 0	00	WEST FORK RIVER AT ENTE	RPRISE, WV
Max. Pump r	ate (gpm):	<b>2,000</b> Mir	n. Gauge Read	ing (cfs):	175.00	Min. Passby (cf	s) <b>106.30</b>
	DEP Commer	nts:					
<b>o</b> Source	Middle Island (	Creek @ Mees Wit	hdrawal Sito		Pleasants	Owner:	Sarah E. Mees
o Source	Middle Island	Creek @ Mees wit	nurawai site		Pleasailts	Owner.	Salali E. Miees
Start Date	End Date		Volume (gal)	Max. daily p	ourchase (gal)		Intake Longitude:
9/16/2014	9/16/2015	6,	540,000			39.43113	-81.079567
Regulated	Stream?		Ref. Gauge II	D: <b>31145</b> 0	00	MIDDLE ISLAND CREEK AT	LITTLE, WV
Max. Pump r	ate (gpm):	<b>3,360</b> Mir	n. Gauge Read	ling (cfs):	52.59	Min. Passby (cf	s) <b>47.63</b>
	DEP Commer	nts:					
							1
Source	Middle Island (	Creek @ Dawson V	Vithdrawal		Tyler	Owner: <b>G</b> a	ary D. and Rella A. Dawson
Start Date	End Date		Volume (gal)	Max. daily p	ourchase (gal)		Intake Longitude:
9/16/2014	9/16/2015	6,	540,000			39.379292	-80.867803
☐ Regulated	Stream?		Ref. Gauge II	D: <b>31145</b> 0	00	MIDDLE ISLAND CREEK AT	LITTLE, WV
Max. Pump r	ate (gpm):	<b>3,000</b> Mir	n. Gauge Read	ling (cfs):	76.03	Min. Passby (cf	s) <b>28.83</b>
	DEP Commer	nts:					

Source	McElroy Creek	@ Forest V	Vithdrawal		Tyler	Owner: <b>Fo</b>	orest C. & Brenda L. Moore
Start Date <b>9/16/2014</b>	End Date <b>9/16/2015</b>		Total Volume (gal) <b>6,540,000</b>	Max. daily	purchase (gal)	Intake Latitude: <b>39.39675</b>	Intake Longitude: -80.738197
☐ Regulated	Stream?		Ref. Gauge I	D: <b>3114</b> 5	500	MIDDLE ISLAND CREEK A	T LITTLE, WV
Max. Pump	rate (gpm):	1,000	Min. Gauge Read	ling (cfs):	74.77	Min. Passby (c	rfs) 13.10
	DEP Commer	nts:					
o Source	Meathouse For	k @ Gagno	on Withdrawal		Doddridge	Owner: <b>Geo</b>	orge L. Gagnon and Susan C. Gagnon
Start Date <b>9/16/2014</b>	End Date <b>9/16/2015</b>		Total Volume (gal) <b>6,540,000</b>	Max. daily	purchase (gal)	Intake Latitude: <b>39.26054</b>	Intake Longitude: -80.720998
☐ Regulated	Stream?		Ref. Gauge I	D: <b>3114</b> 5	500	MIDDLE ISLAND CREEK A	T LITTLE, WV
Max. Pump i	rate (gpm):	1,000	Min. Gauge Read	ling (cfs):	71.96	Min. Passby (d	ofs) 11.74
	DEP Commer	nts:					
Source	Meathouse For	k @ White	hair Withdrawal		Doddridge	Owner:	Elton Whitehair
Start Date 9/16/2014	End Date <b>9/16/2015</b>		Total Volume (gal) <b>6,540,000</b>	Max. daily	purchase (gal)	Intake Latitude: <b>39.211317</b>	Intake Longitude: -80.679592
☐ Regulated	Stream?		Ref. Gauge I	D: <b>3114</b> 5	500	MIDDLE ISLAND CREEK A	T LITTLE, WV
Max. Pump	rate (gpm):	1,000	Min. Gauge Read	ling (cfs):	69.73	Min. Passby (d	rfs) 7.28

Source	Tom's Fork @ I	Erwin Withdr	rawal		Doddridge	Owner:	John F. Erv	vin and Sandra E. Erwin
Start Date <b>9/16/2014</b>	End Date <b>9/16/2015</b>		Total Volume (gal) <b>6,540,000</b>	Max. daily p	urchase (gal)		Latitude: <b>174306</b>	Intake Longitude: -80.702992
☐ Regulated	Stream?		Ref. Gauge II	D: <b>311450</b>	00	MIDDLE ISLAND	CREEK AT I	ITTLE, WV
Max. Pump	rate (gpm):	1,000	Min. Gauge Read	ing (cfs):	69.73	Min. F	assby (cfs	0.59
	DEP Commer	nts:						
Source	Arnold Creek @	Davis With	drawal		Doddridge	Owner:		Jonathon Davis
Start Date <b>9/16/2014</b>	End Date <b>9/16/2015</b>		Total Volume (gal) <b>6,540,000</b>	Max. daily p	urchase (gal)		Latitude: <b>302006</b>	Intake Longitude: -80.824561
☐ Regulated	Stream?		Ref. Gauge II	D: <b>311450</b>	00	MIDDLE ISLAND	CREEK AT I	ITTLE, WV
Max. Pump	rate (gpm):	1,000	Min. Gauge Read	ing (cfs):	69.73	Min. F	Passby (cfs	3.08
	DEP Commer	nts:						
<ul><li>Source</li></ul>	Buckeye Creek	@ Powell W	ithdrawal		Doddridge	Owner:		Dennis Powell
Start Date <b>9/16/2014</b>	End Date <b>9/16/2015</b>		Total Volume (gal) <b>6,540,000</b>	Max. daily p	urchase (gal)		Latitude: <b>277142</b>	Intake Longitude: -80.690386
☐ Regulated	Stream?		Ref. Gauge II	D: <b>311450</b>	00	MIDDLE ISLAND	CREEK AT I	LITTLE, WV
Max. Pump	rate (gpm):	1,000	Min. Gauge Read	ing (cfs):	69.73	Min. F	Passby (cfs	4.59
	555.0							

Source South Fork of Hughes River @ Knight Withdrawal Ritchie Owner: Tracy C. Knight & Stephanie C. Knight Max. daily purchase (gal) Start Date **End Date** Total Volume (gal) Intake Latitude: Intake Longitude: 9/16/2014 9/16/2015 6,540,000 39.198369 -80.870969 Regulated Stream? **JOUTH FORK HUGHES RIVER BELOW MACFARLAN, W**\ Ref. Gauge ID: 3155220 Max. Pump rate (gpm): 3,000 Min. Gauge Reading (cfs): 39.80 Min. Passby (cfs) 1.95 **DEP Comments:** North Fork of Hughes River @ Davis Withdrawal Ritchie Owner: Lewis P. Davis and Norma Source J. Davis Start Date **End Date** Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 9/16/2014 9/16/2015 6,540,000 -80.936771 39.322363 ☐ Regulated Stream? **JOUTH FORK HUGHES RIVER BELOW MACFARLAN, W**\ Ref. Gauge ID: 3155220 Max. Pump rate (gpm): 1,000 Min. Gauge Reading (cfs): 35.23 Min. Passby (cfs) 2.19

#### **Source Summary**

WMP-01729

API Number:

047-017-06432

Operator:

**Antero Resources** 

Amanda Unit 2H

#### **Purchased Water**

**Ohio River @ Select Energy** Source

**Pleasants** 

Owner:

**Select Energy** 

Start Date

**End Date** 

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

9/16/2014

9/16/2015

6.540,000

500,000

39.346473

-81.338727

Regulated Stream?

Ohio River Min. Flow

Ref. Gauge ID:

9999998

Ohio River Station: Racine Dam

Max. Pump rate (gpm):

1,680

Min. Gauge Reading (cfs):

7,216.00

Min. Passby (cfs)

**DEP Comments:** 

Refer to the specified station on the National Weather Service's Ohio River forecast

website: http://www.erh.noaa.gov/ohrfc//flows.shtml

Source

Middle Island Creek @ Solo Construction

**Pleasants** 

Owner:

Solo Construction, LLC

Start Date

**End Date** 

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

9/16/2014

9/16/2015

6.540,000

1.000,000

39.399094

-81.185548

✓ Regulated Stream?

Ohio River Min. Flow

Ref. Gauge ID:

999999

Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm):

Min. Gauge Reading (cfs):

6,468.00

Min. Passby (cfs)

**DEP Comments:** 

Elevation analysis indicates that this location has the same elevation as Middle Island Creek's pour point into the Ohio River. As such, it is deemed that water flow at this

location is heavily influenced by the Ohio River.

Source

**Claywood Park PSD** 

Wood

Owner:

**Claywood Park PSD** 

Start Date

**End Date** 

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

9/16/2014

9/16/2015

6,540,000

9999998

Ohio River Station: Racine Dam

Max. Pump rate (gpm):

✓ Regulated Stream?

Min. Gauge Reading (cfs):

Ref. Gauge ID:

7,216.00

Min. Passby (cfs)

**DEP Comments:** 

Elevation analysis indicates that this location has approximately the same elevation as

Little Kanawha's pour point into the Ohio River. As such, it is deemed that water flow

at this location is heavily influenced by the Ohio River.

Source Sun Valley Public Service District Harrison Owner: Sun Valley PSD

Start Date End Date Total Volume (gal) Max. daily purchase (gal)

9/16/2014 9/16/2015 6,540,000 200,000

Regulated Stream? Stonewall Jackson Dam Ref. Gauge ID: 3061000 WEST FORK RIVER AT ENTERPRISE, WV


Max. Pump rate (gpm): Min. Gauge Reading (cfs): 171.48 Min. Passby (cfs)

**DEP Comments:** 

Intake Latitude: Intake Longitude:




Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	50,956.00		-
2	54,858.00	4	14.
3	73,256.00	· ·	14/
4	62,552.00		
5	43,151.00		-
6	27,095.00	1.9.1	-
7	17,840.00	1.40	14.
8	14,941.00	14	- 2
9	14,272.00	-	-
10	17,283.00	-	-
11	29,325.00	-	4
12	46,050.00	-	



Min. Gauge Reading (cfs):  Passby at Location (cfs):	
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	0.00
Pump rate (cfs):	3.74
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	

<sup>&</sup>quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.



"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

Median Monthly Flow — Threshold

Passby at Location (cfs):

	WMP-0	1729	API/ID Number:	047-017-06432 anda Unit 2H	Operator: Antero R	lesources
Source I	D: 32802 Sou	and the same of th	vood Park PSD vood Park PSD		Source Latitude: - Source Longitude: -	0/45/2044
	Drainage Area (	sq. mi.): 2500	00 County:	Wood	Anticipated withdrawal start date:	9/16/2014 9/16/2015
☐ Fn	dangered Species?	✓ Mussel St	ream?		Anticipated withdrawal end date:	
	out Stream?	☐ Tier 3?			Total Volume from Source (gal):	6,540,000
	gulated Stream?	L Hero.			Max. Pump rate (gpm):	
	oximate PSD?	Claywood Pa	ark PSD		Max. Simultaneou	s Trucks: 0
	uged Stream?	Claywood I	ark 135		Max. Truck pump ra	
<u> </u>	lugeu Stream:	P 2017.500			33334,43354,4336	75 XOR1117
	Reference Gaug	9999998	Ohio River Station	: Racine Dam		
	Drainage Area (sq	. mi.) 25,00	00.00		Gauge Threshold (cfs):	7216
Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)			
1	50,956.00		-			
2	54,858.00	+1				
3	73,256.00					
4	62,552.00					
5	43,151.00					
6	27,095.00					
7	17,840.00					
8	14,941.00					
9	14,272.00					
10	17,283.00 29,325.00					
12	46,050.00					
	W	/ater Availa	bility Profile		Water Availability Assessm	nent of Location
					Base Threshold (cfs):	-
8000	0				Upstream Demand (cfs):	0.00
6000	0		aulated by the *	was Cours of	_ Downstream Demand (cfs)	: 0.00
THE PERSON NAMED IN	F		gulated by the A e to the stated t	Principal Control of the Control of	Pump rate (cfs):	. 0.00
		PIDDED DANOR			i unipiate (cis).	. 0.00
4000	0					
4000	maintain t		paranteed flow		Headwater Safety (cfs):	0.00
	maintain t				Headwater Safety (cfs): Ungauged Stream Safety (cfs)	0.00
4000 2000	maintain t				-	0.00

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

→ Median Monthly Flow → Threshold

Passby at Location (cfs):

			Source Detail			
	WMP-0	01729	API/ID Number: 047-0 Amanda Unit 2		perator: Antero F	Resources
☐ Tro	D: 32803 Sou  HUC-8 Code:  Drainage Area  dangered Species  out Stream?  gulated Stream?  oximate PSD?  luged Stream?	Sun V 5020002 (sq. mi.): 391.8	ream?	Anticipat	Source Latitude: - Source Longitude: - ed withdrawal start date: ed withdrawal end date: olume from Source (gal):  Max. Pump rate (gpm):  Max. Simultaneou	
	Reference Gaug Drainage Area (sc Median	3061000 q. mi.) 759	WEST FORK RIVER AT ENTER .00 Estimated	PRISE, WV	Gauge Threshold (cfs):	234
Month  1 2 3 4 5 6 7 8 9 10 11 12	monthly flow (cfs) 1,200.75 1,351.92 1,741.33 995.89 1,022.23 512.21 331.86 316.87 220.48 216.17 542.45 926.12	(+ pump	Available water (cfs)			
2000 1500 1000 500	Flow on the Engineers maintain t	nis stream is rep	gulated by the Army Corpe to the stated threshold uaranteed flow requirem	s to	Water Availability Assessment Base Threshold (cfs): Upstream Demand (cfs): Downstream Demand (cfs) Pump rate (cfs): Headwater Safety (cfs): Ungauged Stream Safety (cfs)	0.00

Median Monthly Flow — Threshold

10 11

1

2


Min. Gauge Reading (cfs):

Passby at Location (cfs):

<sup>&</sup>quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.




Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	45,700.00	Light .	1 -
2	49,200.00		- 2)
3	65,700.00		4
4	56,100.00	¥	1-1
5	38,700.00		
6	24,300.00	+	
7	16,000.00	+	-
8	13,400.00		-
9	12,800.00		*
10	15,500.00	1.6.1	7
11	26,300.00	1.0	-
12	41,300.00	- 2	8



Base Threshold (cfs):	
Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	7.49
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00
Min. Gauge Reading (cfs):	
Passby at Location (cfs):	

<sup>&</sup>quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.



"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

10

11

12

Min. Gauge Reading (cfs): Passby at Location (cfs):

9

8

2

3

4

1


5

6

7

Median Monthly Flow — Threshold






Base Threshold (cfs):	-
Upstream Demand (cfs):	24.29
Downstream Demand (cfs):	0.00
Pump rate (cfs):	6.68
Headwater Safety (cfs):	24.27
Ungauged Stream Safety (cfs):	0.00


<sup>&</sup>quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

12

744.28



Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	961.18	Ę.,	-
2	1,082.19	-	<u> </u>
3	1,393.91	4,	-
4	797.19		La la
5	818.28	-	-
6	410.02		-
7	265.65	-	
8	253.65	-	4
9	176.49	40	
10	173.04	9.	
11	434.22	- 20	- 2
12	741.35	-	




Base Threshold (cfs):	1-
Upstream Demand (cfs):	24.29
Downstream Demand (cfs):	0.00
Pump rate (cfs):	4.46
Headwater Safety (cfs):	24.18
Ungauged Stream Safety (cfs):	0.00

<sup>&</sup>quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.



Mont	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	519.88	55.12	465.14
2	653.95	55.12	599.22
3	731.75	55.12	677.01
4	543.38	55.12	488.65
5	286.64	55.12	231.90
6	100.10	55.12	45.36
7	56.65	55.12	1.91
8	46.64	55.12	-8.10
9	23.89	55.12	-30.85
10	30.01	55.12	-24.72
11	146.56	55.12	91.83
12	358.10	55.12	303.37



Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	7.49
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00
Min. Gauge Reading (cfs):	52.49
Passby at Location (cfs):	47.63




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	194.47	42.06	152.68
2	244.62	42.06	202.83
3	273.72	42.06	231.93
4	203.26	42.06	161.47
5	107.22	42.06	65.43
6	37.44	42.06	-4.35
7	21.19	42.06	-20.60
8	17.45	42.06	-24.34
9	8.94	42.06	-32.85
10	11.23	42.06	-30.56
11	54.82	42.06	13.04
12	133.96	42.06	92.17


# Water Availability Profile 300 200 100 1 2 3 4 5 6 7 8 9 10 11 12 Median Monthly Flow Threshold

Min. Gauge Reading (cfs):  Passby at Location (cfs):	76.03 28.82
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	4.45
Pump rate (cfs):	6.68
Downstream Demand (cfs):	6.55
Upstream Demand (cfs):	13.10
Base Threshold (cfs):	17.82

<sup>&</sup>quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	95.28	19.78	75.68
2	119.86	19.78	100.25
3	134.11	19.78	114.51
4	99.59	19.78	79.99
5	52.54	19.78	32.93
6	18.35	19.78	-1.26
7	10.38	19.78	-9.22
8	8.55	19.78	-11.05
9	4.38	19.78	-15.23
10	5.50	19.78	-14.10
11	26.86	19.78	7.26
12	65.63	19.78	46.03



Min. Gauge Reading (cfs):  Passby at Location (cfs):	74.19 13.09
Ungauged Stream Safety (cfs):	2.18
Headwater Safety (cfs):	2.18
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	4.46
Base Threshold (cfs):	8.73




Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	64.99	13.39	51.70
2	81.75	13.39	68.46
3	91.47	13.39	78.19
4	67.93	13.39	54.64
5	35.83	13.39	22.55
6	12.51	13.39	-0.77
7	7.08	13.39	-6.20
8	5.83	13.39	-7.45
9	2.99	13.39	-10.30
10	3.75	13.39	-9.53
11	18.32	13.39	5.04
12	44.76	13.39	31.48



Min. Gauge Reading (cfs):  Passby at Location (cfs):	71.96 11.74
Ungauged Stream Safety (cfs):	1.49
Headwater Safety (cfs):	1.49
Pump rate (cfs):	2.23
Downstream Demand (cfs):	2.81
Upstream Demand (cfs):	2.23
Base Threshold (cfs):	5.95




Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	32.57	6.70	26.15
2	40.97	6.70	34.55
3	45.84	6.70	39.42
4	34.04	6.70	27.62
5	17.96	6.70	11.54
6	6.27	6.70	-0.15
7	3.55	6.70	-2.87
8	2.92	6.70	-3.50
9	1.50	6.70	-4.92
10	1.88	6.70	-4.54
11	9.18	6.70	2.76
12	22.43	6.70	16.01



Min. Gauge Reading (cfs):	69.73
Ungauged Stream Safety (cfs):	0.75
Headwater Safety (cfs):	0.75
Pump rate (cfs):	2.23
Downstream Demand (cfs):	2.81
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	2.98



Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	4.30	2.82	1.88
2	5.41	2.82	2.98
3	6.05	2.82	3.63
4	4.49	2.82	2.07
5	2.37	2.82	-0.05
6	0.83	2.82	-1.60
7	0.47	2.82	-1.96
8	0.39	2.82	-2.04
9	0.20	2.82	-2.23
10	0.25	2.82	-2.18
11	1.21	2.82	-1.21
12	2.96	2.82	0.54




Min. Gauge Reading (cfs):	69.73
Ungauged Stream Safety (cfs):	0.10
Headwater Safety (cfs):	0.10
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	0.39

<sup>&</sup>quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	22.34	5.30	17.29
2	28.10	5.30	23.05
3	31.44	5.30	26.39
4	23.35	5.30	18.30
5	12.32	5.30	7.26
6	4.30	5.30	-0.75
7	2,43	5.30	-2.62
8	2.00	5.30	-3.05
9	1.03	5.30	-4.03
10	1.29	5.30	-3.76
11	6.30	5.30	1.25
12	15.39	5.30	10.34



Min. Gauge Reading (cfs):  Passby at Location (cfs):	69.73 3.07
Ungauged Stream Safety (cfs):	0.51
Headwater Safety (cfs):	0.51
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	2.05




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	33.41	6.82	26.95
2	42.02	6.82	35.56
3	47.02	6.82	40.56
4	34.92	6.82	28.46
5	18.42	6.82	11.96
6	6.43	6.82	-0.03
7	3.64	6.82	-2.82
8	3.00	6.82	-3.46
9	1.53	6.82	-4.92
10	1.93	6.82	-4.53
11	9.42	6.82	2.96
12	23.01	6.82	16.55



Min. Gauge Reading (cfs):  Passby at Location (cfs):	69.73 4.59
Ungauged Stream Safety (cfs):	0.77
Headwater Safety (cfs):	0.77
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	3.06




Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	45.67	14.26	31.44
2	59.55	14.26	45.31
3	65.21	14.26	50.97
4	36.87	14.26	22.63
5	25.86	14.26	11.63
6	13.90	14.26	-0.33
7	6.89	14.26	-7.34
8	3.98	14.26	-10.25
9	4.79	14.26	-9.45
10	5.20	14.26	-9.04
11	15.54	14.26	1.30
12	32.06	14.26	17.82



Water Availability Assessment	of Location
Base Threshold (cfs):	1.56
Upstream Demand (cfs):	5.62
Downstream Demand (cfs):	0.00
Pump rate (cfs):	6.68
Headwater Safety (cfs):	0.39
Ungauged Stream Safety (cfs):	0.00
Min. Gauge Reading (cfs):	39.80
Passby at Location (cfs):	1.95



<u>Month</u>	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	42.64	4.42	38.36
2	55.59	4.42	51.32
3	60.88	4.42	56.60
4	34.42	4.42	30.14
5	24.15	4.42	19.87
6	12.98	4.42	8.70
7	6.44	4.42	2.16
8	3.72	4.42	-0.56
9	4.47	4.42	0.19
10	4.85	4.42	0.57
11	14.50	4.42	10.23
12	29.93	4.42	25.65



Min. Gauge Reading (cfs):  Passby at Location (cfs):	35.23 2.19
Ungauged Stream Safety (cfs):	0.36
Headwater Safety (cfs):	0.36
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	1.46

<sup>&</sup>quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

# west virginia department of environmental protection



# Water Management Plan: Secondary Water Sources



WMP-01729

API/ID Number

047-017-06432

Operator:

Antero Resources

Amanda Unit 2H

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

## Lake/Reservior

City of Salem Reservior (Lower Dog Run) Source ID: 32804 Source Name 9/16/2014 Source start date: Public Water Provider 9/16/2015 Source end date: -80.54966 Harrison 39.28834 County Source Lat: Source Long: 6,540,000 1,000,000 Max. Daily Purchase (gal) Total Volume from Source (gal):

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID:	32805	Source Name	Pennsboro Lak	е		Source start date:	9/16/2014
						Source end date:	9/16/2015
		Source Lat:	39.281689	Source Long:	-80.925526	County	Ritchie
		Max. Daily Pu	rchase (gal)		Total Volum	me from Source (gal):	6,540,000
	DEP Co	omments:					

Source ID:	32806	Source Name	Powers Lake (Wilderness Water Park Dam)			Source start date:		9/16/2014		
			Private Owner			Source end d	ate:	9/16/2015		
	Source Lat: Max. Daily Pur			Source Lat:	39.255752	Source Long:	-80.463262	62 County H	Harrison	
		rchase (gal)		Total Volume from Source (gal):		):	6,540,000			
	DEP Co	omments:								

WMP-01729 API/ID Number 047-017-06432 Operator: Antero Resources

#### Amanda Unit 2H

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID:	32807	Source Name	Powers Lake Ti	wo		Source start date	9/16/2014	
						Source end date	9/16/2015	
		Source Lat:	Source Lat:	39.247604	Source Long:	-80.466642	County	Harrison
		Max. Daily Pu	rchase (gal)		Total Volu	6,540,000		
	DEP Co	mments:						

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

#### Other

Source ID:	32808	Source Name	Poth Lake (Lan	downer Pond)		Source start date	9/16/2014
			Private Owner			Source end date	9/16/2015
		Source Lat:	39.221306	Source Long:	-80.463028	County	Harrison
		Max. Daily Pu	rchase (gal)		Total Volu	me from Source (gal):	6,540,000
	DEP Co	omments:					

Source ID:	32809	Source Name	Williamson Po	nd (Landowner Po	Source start date:	9/16/2014	
						Source end date:	9/16/2015
		Source Lat:	39.19924 Source Long:	-80.886161	County	Ritchie	
		Max. Daily Pu	rchase (gal)		Total Volu	6,540,000	
	DEP Co	omments:					

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID: 32810 Source Name

**Eddy Pond (Landowner Pond)** 

Source start date: Source end date: 9/16/2014 9/16/2015

Source Lat:

39.19924

Source Long:

-80.886161 County Ritchie

Max. Daily Purchase (gal)

Total Volume from Source (gal):

6.540.000

**DEP Comments:** 

Source ID: 32811 Source Name

Hog Lick Quarry

**Industrial Facility** 

Source start date:

9/16/2014

Source end date:

9/16/2015

Source Lat:

39.419272

Source Long:

-80.217941

County

Marion

Max. Daily Purchase (gal)

1,000,000

Total Volume from Source (gal):

6,540,000

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Glade Fork Mine Source ID: 32812 Source Name 9/16/2014 Source start date: Industrial Facility 9/16/2015 Source end date: Upshur -80.299313 38.965767 County Source Lat: Source Long: 6,540,000 Max. Daily Purchase (gal) 1,000,000 Total Volume from Source (gal): **DEP Comments:** 


## **Recycled Frac Water**

Source ID: 32813 Source Name Various Source start date: 9/16/2014
Source end date: 9/16/2015

Source Lat: Source Long: County

Max. Daily Purchase (gal) Total Volume from Source (gal): 6,540,000

DEP Comments: Sources may include, but are not limited to: Zellerback Unit 1H



## **Antero Resources** Corporation

Appalachian Basin Amanda Unit 2H **Doddridge County** 

Quadrangle: West Union Watershed: Dotson Run

District: Central Date: 10-17-2013

PECEIVED

1-9-20/4 Ffice of Oil and Gas

MDG JAN 1 0 2014

WV Department of Environmental Protection

