

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

March 12, 2014

WELL WORK PERMIT

Horizontal 6A Well

This permit, API Well Number: 47-1706439, issued to ANTERO RESOURCES CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: ARTIE UNIT 1H

Farm Name: FORD, JEFFREY J.

API Well Number: 47-1706439

Permit Type: Horizontal 6A Well

Date Issued: 03/12/2014

PERMIT CONDITIONS 47-1706439

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACOE). Through this permit, you are hereby being advised to consult with USACOE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the fill material shall be within plus or minus 2% of the optimum moisture content as determined by the standard proctor density test, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort. Each lift must meet 95 % compaction of the optimum density based on results from the standard proctor density test of the actual soils used in specific engineered fill sites. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Reso	urces Corporation	494488557	017-Doddridge	Greenbrier	Big Isaac
1) II of operator.		Operator ID	County	District	Quadrangle
2) Operator's Well Number: Art	ie Unit 1H	Well Pa	d Name: Heflin		
3) Farm Name/Surface Owner:	Jeffrey J. Ford	Public Ro	ad Access: CR	18	
4) Elevation, current ground:	~1212' Ele	evation, proposed	post-construction	n: 1208'	
5) Well Type (a) Gas	Oil	Und	lerground Storag	е	
11.00	llow	Deep			DC 12 20
6) Existing Pad: Yes or No No	rizontal _				V 16 r
 Proposed Target Formation(s) Marcellus Shale: 7400' TVD, An 					2"
8) Proposed Total Vertical Depth	TO COMPANY OF STREET				
9) Formation at Total Vertical D	epth: Marcellus S	hale			
10) Proposed Total Measured De	epth: 15,400' MD				
11) Proposed Horizontal Leg Le	ngth: 7784'				
12) Approximate Fresh Water St	rata Depths:	105', 301'			
13) Method to Determine Fresh (14) Approximate Saltwater Dept		ffset well records. De	epths have been adji	usted accordi	ng to surface elevations.
15) Approximate Coal Seam Dep	oths: 286', 393', 64	11', 905'			
16) Approximate Depth to Possil	ole Void (coal min	e, karst, other):	None anticipated		
(7) Does Proposed well location directly overlying or adjacent to		Yes	No	/	
(a) If Yes, provide Mine Info:	Name:				
	Depth:				Λ.
	Seam:				eived -
	Owner:			000	301.

Page 1 of 3

18)

CASING AND TUBING PROGRAM

ТҮРЕ	Size	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling	INTERVALS: Left in Well	CEMENT: Fill-up (Cu. Ft.)
Conductor	20"	New	H-40	94#	40'	40'	CTS, 38 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/ 48#	365'	365'	CTS, 507 Cu. Ft
Coal	9-5/8"	New	J-55	36#	2455'	2455'	CTS, 1000 Cu. Ft.
Intermediate						 	
Production	5-1/2"	New	P-110	20#	15400'	15400'	3841 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners							

20 20 2014

TYPE	Size	Wellbore Diameter	Wall Thickness	Burst Pressure	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.438"	1530	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	Class A	1.18
Intermediate						1
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12630	Lead-H/POZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11200		
Liners						

ب رب

PACKERS

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	
		Pieceivee

Bage 2 of and Gas Page 2 of Amenial Protoction Wy Dept. of Environ 03/14/2014

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:	
Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.	
20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate: Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The flube comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as ship attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."	lliw bir
21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 3.79 acres	
22) Area to be disturbed for well pad only, less access road (acres): 3.79 acres	
23) Describe centralizer placement for each casing string:	
Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface. Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.	
24) Describe all cement additives associated with each cement type:	
Conductor: no additives, Class A cement. Surface: Class A cement with 2-3% calcium chloride Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 Production: Tall cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20	
25) Proposed borehole conditioning procedures: Conductor: blowhole clean with air, run casing, 10 bbls fresh water.	
Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity of fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer. Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bt water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water. Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve; pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water; pump 48 bbarite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.	ols brine
, , , , , , , , , , , , , , , , , , , ,	

*Note: Attach additional sheets as needed.

API Number 47 - 017	- _
Operator's Well No.	Artie Unit 1H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation OP Code 494488557
Watershed (HUC 10) Big Isaac Creek Quadrangle Big Isaac
Elevation 1208 County Doddridge District Greenbrier
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
If so, please describe anticipated pit waste: No pit will be used at this site (Drilling and Flowback Fluids will be stored in tanks. Cuttings will be tanked and hauled off site.)
Will a synthetic liner be used in the pit? Yes No If so, what ml.? N/A
Proposed Disposal Method For Treated Pit Wastes:
Will a synthetic liner be used in the pit? Yes No If so, what ml.? N/A Proposed Disposal Method For Treated Pit Wastes: Land Application Underground Injection (UIC Permit Number Reuse (at API Number Future permitted well locations when applicable. API# will be provided on Form WR-34 Off Site Disposal (Supply form WW-9 for disposal location) (Meadowfill Landfill Permit #SWF-1032-98) Other (Explain
Will closed loop system be used? If so, describe: Yes
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Dualstill Foom, Production. Water Based Mad
-If oil based, what type? Synthetic, petroleum, etc. N/A
Additives to be used in drilling medium? Please See Attachment
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Stored in tanks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-1032-98)
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
Company Official Signature
Company Official (Typed Name) Randy Kloberdanz
Company Official (Typed Namé) Randy Kloberdanz Company Official Title Environmental Director
Subscribed and swom before me this day of Dec 20/3LISA BUT LINELLI Notary Public State of Colorado
My commission expires 119 2016 My Commission Expires Nov 9, 2016, Charlet Project

Proposed Revegetation Treatment: Acres Disturbe	3.79	Prevegetation	n pH
Lime 2-3 Tons/acre or to d	соггест to pH	6.5	
Fertilizer type Hay or straw or Wood Fiber (
Fertilizer amount 500	lbs	/acre	
Mulch 2-3	Tons/a		
ese note that this location is sharing the Access Roads "A" & "B" (6 sundment. The Heflin North Pad will consist of 3.79 total acces of di	1.40). Centralized sturbance which I	Impoundment (3.57) and Excess/Topsoil M s referenced as "Staging Area" (3.79) on th	lateriels Stockpiles (1.87) with the Hefl e Heflin North Centralized Impounds
	Seed	Mixtures	
Temporary		Per	manent
Seed Type lbs/acre		Seed Type	lbs/acre
Annual Ryegrass 40		Crownvetch	10-15
See attached Table 3 for additional seed type (Pearl Jean Pad Design	Page 15)	"See attached Table 4e for additional see	ed type (Haffin North Pad Design Page 15
or type of grass seed requested by surface	owner	*or type of grass seed re	quested by surface owne
NOTE: No Fes		mothy Grass shall be i	upod
ttach: rawing(s) of road, location, pit and proposed area ovided)	for land app		
Attach: Drawing(s) of road, location, pit and proposed area provided) Photocopied section of involved 7.5' topographic sl	for land appl	lication (unless engineered plans	s including this info have bee
Attach: Drawing(s) of road, location, pit and proposed area rovided) Thotocopied section of involved 7.5' topographic sl	for land appl	lication (unless engineered plans	s including this info have bee
Attach: Drawing(s) of road, location, pit and proposed area provided) Photocopied section of involved 7.5' topographic sl	for land appl	lication (unless engineered plans	s including this info have bee
attach: Prawing(s) of road, location, pit and proposed area rovided) hotocopied section of involved 7.5' topographic sl	for land appl	lication (unless engineered plans	s including this info have bee
Attach: Prawing(s) of road, location, pit and proposed area rovided) hotocopied section of involved 7.5' topographic slan Approved by:	for land appl	lication (unless engineered plans	s including this info have bee
attach: Prawing(s) of road, location, pit and proposed area rovided) hotocopied section of involved 7.5' topographic sl	for land appl	lication (unless engineered plans	s including this info have bee
ttach: rawing(s) of road, location, pit and proposed area rovided) hotocopied section of involved 7.5' topographic sl	for land appl	lication (unless engineered plans	s including this info have bee
ttach: rawing(s) of road, location, pit and proposed area rovided) hotocopied section of involved 7.5' topographic sl	for land appl	lication (unless engineered plans	s including this info have bee
Attach: Drawing(s) of road, location, pit and proposed area rovided) hotocopied section of involved 7.5' topographic sl	for land appl	lication (unless engineered plans	s including this info have bee
Attach: Drawing(s) of road, location, pit and proposed area rovided) Thotocopied section of involved 7.5' topographic sl	for land appl	lication (unless engineered plans	including this info have bee
Attach: Prawing(s) of road, location, pit and proposed area rovided) hotocopied section of involved 7.5' topographic slan Approved by: Dep Sequenties Mulciples Mul	for land appl	lication (unless engineered plans	including this info have bee
Attach: Drawing(s) of road, location, pit and proposed area provided) Photocopied section of involved 7.5' topographic sl	for land appl	lication (unless engineered plans	s including this info have bee

w. ~03/14/2014



Well Site Safety Plan Antero Resources

Well Name: Artie Unit 1H, Artie Unit 2H, Artie Unit 3H,

Sulfur Unit 1H, Sulfur Unit 2H, Lead Unit 1H,

Lead Unit 2H and Hoover Unit 1H

Pad Location: HEFLIN NORTH PAD

Doddridge County/ Greenbrier District

GPS Coordinates: Lat 39°12′12.96"/Long -80°33′6.14" (NAD83)


Driving Directions:

From Clarksburg, WV

Head west on US 50 W for 8.4 miles. Turn left onto Co RTE 31/Jarvisville-Makin road and continue for 4.8 miles. Turn right onto CO RTE 31/Jarvisville road and continue for 2.6 miles. Make a slight left onto Jarvisville-Makin road and continue for 0.5 miles. Continue onto Co RTE 25/Meathouse Fork for 1.8 miles. Keep right for Co RTE 48 and continue for 0.2 miles. Access Road will be on the right.

03/14/2014

plat spottal



2-26-20 H

Antero Resources Corporation

Appalachian Basin Artie Unit 1H Doddridge County

Quadrangle: Big Isaac Watershed: Meathouse Fork

District: Greenbrier Date: 12-06-2013

