

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax

Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

PERMIT MODIFICATION APPROVAL

June 01, 2015

CNX GAS COMPANY LLC POST OFFICE BOX 1248 JANE LEW, WV 263786506

Re: Permit Modification Approval for API Number 1706632, Well #: OXFD13FHS

Change direction of bore, modify formation

Oil and Gas Operator:

The Office of Oil and Gas has reviewed the attached permit modification for the above referenced permit. The attached modification has been approved and well work may begin. Please be reminded that the oil and gas inspector is to be notified twenty-four (24) hours before permitted well work is commenced.

Please call James Martin at 304-926-0499, extension 1654 if you have any questions.

Sincerely.

Gene Smith

Assistant Chief of Permitting

for Cone Smith

Office of Oil and Gas



May 27, 2015

West Virginia Department of Environmental Protection Office of Oil & Gas Attn: Laura Adkins 601 57th Street, SE Charleston, WV 25304-2345

RE: OXFD13FHS and OXFD13IHS

Dear Laura,

We are requesting to modify the OXFD13FHS (API 47-017-06632) and OXFD13IHS (API 47-017-06631) because we are changing the direction in which we would like to drill. We had permitted these laterals to be drilled as Burkett in the upward direction, but are modifying them to drill downward as Marcellus. The TVD and TMD have changed on both of these wells. Enclosed please find the following items that were revised:

- Updated W6B Casing Plan
- Updated Mylars

Kelly Eddy

- · Updated Notifications
- · Updated WW-6A-1 Lease breakdown and attachment
- Inspector signed As-Built

Should you need any further information, please contact me at (304) 884-2131 or by email at kelllyeddy@consolenergy.com. Thank you!

Sincerely,

Kelly Eddy



April 2, 2015

West Virginia Department of Environmental Protection Office of Oil & Gas Attn: Laura Adkins 601 57th Street, SE Charleston, WV 25304-2345

RE: OXFD13FHS and OFXD13IHS

Dear Laura,

Enclosed, please find, per our discussion and meeting with you on March 19, 2015, the following items regarding OXFD13 Well Pad:

- Updated W6B Casing Plan
- Updated Mylars
- · Updated Notifications
- Updated WW-6A-1 Lease breakdown and attachment
- Inspector signed As-Built

Should you need any further information, please contact me at (304) 884-2131 or by email at kelllyeddy@consolenergy.com. Thank you!

Sincerely,

Kelly Eddy

RECEIVED
Office of Oil and Gas

APR 06 2015

API NO. 47- 17 - 06632 MAY

OPERATOR WELL NO. OXFD13FHS

Well Pad Name: OXFD13HS

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator:	CNX Gas C	ompany LL	C	494458046	Doddridge	Southwe	New Milton
-				Operator ID	County	District	Quadrangle
2) Operator's Well l	Number: OX	FD13FHS		Well Pad	Name: OXF	D13HS	
3) Farm Name/Surfa	ace Owner: _	I.L. Morris		Public Roa	d Access: Co	. Rt. 40	
4) Elevation, curren	t ground:	1178	_ Ele	evation, proposed	post-constructi	ion: 1152	
5) Well Type (a) Oth	-	Oi	l	Unde	erground Stora	ge	
(b)I	f Gas Shal	low X		Deep	·		DCN 201
	Hori	zontal X					Nº 26
6) Existing Pad: Yes	s or No NO				- 50		3.
7) Proposed Target 1 Target - Marcellus				ipated Thickness a s - 57', Pressure - 4		Pressure(s):	
3) Proposed Total V	ertical Depth	1: 7051					
9) Formation at Tota	al Vertical De	epth: Onor	ndag	а			
10) Proposed Total	Measured De	pth: 1231	6'				
11) Proposed Horizo	ontal Leg Ler	ngth: 4616	î				
12) Approximate Fr	esh Water St	rata Depths:		50', 600'		_	6
13) Method to Deter	mine Fresh V	Water Depth	s: _(Offset Well Inform	ation		
14) Approximate Sa	ltwater Dept	hs: 1250', 1	1955	•			
15) Approximate Co	oal Seam Dep	oths: 600'					
16) Approximate De	epth to Possil	ole Void (coa	al mi	ne, karst, other):	None Anticipa	ated	
17) Does Proposed v directly overlying or				rns Yes	No	, <u>X</u>	
(a) If Yes, provide	Mine Info:	Name: _					
		Depth:					
		Seam:		BEC	EIVED		
		Owner: _			Oil and Gas		

APR 06 2015

OPERATOR WELL NO. OXFD13FHS

Well Pad Name: OXFD13HS

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	<u>Grade</u>	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20	N	J-55	94	80	80	90.3/ CTS
Fresh Water	13.375	N	J-55	54.5	1100	1050	609.5/ CTS
Coal							
Intermediate	9.675	N	J-55	36	2850	2800	688.2/ CTS
Production	5.5	N	P-110	20	12316	12266	1855.9
Tubing	2.375	N	J-55	4.7	7450	7450	
Liners							_)

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Max. Associated Surface Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20	26	0.438	2110	0	Class A	1.18
Fresh Water	13.375	17.5	0.380	2730	0	Class A	1.39
Coal							
Intermediate	9.675	12.25	0.352	3520	1490	Class A	1.18
Production	5.5	8.75	0.361	14360	6550.2	Class A	1.26
Tubing	2.375	5.5 csg	0.190	7700			
Liners							

PACKERS

Kind:	None		
Sizes:	None		
Depths Set:	None		

Well Pad Name: OXFD13HS

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill and stimulate new horizontal Marcellus well. Well to be drilled to a TMD of 12316'. Well to be drilled to a TVD of 7051', formation at TVD - Onondaga. Well will be plugged back to an approximate depth of 6000' (approximate due to exact kick off point being unknown). Plugging back will be done using the displacement method and Class A Type cement. A solid cement plug will be set from TD to KOP. If an unexpected void is encountered, plan will be to set casing at a minimum of 30' past void and cement to surface with approved Class A type cement. There will not be any production, perforation, or stimulation of any formations below the target formation.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

The stimulation will be multiple stages divided over the lateral length of the well. Stage spacing is dependent upon engineering design. Slickwater fracturing technique will be utilized on each stage using sand, water, and chemicals.

Max Pressure - 9500 psi. Max Rate - 100 bbl/min.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 16.4
- 22) Area to be disturbed for well pad only, less access road (acres): 10.6
- 23) Describe centralizer placement for each casing string:

Conductor - No centralizers used.

Surface - Rigid Bow spring centralizers on first joint then every third joint to surface.

Intermediate - Rigid Bow spring centralizers one on the first two joints and every third joint to surface.

Production - Rigid bow spring centralizer on first joint then every casing joint (free floating) through the lateral and every other joint in the curve. (Note: cementing the 5 1/2" casing completely in open hole lateral and curve.)

24) Describe all cement additives associated with each cement type:

Conductor - 2% CaCl2.

Fresh Water/Coal - 2% CaCl2.

Intermediate - 2% CaCl2.

Production - 2.6% Cement extender, 0.7% Fluid loss additive, 0.5% High Temperature Retarder, 0.2% Friction Reducer

25) Proposed borehole conditioning procedures:

Conductor - The hole is auger drilled w/ air and casing ran in air.


Surface - The hole is drilled w/ air and casing is ran in air. Once casing is on bottom, the casing string will be circulated w/ fresh water prior to cementing.


Intermediate - The hole is drilled w/ air and casing is ran in air. (Note: Drilling soap may be utilized if the hole gets wet/damp during the drilling of all air holes with the exception of the conductor).

Production - The hole will be drilled with synthetic oil base mud. At TD the hole is circulated at optimum pump rate until shale shaker deem the hole is clean. Once casing is ran the hole is circulated for a minimum of one hole volume prior to pumping cement.

*Note: Attach additional sheets as needed.







WW-6A1 (5/13)

Operator's Well No. OXFD13FHS

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or				
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page

See attached

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- · County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	CNX Gas Company LLC
By:	Kelly Eddy Kelly Eddy
Its:	Permitting Supervisor

Page 1 of ____

Attachment - Form WW-6A-1 for OXFD13FHS:

Tract ID	Grantor, Lessor, etc	Grantor, Lessor, etc Grantee, Lessee, etc		Book/Page
1,3,4,5,7, 15	S.W. Stout, et al	M.G. Zinn	1/8	11/464
	M.G. Zinn	The Carter Oil Company	Assignment	14/127
	The Carter Oil Company	Hope Natural Gas Company	Assignment	42/410
	Hope Natural Gas Company	Consolidated Gas Supply Corporation	Assignment	DB 143/345
	Consolidated Gas Supply Corporation	Consolidated Gas Transmission Corp	Assignment	135/583
				Harrison Co. Aol
	Consolidated Gas Transmission Corp	CNG Transmission Corp	Merger/Name Change	51/795
				Harrison Co. Aol
	CNG Transmission Corp	Dominion Transmission, Inc.	Merger/Name Change	58/362
	Dominion Transmission, Inc.	Consol Energy Holdings	Assignment	245/1
	Consol Energy Holdings	Consol Gas Company	Merger/Name Change	DB 292/469
	Consol Gas Company	CNX Gas Company LLC	Merger/Name Change	DB 293/252
Tract ID	Grantor, Lessor, etc	Grantee, Lessee, etc	Royalty	Book/Page
17	Louisa Fisher and F.A. Fisher, H/W	D.P. Stout	1/8	LB 11/471
_	D.P. Stout and S.S. Stout, H/W	The Carter Oil Company	Assignment	LB 14/187
	The Carter Oil Company	Hope Construction & Refining Company	Assignment	LB 42/438
	Hope Construction & Refining Company	Hope Natural Gas Company	Merger	DB 105/323
	Hope Natural Gas Company	Consolidated Gas Supply Corporation	Merger	DB 143/345
	Consolidated Gas Supply Corporation	Consolidated Gas Transmission Corporation	Assignment	DB 135/583
	Consolidated Gas Transmission Corporation	CNG Development Company	Assignment	DB 139/41
	CNG Development Company	CNG Producing Company	Merger	RB 49/340
	CNG Producing Company	Dominion Exploration & Production Inc.	Merger	AIC 58/366
	Dominion Exploration & Production Inc.	Consol Gas Company	Merger	DB 286/144
	Consol Gas Company	CNX Gas Company LLC	Merger	DB 292/469

4701706632 MM

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notic	e Certification: 04/02/2015		— API No. 47		
			Operator's	Well No. OXF	D13FHS
		· · · · · · · · · · · · · · · · · · ·	Well Pad N	ame: OXFD13	BHS
Notice has b	een given:				
Pursuant to th	e provisions in West Virginia Code §	22-6A, the Operator has provi	ided the req	uired parties w	with the Notice Forms listed
below for the	tract of land as follows:				
State:	West Virginia		Easting:	521,805.84m	
County:	Doddridge	O IM NAD 83	Northing:	4,333,531.89m	
District:	Southwest	Public Road Acces	ss:	CR 54/1 & CR 40	
Quadrangle:	New Milton	Generally used far	m name:	I.L. Morris	
Watershed:	South Fork Hughes River				
information re of giving the requirements Virginia Code	ed the owners of the surface described the owners of the surface described equired by subsections (b) and (c), see surface owner notice of entry to surface owner notice of entry to surface of subsection (b), section sixteen of e § 22-6A-11(b), the applicant shall to have been completed by the applicant	ction sixteen of this article; (ii) rvey pursuant to subsection (a f this article were waived in vender proof of and certify to the	that the red a), section to writing by	quirement was en of this artic the surface ow	deemed satisfied as a result cle six-a; or (iii) the notice vner; and Pursuant to West
that the Oper	West Virginia Code § 22-6A, the Operator has properly served the required ECK ALL THAT APPLY		is Notice Co	ertification	OOG OFFICE USE ONLY
☐ 1. NOT	TICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRE SEISMIC ACTIVITY WAS			☐ RECEIVED/ NOT REQUIRED
■ 2. NOTICE OF ENTRY FOR PLAT SURVEY or ☐ NO PLAT SURVEY WAS CONDUCTED					☐ RECEIVED
■ 3. NOT	TICE OF INTENT TO DRILL or	NOTICE NOT REQUIRE NOTICE OF ENTRY FOR PEWAS CONDUCTED or			□ RECEIVED/ NOT REQUIRED
		☐ WRITTEN WAIVER B (PLEASE ATTACH)	Y SURFAC	CE OWNER	
■ 4. NOT	TICE OF PLANNED OPERATION				RECEIVED
■ 5. PUB	LIC NOTICE				☐ RECEIVED

Required Attachments:

6. NOTICE OF APPLICATION

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person traveled made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

APR 06 2015

☐ RECEIVED

Certification of Notice is hereby given:

THEREFORE, I Kelly Eddy , have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: CNX Gas Company LLC

By: Kelly Eddy Permitting Supervisor


Telephone: 304-884-2131, Kelly Eddy

Address: P.O. Box 1248

Jane Lew, WV 26378

Facsimile: 304-884-2245

Email: kellyeddy@consolenergy.com



Subscribed and sworn before me this 200

Notary Public

day of APDIL 2015

My Commission Expires 09/15/2021

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deepprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

APR 06 1015

WW-6A (9-13)

API NO. 47-017 - 06632 MOD OPERATOR WELL NO. OXFD13FHS Well Pad Name: OXFD13HS

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notio	ce Time Requirement: notice shall be provided no later th	an the filing date of permit application.					
	of Notice: 04/02/2015 Date Permit Application Filed: ce of:						
√	PERMIT FOR ANY WELL WORK CONSTRUCTION OF	PROVAL FOR THE AN IMPOUNDMENT OR PIT					
Deliv	very method pursuant to West Virginia Code § 22-6A-10	0(b)					
		IOD OF DELIVERY THAT REQUIRES A IPT OR SIGNATURE CONFIRMATION					
certification ce	icate of approval for the construction of an impoundment or parened mail or by any method of delivery that requires a receipt ment control plan required by section seven of this article, and arface of the tract on which the well is or is proposed to be located gas leasehold being developed by the proposed well work, i fibed in the erosion and sediment control plan submitted pursuator or lessee, in the event the tract of land on which the well parened to record of the surface tract or trace work, if the surface tract is to be used for the placement, construndment or pit as described in section nine of this article; (5) as a water well, spring or water supply source located within one de water for consumption by humans or domestic animals; and used well work activity is to take place. (c)(1) If more than threation (b) of this section hold interests in the lands, the applicated of the sheriff required to be maintained pursuant to section sion of this article to the contrary, notice to a lien holder is not	e of the application, the applicant for a permit for any well work or for a it as required by this article shall deliver, by personal service or by or signature confirmation, copies of the application, the erosion and the well plat to each of the following persons: (1) The owners of record of ated; (2) The owners of record of the surface tract or tracts overlying the f the surface tract is to be used for roads or other land disturbance as ant to subsection (c), section seven of this article; (3) The coal owner, roposed to be drilled is located [sic] is known to be underlain by one or acts overlying the oil and gas leasehold being developed by the proposed ruction, enlargement, alteration, repair, removal or abandonment of any Any surface owner or water purveyor who is known to the applicant to thousand five hundred feet of the center of the well pad which is used to d (6) The operator of any natural gas storage field within which the se tenants in common or other co-owners of interests described in not may serve the documents required upon the person described in the eight, article one, chapter eleven-a of this code. (2) Notwithstanding any a notice to a landowner, unless the lien holder is the landowner. W. Va. provide the Well Site Safety Plan ("WSSP") to the surface owner and any as provided in section 15 of this rule.					
☑ Aj	pplication Notice WSSP Notice E&S Plan Notice	☑ Well Plat Notice is hereby provided to:					
☑ SU	RFACE OWNER(s)	☑ COAL OWNER OR LESSEE					
Name	e: I.L. Morris	Name: See Attached					
Addr	ess: P.O. Box 397	Address:					
Glenvill	le, WV 26351						
Name	o:	□ COAL OPERATOR					
Addre	ess:	Name: None of Declaration					
		Address:					
	RFACE OWNER(s) (Road and/or Other Disturbance)						
	: IL Morris	☑ SURFACE OWNER OF WATER WELL					
Addre	AND/OR WATER PURVEYOR(s)						
	e, WV 26351	Name: See Attached					
	: Tyler & Lenora Bunting	Address:					
Addre	ess: P.O. Box 105						
Smithb	urg, WV 26436	☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD					
SU	RFACE OWNER(s) (Impoundments or Pits)	Name: None of Declaration					
Name	:: N/A	Address:					
Addre	ess:						
		*Please attach addicated if necessary Office of Oil and Gas					

APR 06 2015

API NO. 47-017 - 06632 M.OO
OPERATOR WELL NO. OXFD13FHS
Well Pad Name: OXFD13HS

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Unity artificians, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items WW-6A (8-13)

API NO. 47-017 - 06632 M/M OPERATOR WELL NO. OXFD13FHS

Well Pad Name: OXFD13HS

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(B) it in thirty days after the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

APR 06 2015

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

API NO. 47-017 - 06632 MOD OPERATOR WELL NO. OXFD13FHS Well Pad Name: OXFD13HS

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office of Oil and Gas

APR 06 2015

API NO. 47-017 - 06632 MTO
OPERATOR WELL NO. OXFD13FHS

day of APR

Well Pad Name: OXFD13HS

Notice is hereby given by:

Well Operator: CNX Gas Company, LLC
Telephone: 304-884-2131, Kelly Eddy
Email: kellyeddy@consolenergy.com


Address: P.O. Box 1248

Jane Lew, WV 26378

Facsimile: 304-884-2245

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deepprivacyofficer@wv.gov.



Subscribed and sworn before me this 2

Notary Public

My Commission Expires 09/15/2021

RECEIVED Office of Oil and Gas

APR 06 2015

Attachment for WW-6A - Notice of Application OXFD13 Well Pad

Coal Owner(s):

I.L. Morris P.O. Box 397 Glenville, WV 26351

Dolores A. Hinterer 12459 WV RT 18 S New Milton, WV 26411

David Dickey P.O. Box 1339 Front Royal, VA 22630

Surface Owner of Water Well and/or Water Purveyor(s):

I.L. Morris P.O. Box 397 Glenville, WV 26351

Dolores A. Hinterer 12459 WV RT 18 S New Milton, WV 26411

Timothy Defazio 8109 N Byers Lane Stonewood, WV 26301

Jerry L. Leggett 2328 Rube Leggett Road New Milton, WV 26411

Tyler & Lenora Bunting P.O. Box 105 Smithburg, WV 26436

Jeffery & Liney McKinney 2616 Rube Leggett Road New Milton, WV 26411

Marie E. Hyde 11820 Redlands Blvd. Moreno Valley, CA 92555 RECEIVED Office of Oil and Gas

APR 06 70:5

Surface Owner of Water Well and/or Water Purveyor(s) continued:

Kevin L. Mullen 2756 Rube Leggett Road New Milton, WV 26411

Robert Swiger 2037 Indian Fork Road New Milton, WV 26411

Charles A. Schneider 4922 Sunny Side Drive West Palm Beach, FL 33415

David L. Thompson 1370 Copeland Fork Road New Milton, WV 26411

Dolores Hinterer 12459 WV Rt. 18 S New Milton, WV 26411

Helen Buff P.O. Box 3003 Haddonfield, NJ 08033

Debra K. Hudak 3253 Porto Rico Road New Milton, WV 26411

William L. Jones 2037 Indian Fork Road New Milton, WV 26411

> RECEIVED Office of Oil and Gas

APR 06 2015

N. C. T. D. C. VI. C. L. III.

STATE OF WEST VIRGINIA 47 0 1 7 0 6 6 3 2 MOD DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

Date of Planned Entry: 1010/2014 1	entry	ist SEVEN (7) days but no more th	an FORTY-FIVE (45) days prior to				
Delivery method pursuant to West Virginia Code § 22-6A-10a PERSONAL	Date of Notice: 10/3/2014 Date of Planned Entr	y: 10/10/2014					
PERSONAL REGISTERED MAIL REGISTERED RETHOURS IN METHOD OF DELIVERY THAT REQUIRES A SERVICE MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner or minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary. Notice is hereby provided to: SURFACE OWNER(s) Name: SURFACE OWNER(s) Name: Address: Name: Address: Name: Address: Name: Address: Name: Address: Name: Address: Po. 380 3807 Glenville, Wiv 26351 Name: Address: Po. 380 3807 Glenville, Wiv 26351 Name: Address: Po. 380 3807 Glenville, Wiv 26351 Name: Address: Address: Po. 380 3807 Glenville, Wiv 26351 Name: Address: Approx. Latitude & Longitude: Approx. Latitude	\$ +/2/2015						
Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary. **Notice is hereby provided to:** SURFACE OWNER(s) Name: L. Morns Name: Address: COAL OWNER OR LESSEE Name: See Alusched Address: MINERAL OWNER(s) Name: See Alu	Delivery method pursuant to West Virginia Code § 22-6A-10a						
Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary. **Notice is hereby provided to:** SURFACE OWNER(s) Name: Lt. Morns Name: Address: Do. Box 397 Clementer, WV 26351 Name: MINERAL OWNER(s) Name: See Alunched Address: Market See Alunched Address:	☐ PERSONAL. ☐ REGISTERED ■ M	ETHOD OF DELIVERY THAT R	FOLURES A				
Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twent woof this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which is statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary. Notice is hereby provided to: SURFACE OWNER(s) Name: LL Morris Address: Address: Address: Address: Address: Address: Address: Address: *please attach additional forms if necessary Notice is hereby given: Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Approx. Latitude & Longitude:							
on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary. Notice is hereby provided to: SURFACE OWNER(s) Name: I.L. Morris Address: Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: Approx. Latitude & Longitude: Approx. Latitude & Longi	SERVICE MAIL RE	ECELL I OK SIGNATURE CONFL	RWATION				
SURFACE OWNER(s) Name: LL. Morris Address: P.O. Box 397 Glenville, WV 26351 Name: Address: Address: MINERAL OWNER(s) Name: See Attached Address: Address: Address: Address: Address: Name: See Attached Address: Address: Address: Name: See Attached Address: Address: Address: *please attach additional forms if necessary Notice is hereby given: Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is pla	on to the surface tract to conduct any plat surveys required but no more than forty-five days prior to such entry to: (1) I beneath such tract that has filed a declaration pursuant to se owner of minerals underlying such tract in the county tax re and Sediment Control Manual and the statutes and rules related Secretary, which statement shall include contact information	pursuant to this article. Such notice The surface owner of such tract; (2) ection thirty-six, article six, chapter ecords. The notice shall include a s ated to oil and gas exploration and in, including the address for a web p	shall be provided at least seven days to any owner or lessee of coal seams twenty-two of this code; and (3) any statement that copies of the state Erosion production may be obtained from the				
Name: I.L. Morris Address: P.O. Box 397 Glerville, WV 26351 Name: Address: Address: MINERAL OWNER(s) Name: See Attached Address: Address: MINERAL OWNER(s) Name: See Attached Address: *please attach additional forms if necessary Notice is hereby given: Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Approx. Latitude & Longitude: 4,335,527,073 m / 521,782,922 m County: Doddridge Public Road Access: CR 54/1 & CR 40 District: Southwest Watershed: South Fork Hughes River Quadrangle: New Millon Generally used farm name: I.L. Morris Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx. RECEIVED Office of Oil and Gas Notice is hereby given by:	Notice is hereby provided to:						
Address: Address: MINERAL OWNER(s) Name: Address: MINERAL OWNER(s) Name: Address: Address:	■ SURFACE OWNER(s)	COAL OWNER OR LI	ESSEE				
Address: Address: MINERAL OWNER(s) Name: Address: MINERAL OWNER(s) Name: Address: Address:	Name: I.L. Morris	Name: See Attached					
Name:		Address:					
Address: Name: See Attached		,					
Address: Name: See Attached	Name:						
Name:	Address:	MINERAL OWNER(s))				
Notice is hereby given: Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Approx. Latitude & Longitude: 4,335,527,073 m / 521,782,922 m County: Doddridge Public Road Access: CR 54/1 & CR 40 District: Southwest Watershed: South Fork Hughes River Quadrangle: New Millon Generally used farm name: I.L. Morris Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx. RECEIVED Office of Oil and Gas Notice is hereby given by:		Name: See Attached					
*please attach additional forms if necessary Notice is hereby given: Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Approx. Latitude & Longitude: 4,335,527.073 m / 521,782,922 m County: Doddridge Public Road Access: CR 54/1 & CR 40 District: Southwest Watershed: South Fork Hughes River Quadrangle: New Milton Generally used farm name: LL. Morris Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx. RECEIVED Office of Oil and Gas Notice is hereby given by:	Name:	Address:					
Notice is hereby given: Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Approx. Latitude & Longitude: 4,335,527.073 m / 521,782.922 m County: Doddridge Public Road Access: CR 54/1 & CR 40 District: Southwest Watershed: South Fork Hughes River Quadrangle: New Milton Generally used farm name: LL. Morris Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx. RECEIVED Office of Oil and Gas Notice is hereby given by:	Address:						
Notice is hereby given: Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows: State: West Virginia Approx. Latitude & Longitude: 4,335,527.073 m / 521,782.922 m County: Doddridge Public Road Access: CR 54/1 & CR 40 District: Southwest Watershed: South Fork Hughes River Quadrangle: New Milton Generally used farm name: LL. Morris Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx. RECEIVED Office of Oil and Gas Notice is hereby given by:		*please attach additional forms if n	necessary				
may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57 th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx . RECEIVED Office of Oil and Gas	Pursuant to West Virginia Code § 22-6A-10(a), notice is he a plat survey on the tract of land as follows: State: West Virginia County: Doddridge District: Southwest	Approx. Latitude & Longitude: Public Road Access: Watershed:	4,335,527.073 m / 521,782.922 m CR 54/1 & CR 40 South Fork Hughes River				
Telephone: 304-884-2131, Kelly Eddy Email: kellyeddy@consolenergy.com Facsimile: 304-884-2245 WV Department of	may be obtained from the Secretary, at the WV Department Charleston, WV 25304 (304-926-0450). Copies of such do obtained from the Secretary by visiting						

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

Attachment for WW-6A3 – Notice of Plat Survey OXFD13 Well Pad

Coal Owner(s):

I.L. Morris P.O. Box 397 Glenville, WV 26351

Dolores A. Hinterer 12459 WV RT 18 S New Milton, WV 26411

David Dickey P.O. Box 1339 Front Royal, VA 22630

Mineral Owner(s):

Gore Corporation
PO BOX 2101
CLARKSBURG, WV 26301-2101

Constance Koreski PO BOX 116 ALLEN STREET HEPZIBAH, WV 26369

Joyce Secret Simons 201 Joy Lane Bridgeport, WV 26330

Frank Secret 816 POPLAR ST TWIN OAKS BRIDGEPORT, WV 26330

Anthony O. Secret Jr. Trustee of the Anthony O. Secret-By-Pass Trust 1081 TAYLOR ST CLARKSBURG, WV 26301-4226

James Anthony Salentro 14 Columbia Road Shinnston, WV 26431 RECEIVED
Office of Oil and Gas

APR 06 2015

Attachment for WW-6A3 – Notice of Plat Survey OXFD13 Well Pad

Mineral Owner(s) continued:

Ryan C. Radtka 12 RUCKART DR MORGANTOWN, WV 26508-2754

Helen M. Burton PO BOX 8179 CLARKSBURG, WV 26302-8179

Mary Constance Secret 4611 Government Road Richmond, VA 23231-1510

Exemption Trust Under the May Revocable Trust Donald May Jr. & Sarah Patton, Trustees P.O. Box 2615 Malibu, CA 90265

Susan Drennan 9255 S E Wyandotte Rd Galena, KS 66739

RECEIVED
Office of Oil and Gas

APR 06 7015

4701706632

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

MM

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

0.06			manifer in mining by the burnets
Notice Time Date of Notic	Requirement: Notice shall be ce: 04/02/2015	provided at least TEN (10) days prior to filing Date Permit Application Filed:	a permit application.
Delivery met	thod pursuant to West Virgin	a Code § 22-6A-16(b)	
☐ HAND	■ CERTIFIED N	AIL	
DELIVE		EIPT REQUESTED	
receipt request drilling a hore of this subsect subsection management	sted or hand delivery, give the izontal well: <i>Provided</i> , That retion as of the date the notice way be waived in writing by the	east ten days prior to filing a permit application aurface owner notice of its intent to enter upon tice given pursuant to subsection (a), section as provided to the surface owner: <i>Provided, he</i> aurface owner. The notice, if required, shall in onic mail address of the operator and the operator	the surface owner's land for the purpose of ten of this article satisfies the requirements owever, That the notice requirements of this clude the name, address, telephone number,
	reby provided to the SUR	ACE OWNER(s):	
Name: I.L. Morr		Name:	
Address: P.O. Glenville, WV 26		Address:	
- Cicirmo, FFF 20) 	
		b), notice is hereby given that the undersigne rilling a horizontal well on the tract of land as UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:	follows: 521,805.84m
Pursuant to V facsimile nun related to hor	mber and electronic mail addr rizontal drilling may be obtain	6(b), this notice shall include the name, ad ss of the operator and the operator's authorid from the Secretary, at the WV Department 25304 (304-926-0450) or by visiting www.	zed representative. Additional information of Environmental Protection headquarters,
Notice is he	reby given by:		
Well Operato	r: CNX Gas Company LLC	Authorized Representativ	e:
Address:	P.O. Box 1248	Address:	
Jane Lew, WV 26	6378		
Telephone:	304-884-2131, Kelly Eddy	Telephone:	
Email:	kellyeddy@consolenergy.com	Email:	
Facsimile:	304-884-2245	Facsimile:	
. acommic.	557-007-2275		*

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or the first of the normal course of business or as needed to comply with statutory or regulatory requirements, including Free 166 of Tandianation Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

APR 0 6 2015

WW-6A5 (1/12)

Operator Well No. OXFD13FHS 7 0 6 6 3 2 MGA


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE OF PLANNED OPERATION**

Date of Notice	e: 04/02/2015 Date Perm	ed no later than it Application		date of permit	application.
Delivery meth	nod pursuant to West Virginia Cod	le § 22-6A-16(c)		
	IED MAIL N RECEIPT REQUESTED	☐ HAND DELIVER	ĽΥ		
return receipt if the planned of required to be drilling of a ho damages to the	requested or hand delivery, give the speration. The notice required by the provided by subsection (b), section to orizontal well; and (3) A proposed securification affected by oil and gas operation.	surface owner was subsection sleen of this article surface use and ations to the ext	those land hall include to a surface compens ent the da	will be used for le: (1) A copy ace owner whose ation agreement mages are comp	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information e land will be used in conjunction with the t containing an offer of compensation for pensable under article six-b of this chapter, ted in the records of the sheriff at the time
	ox 397		Name:		
operation on the State: County: District: Quadrangle:		ose of drilling a UTI Pub	horizontal M NAD 8: lic Road A	well on the trac Easting: Northing:	vell operator has developed a planned ct of land as follows: 521,805.84m 4,333,531.89m CR 54/1 & CR 40 I.L. Morris
to be provided horizontal well surface affecte information re	est Virginia Code § 22-6A-16(c), thind by W. Va. Code § 22-6A-10(b) to lit; and (3) A proposed surface use and by oil and gas operations to the elated to horizontal drilling may be colorated at 601 57 th Street, SE,	o a surface owr d compensation extent the damag obtained from t	er whose agreemer ges are co he Secreta	land will be un at containing an impensable under ary, at the WV	code section; (2) The information required sed in conjunction with the drilling of a offer of compensation for damages to the er article six-b of this chapter. Additional Department of Environmental Protection or by visiting

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov. RECEIVED

Office of Oil and Gas

APR 06 2015





3572	U.S. Postal Service TM CERTIFIED MAIL TM RECEIPT (Domestic Mail Only; No Insurance Coverage Provided)		
	For delivery information visit our website at www.usps.com _®		
	OFFICIAL USE		
4745	Postage	\$ 203	ع والله المعول
	Certified Fee	330	Postmark
0000	Return Receipt Fee (Endorsement Required)	270	Here Har
	Restricted Delivery Fee (Endorsement Required)		\ _ \ \
0.50	Total Postage & Fees	\$ 803	Daniel A
	Dolores A. Hinterer 12459 WV RT 18 S		
7ዐፓቶ	Street, Apt. No.: New Milton, WV 26411 or PO Box No. OXFD13- 4-Notices: Plat, App, Plan. Op., Intent City, State, ZIP+ Coal Owner F WARR CURVEYOR		
	PS Form 3800, August 2	2006	See Reverse for Instructions



RECEIVED
Office of Oil and Gas


APR 06





U.S. Postal Service... CERTIFIED MAIL, RECEIPT (Domestic Mail Only; No Insurance Coverage Provided) 10 ĒE 203 414 3 30 Certified Fee 0000 Return Receipt Fee (Endorsement Required) Postmark 70 Here Restricted Delivery Fee (Endorsement Required) E97 510 03 Total Postage & Fees \$ Jerry L. Leggett 2328 Rube Leggett Road Street, Apr. New Milton, WV 26411 or PO Box OXFD13 -4 Notices; Plat, App, Plan. Op, Intent-City, State, Water Purveyor PS Form 3800, August 2006




















OXFD13- 4 Notices: Plat, App, Plan. Op., Intent

Mineral Owner

Street, Apt. No.;

City, State, ZIP+4

PS Form 3800. August 2006.


or PO Box No.




See Reve 06/05/2015











RECEIVED
Office of Oil and Gas

APR 06 20:5