

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 29, 2015

WELL WORK PERMIT Horizontal 6A Well

This permit, API Well Number: 47-1706737, issued to ANTERO RESOURCES CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: HATTIE UNIT 3H

Farm Name: WEBB, STANLEY

API Well Number: 47-1706737

Permit Type: Horizontal 6A Well

Date Issued: 06/29/2015

Promoting a healthy environment.

API Number: 1706737

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 9. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

WW-6B (9/13)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator	Antero Reso	urces Corporation	494488557	017 -Doddridge	Central	Pullman 7.5'
			Operator ID	County	District	Quadrangle
2) Operator's Wo	ell Number: Ha	ittie Unit 3H	Well Pa	d Name: Stanl	ey Pad	
3) Farm Name/S	urface Owner:	Stanley Webb et	al Public Ro	ad Access: CR	21/1	
4) Elevation, cur	rent ground:	1108' Ele	evation, proposed	post-construction	on: 1095'	
5) Well Type (a) Gas	Oil	Und	lerground Storag	ge	
(Other					
	b)If Gas Sha	llow =	Deep			5-6-201
		rizontal =				1-201
6) Existing Pad:				_		
), Depth(s), Antici			Pressure(s)	E4
Marcellus Shale	e: 6800' TVD, An	ticipated Thickness-	60 feet, Associated	Pressure- 3100#		
8) Proposed Tota						
9) Formation at T	otal Vertical D	epth: Marcellus S	Shale			
10) Proposed Tot	al Measured D	epth: 18,800' MD				
11) Proposed Ho	rizontal Leg Le	ngth: 11,252'				
12) Approximate	Fresh Water St	trata Depths:	168', 322', 433'			
13) Method to De	etermine Fresh	Water Depths: O	offset well records. De	epths have been adj	usted accord	ing to surface elevations.
		ths: 660', 1083', 2		-		
5) Approximate	Coal Seam Dep	pths: 170', 877'				
6) Approximate	Depth to Possi	ble Void (coal mir	ne, karst, other):	None anticipated		
7) Does Propose lirectly overlying		contain coal seam an active mine?	Yes	No	V	
(a) If Yes, provi	de Mine Info:	Name:				
		Depth:				
		Seam:			1880	
		Owner:				
		7-		F	Receive	d
				Office	of All 2	₹ Gas

MAY 07 2015

Page 1 of 3

WW-6B (9/13)

18)

CASING AND TUBING PROGRAM

TYPE	Size	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling	INTERVALS: Left in Well	CEMENT: Fill-up (Cu. Ft.)
Conductor	20"	New	H-40	94#	40'	40'	CTS, 38 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/48#	485'	485' *see #19	CTS, 674 Cu. Ft
Coal	9-5/8"	New	J-55	36#	2500'	2500'	CTS, 1018 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	20#	18,800'	18,800'	4762 Cu. Ft.
Tubing	2-3/8"	New	N-80	4.7#		7,100'	
Liners							

J.6.2015

TYPE	Size	Wellbore Diameter	Wall Thickness	Burst Pressure	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	30"	0.438"	1530	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	Class A	1.18
Intermediate						
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12630	Lead-H/POZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11200		
Liners						

PACKERS

Kind:	N/A	
Sizes:	N/A	
Depths Set:	N/A	

Received Office of Oil & Gas

> MAY **0 7** 2015 Page **2** of **3**

WW-6B (9/13)

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:
Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale. *Antero will be air drilling the fresh water string which makes it difficult to determine when freshwater is encountered, therefore we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.
20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:
Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."
Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm
21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 43.30 acres
22) Area to be disturbed for well pad only, less access road (acres): 6.37 acres
23) Describe centralizer placement for each casing string:
Conductor: no centralizers Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole
to surface. Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.
24) Describe all cement additives associated with each cement type:
Conductor: no additives, Class A cement. Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake
Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat
Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51 Production: Tall cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20
25) Proposed borehole conditioning procedures:
Conductor: blowhole clean with air, run casing, 10 bbls fresh water.
Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.
Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.
Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls
barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water. Received
*Note: Attach additional sheets as needed Office of OII & Gas

MAY 07 20153

WW-9 (2/15)

API Number 47 - 017	*
Operator's Well No.	Hattie Unit 3H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAM	MATION PLAN	
Operator Name Antero Resources Corporation	OP Code 494488557	
Watershed (HUC 10) North Fork Hughes River Quadrangle	Pullman 7.5'	
Do you anticipate using more than 5,000 bbls of water to complete the proposed w	vell work? Yes V No	
Will a pit be used? Yes No		
If so, please describe anticipated pit waste: No pit will be used at this site (Ontling and Flowba	ack Fluids will be stored in tanks, Cuttings will be tanked and hauled off site.)	
Will a synthetic liner be used in the pit? Yes No If s	so, what ml.? N/A	1cu
Proposed Disposal Method For Treated Pit Wastes:		1cw 6-2019
Land Application	9-	6
Underground Injection (UIC Permit Number Reuse (at API Number Future permitted well locations when appli	licable. API# will be provided on Form WR-34	
Off Site Disposal (Supply form WW-9 for disposal loca		18)
Other (Explain		
Will closed loop system be used? If so, describe: Yes		
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater	or nil hased etc. Surface Al-Freshwater, intermediate	ē.
-If oil based, what type? Synthetic, petroleum, etc. N/A	d, OH Descen, Cic. Distribute form, Production - Water bases Must	=3
Additives to be used in drilling medium? Please See Attachment		d
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Stored	in tanks, removed offsite and taken to landfill.	
-If left in pit and plan to solidify what medium will be used? (cement, lim		
-Landfill or offsite name/permit number? Meadowfill Landfill (Permit #SWF-1	· · · · · · · · · · · · · · · · · · ·	-
Permittee shall provide written notice to the Office of Oil and Gas of any load of dr West Virginia solid waste facility. The notice shall be provided within 24 hours of where it was properly disposed.	rill outtings or associated waste rejected at an rejection and the permittee shall also disclose	y
I certify that I understand and agree to the terms and conditions of the GH on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of provisions of the permit are enforceable by law. Violations of any term or conditional law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am application form and all attachments thereto and that, based on my inquiry of obtaining the information, I believe that the information is true, accurate, and penalties for submitting false information, including the possibility of fine or imprin	of Environmental Protection. I understand the ition of the general permit and/or other appliant familiar with the information submitted or of those individuals immediately responsible complete. I am aware that there are significant.	at the cable n this e for
Company Official Signature	NATALIE KOMP	
Company Official (Typed Name) Evan Foster	NOTARY PUBLIC	
Company Official Title Environmental Representative	MY COMMISSION EXPIRES JULY 18, 2018	
si i i i i i i i i i i i i i i i i i i	10	
Subscribed and sworn before me this S day of APVI	, 20 <u>15</u>	usel
Nymery	Notary Public Recei	veu
My commission expires MUVE, 2018	Office of O	
0 /	MAY 0.7	2015

Form WW-9

Antero Resources Proposed Revegetation Trea	atment: Acres Disturbed 43.30 a	cres Prevegetation nF	
	Tons/acre or to correct to pl		
	or straw or Wood Fiber (will be used		
	300		
Fertilizer amount 5	jood	bs/acre	
Mulch 2-3 ccess Road I (23.36) + Access Road soil Area 3 (1.23) + Topsoil Spoil Area	Tons/ i2 (1.12) + James Webb Access Road (2.37) + Wa a 4 (1.40) + Topsoil Spoil Pile 4 (0.93) + Diversi	acre /ater Containment <u>Pad (2.94) + Topsoil Spoil Pile 1 ((</u> on Ditches (0.71) + Material Spoil Pile 1 (0.93) + We	0.76) + Topsoil Spoil Pile 2 (1.18) Il Pad (6.37) = 43.30 Acres
	See	d Mixtures	
Te	emporary	Perma	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
Tall Fescue	45	Tall Fescue	45
Perennial Rye Gra	ass 20	Perennial Rye Grass	20
or type of grass seed red	quested by surface owner	*or type of grass seed reque	sted by surface owner
rawing(s) of road, location, ovided) notocopied section of invol-	ved 7.5' topographic sheet.	plication (unless engineered plans inc	
rovided) Photocopied section of invol-	ved 7.5' topographic sheet. englas Newfor ed o Mulch 1.	nstall and maint	
orawing(s) of road, location, rovided) hotocopied section of invol-	ved 7.5' topographic sheet.	nstall and maint	
orawing(s) of road, location, rovided) hotocopied section of involution and Approved by: 49a comments: 81252	ved 7.5' topographic sheet. englas Newfor ed o Mulch 1.	nstall and maint	
Photocopied section of involvian Approved by: Omments: Drugger Omments: Drugger Omments:	ved 7.5' topographic sheet. englas Newfor ed o Mulch 1.	nstall and maint	
orawing(s) of road, location, rovided) chotocopied section of involutional Approved by: comments: No wo keeping the section of involutional Approved by: No wo keeping the section of involutional	ved 7.5' topographic sheet. englas Newbon ed o Mulch 1. Nep repulation:	ns/all and maints 5 Date: 5-6-2615	pin B15

Office of Oil & Gas

Form WW-9 Additives Attachment

SURFACE INTERVAL

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

INTERMEDIATE INTERVAL

STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

PRODUCTION INTERVAL

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets – LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend - LCM

5. Clay-Trol

Amine Acid Complex – Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose – Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion – Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide – Alkalinity Control

10. Mil-Lime

Calcium Hydroxide – Lime

11. LD-9

Polyether Polyol – Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica - LCM

Received
Office of Oil & Gas

APR 24 2015

13. Escaid 110

Drilling Fluild Solvent - Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite - Filteration Control Agent

15. Super Sweep

Polypropylene - Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

Inorganic Salt

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer – Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material - Ground Walnut Shells - LCM

24. Mil-Graphite

Natural Graphite - LCM

25. Mil Bar

Barite – Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate – Alkalinity Control Agent

28. Clay Trol

Amine Acid complex – Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt – Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

Drilling Fluid Lubricant

Received
Office of Oli & Gas

APR 24 2015



Well Site Safety Plan Antero Resources

Well Name: Burgess Unit 1H, Burgess Unit 2H, Cool Unit 1H,

Cool Unit 2H, Hattie Unit 1H, Hattie Unit 2H,

Hattie Unit 3H

Pad Location: STANLEY PAD

Doddridge County/ Central District

GPS Coordinates: Lat 39°14′12.9156″/ Long -80°52′46.3542″ (NAD83)


Driving Directions:

From Greenwood: Head southeast on Co Route 50/30/Old U.S. 50 W/Sunnyside Rd for 3.4 miles. Turn right onto Co Route 21/Oxford Rd and continue for 2 miles. Turn right onto Co Route 21/1/Cabin Run. After approximately 0.4 miles, access road will be on the right.

EMERGENCY (24 HOUR) CONTACT 1-800-878-1373

DCW 5-6-2015


Office of Oil R. Gas



Antero Resources Corporation

Appalachian Basin Hattie Unit 3H Doddridge County

Quadrangle: Pullman Watershed: Cabin Run District: West Union Date: 3-12-2015 Received
Office of Oil & Gas
APR 2 4 2015



Operator's Well Number

Hattie Unit 3H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Ralph Leggett et ux Lease			
Ralph Leggett, et ux	Harold B. Smith	1/8	0088/0228
Harold B. Smith	Reeves Lewenthal	Assignment	0088/0232
Reeves Lewenthal	Ray Resources Corporation	Assignment	0099/0332
Ray Resources Corporation	Bow Valley Petroleum, Inc.	Assignment	0115/0031
Bow Valley Petroleum, Inc.	G.W. Petroleum, Inc.	Name Change	Recital in 0166/0312
G.W. Petroleum, Inc.	Great Western Onshore, Inc.	Name Change	Recital in 0166/0312
Great Western Onshore, Inc.	Eastern American Energy Corporation	Assignment	0166/0312
Eastern American Energy Corporation	Targa Development, Inc.	Assignment	0219/0529
Targa Development, Inc.	Antero Resources Appalachian Corporation	Assignment	0257/0362
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Harold Burgess et ux Lease			
Harold R. Burgess, et ux	Key Oil Company	1/8	0181/0267
Key Oil Company	Antero Resources Appalachian Corporation	Assignment	0256/0285
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Consolidated Gas Supply Corporation	Consolidated Gas Transmission Corporation	Assignment	0135/0583
Consolidated Gas Transmission Corporation	CNG Transmission Corporation	Amended Certificate of Authority	AOI 0051/0795
CNG Transmission Corporation	Dominion Transmission, Inc.	Amended Certificate of Authority	AOI 0058/0362
Dominion Transmission, Inc.	CONSOL Energy Holdings, LLC XVI	Assignment	0245/0001
CONSOL Energy Holdings, LLC XVI	CNX Gas Company, LLC	Affidavit of Name Changes and Merger	DB 0293/0252
CNX Gas Company, LLC	Antero Resources Appalachian Corporation	Notice of Agreement	0296/0715
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
I.L. Morris Lease		4/0	00.40/0000
I.L. (Ike) Morris	Antero Resources Corporation	1/8+	0348/0552
Geraldine Willard Lease Geraldine Willard	Key Oil Company	1/8	0260/0346
Key Oil Company	Antero Resources Appalachian Corporation	*Partial Assignment of Oil & Gas Leases	0272/0350
Antero Resources Appalachian Corporation	Antero Resources Corporation	Nama Changa	Received Exhibit 1
Melanie King Lease		Office	of O'' - The
Melanie King, et vir	Key Oil Company	1/8	0178/0001
Key Oil Company	Antero Resources Appalachian Corporation	*Partial Assignment of Oil & Gas Leases	PR 2.4 0256/0285
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
James W. Johnson, et ux Lease	Antore Percurses Annalashian Cornection	1/0.	0256/0224
James W. Johnson, et ux	Antero Resources Appalachian Corporation	1/8+ Name Change	0266/0224 Exhibit 1
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1

^{*}Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

07/03/2015

Operator's Well Number

Hattie Unit 3H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Hattie Dotson Lease			
Hattie O. Dotson	Charles E. Young	1/8	0054/0143
Helen F. Young and James E. Young, Co-Trustees Under the Will of Charles E. Young, Deceased	Palmer Hill	Assignment	0096/0478
William H. Snider and Mabel L. Snider, His Wife, William H. Snider as Executor of Palmer A. Hill Estate	Key Oil Company	Assignment	0176/0622
Key Oil Company	Antero Resources Appalachian Corporation	Assignment	0256/0285
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Mary Maxine Welch Lease			
Mary Maxine Welch	Key Oil Company	1/8	0177/0258
Key Oil Company	Antero Resources Appalachian Corporation	*Partial Assignment of Oil & Gas Leases	0256/0285
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
V. Olive Ellifrit Lease			
V. Olive Ellifritt, et al	Hope Natural Gas Company, a West Virginia Corporation	1/8	0031/0050
Hope Natural Gas Company, a West Virginia Corporation	Hope Construction and Refining Company, a Delaware Corporation	Assignment	0038/0238
Hope Construction and Refining Company, a Delaware Corporation	South Penn Natural Gas Company	Assignment	0054/0149
South Penn Natural Gas Company	South Penn Oil Company, a Corporation	Confirmatory Deed	0133/0296
South Penn Oil Company, a Corporation	Pennzoil Company	Name Change	Exhibit 2
Pennzoil Company	Pennzoil United, Inc.	Confirmatory Deed	0153/0051
Pennzoil United, Inc.	Pennzoil Company	Name Change	Exhibit 3
Pennzoil Company	Vinson Oil & Gas Drilling Company, a Corporation	Assignment and Bill of Sale	0113/0462
Vinson Oil & Gas Drilling Company, a Corporation	Consolidated Gas Supply Corporation	Vinson recognizes and acknowledges that Consolidated Gas Supply Corporation owns the rights under Pennzoil Lease No. 80754-50	Recital in 0113/0462
Consolidated Gas Supply Corporation	Consolidated Gas Transmission Corporation	Assignment	0135/0583
Consolidated Gas Transmission Corporation	CNG Development Company	Assignment	0139/0041
CNG Development Company	CNG Producing Company	Merger	Exhibit 4
CNG Producing Company Dominion Exploration & Production Company,	Dominion Exploration & Production Company, Inc. Consol Gas Company	Name Change Name Change	Receive 058/0366 DB 0286/0144
Inc.			ce of Oil & Gas
Consol Gas Company	CNX Gas Company, LLC	Merger	DB 0292/0469
CNX Gas Company, LLC Antero Resources Appalachian Corporation	Antero Resources Appalachian Corporation Antero Resources Corporation	Assignment Name Change	APR 2.4 200896/0715 Exhibit 1
Autera masonices Abbaiachian corbotation	Antero nesources corporation	manne enange	· Eximate ±

^{*}Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

Operator's Well Number

Hattie Unit 3H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Virginia Kuck, et vir Lease			
Virginia W. Kuck and William H. Kuck, Husband and Wife	J & J Enterprises, Inc.	1/8	0140/0220
J & J Enterprises, Inc.	Eastern American Energy Corporation	Notice of Dissolution &	0173/0424
·		Termination of General	
		Partnership	
Eastern American Energy Corporation	Energy Corporation of America (ECA)	Merger	0240/0298
Energy Corporation of America (ECA)	Antero Resources Appalachian Corporation	*Partial Assignment	0272/0307
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1

CONTINUED ON NEXT PAGE

Received
Office of Oil A Gas
APR 2 4 2015

^{*}Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

WW-6A1 (5/13)

3H
٥

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Blanch M. Waldo Lease				
	Blanche Mae Waldo	Petroleum Services, Inc.	1/8	0113/0619
	Petroleum Services, Inc.	J & J Enterprises, Inc.	Assignment	0117/0226
	J & J Enterprises, Inc.	Eastern American Energy Corporation	Merger	DB 0211/0137
	Eastern American Energy Corporation	Energy Corporation of America	Merger	0240/0498
	Energy Corporation of America	Antero Resources Appalachian Corporation	Assignment	0288/0451
	Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
*Partial Assignments to Ar	tero Resources Cornoration include 100% right	s to extract produce and market		

Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- · U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Antero Resources, Corp	ofation
By:	Kevin Kilstrom	The Received
Its:	VP of Production	Office of Oil 9 Das
		Ollice P

APR 2 4 2015 Page 1 of ____



Natalle E. Tennant. Secretary of State 1900 Kanawha Bivd E Bldg 1, Suite 157-K Charleston, WV 25305

FILE ONE ORIGINAL (Two if you want a Ried stamped copy returned to you) FEE: \$25.00

IN THE OFFICE OF Corporations Division ECRETARY OF STATE Tel: (304)558-8000 Pex: (304)558-8381 Website: www.wysos.com B-mail: business@wysos.com

APPLICATION FOR AMENDED CERTIFICATE OF AUTHORITY

**** In accordance with the provisions of the West Virginia Code, the undersigned corporation hereby ****

Office Hours: Monday - Friday 8:30 a.m. - 5:00 p.m. BT

applies for an Amended Certificate of Authority and submits the following statement: 1. Name under which the corporation was Antero Resources Appalachian Corporation authorized to transact business in WV: 2. Date Certificate of Authority was 6/25/2008 issued in West Virginia: Antero Resources Corporation . 3. Corporate name has been changed to: (Attach one Certified Conv of Name Change as filed in home State of incorporation.) Antero Resources Corporation Name the corporation elects to use in WV: (due to home state name not being available) Other amendments: (attach additional pages if necessary) 6. Name and phone number of contact person. (This is optional, however, if there is a problem with the filling, listing a contact person and phone number may avoid having to return or reject the document.) Alvyn A. Schopp (303) 357-7310 Contact Name Phone Number 7. Signature information (See below *Important Legal Notice Regarding Signature): Title/Capacity: Authorized Person Print Name of Signer: Aleyn A. Schop Date: June 10, 2013 Signature: *Important Legal Notice Respriting Standard: For West Virginia Code 5310-1-129. Penalty for signing false document.

Any person who signs a document he or she knows is false in any material respect and knows that the document is to be delivered to the accretary of state for filling is guilty of a misdomesnor and, upon conviction thereof, shall be fined not more than one

Form CF-4

listed by the Office of the Secretary of Sinte .

thousand dollars or confined in the county or regional juli not more than one year, or both.

WV011 - 0466/2011 Welter Klunyr Online

SOUTH PENN OIL COMPANY Forego Corporation Delaware Dealey Program 350 Admitted July 9, 1955 Atterey Reports Address: Drake Theater Bldg., 106 Duncomb St., 011 City, Penna. CHANGE OF NAME: THE PENNZOIL COMPANY, filed July 31, 1963; Book 238, Page 309. Column 1 // 3 // Column 2 5 5 0 Column 3 / 3 6 Column 4 // 5 5	The state of the s	
Column 1 43 7 Column 2 5 5 0 Column 4 7 5 5		
Address: Drake Theater Bldg., 106 Duncomb St., 0il City, Penna. CHANGE OF NAME: THE PENNZOIL COMPANY, filed July 31, 1963; Book 238, Page 309. Column 1 4 3 7 Column 2 5 5 0 olumn 3 / 3 6 Column 4 // 5 5		
Address: Drake Theater Bldg., 106 Duncomb St., Oil City, Penna. CHANGE OF NAME: THE PENNZOIL COMPANY, filed July 31, 1963; Book 238, Page 309. Column 1 437 Column 2 550 olumn 3 436 Column 4 755		
Address: Drake Theater Bldg., 106 Duncomb St., Oil City, Penna. CHANGE OF NAME: THE PENNZOIL COMPANY, filed July 31, 1963; Book 238, Page 309. Column 1 437 Column 2 550 olumn 3 436 Column 4 755		
Column 1 437 Column 2 5 5 0 Column 3 4 3 6 Column 4 7 5 5		
Column 1 437 Column 2 550 Column 3 136 Column 4 7 55	Address: Drake Theater Bldg	City, Penna.
	Column 1 Column 2	COMPANY, filed age 309.
	Column 4	755
	The state of the s	

Office of Oil & Gas

APR 24 2015

FORM WW-6A1 EXHIBIT 3

(G. S.)

STATE OF WEST VIRGINIA CERTIFICATE

I. JOHN D. ROCKEFELLER, IV. Secretary of State of the State of West Virginia.
Josephy certify that

PENNZOIL UNITED, INC.,

a corporation organized and existing under and by virtue of the laws of the State of Delaware, which was heretofore duly authorized to hold property and transact business in the State of West Virginia by a certificate of authority issued thereto by my said office on the 1st day of April, 1968, has this day presented to me in my said office a duly certified copy of Change of Name from PENNZOIL UNITED, INC. to PENNZOIL COMPANY, filed in the Office of the Secretary of State of the State of Delaware on the 12th day of May, 1972, which said change of name has been duly filed and made a part of the original records now on file in my said office.

¥ .	Given under m	y hand and the Great Seal of	the sald
4 5 2	State, at the City of	Charleston, this SIXTII	
h = -	day of	JUNE, 1972.	1 1

JOHN D. ROCKEFELLER, IN Received

470470 77 APR 24 201

07/03/2015

FORM WW-6A1 EXHIBIT 4, PAGE 1

KEN HECHLER FEE \$5 CO



4701706737

TO BE FILED IN DUFLICATE ORIGINALS

JUL 1 0 1991

OFFICE OF
RY OF STATE
WEST VIRGINIA

APPLICATION FOR CERTIFICATE OF WITHDRAWAL

OF CNG Development Company

statement:			Virginia, and submits the following	
The name of the	corporation is:CN	G Development C	omp a n y	
It is incorporated under	the laws ofDelaw	are		
IT IS NOT TRANSACTIF	G BUSINESS IN WEST	VIRGINIA.		
its registered agent in in any action, suit or time the corporation w	West Virginia to accept proceeding based upon	service of process, are any course of action act business in West V	Virginia. It revokes the authority of nd consents that service of process arising in West Virginia during the firginia may thereafter be made on inia.	
			mail + copy of any process against	
the corporation is	ING Producing Content Orleans, UA	mpany, CNG Tower	r, 1450 Poydras Street, n: Corporate Secretary	
The aggregate no	umber of shares which par, and series, if any, wi	it has authority to issue	e, item and by classes, par value of	
NUMBER OF SHARES	CLASS	SERIES	PAR VALUE/NO PAR	
1,400,000	Common		\$100	
The aggregate m	umber of its issued share within a class, as of this d	es, itemized by classes. fate is	, par value of shares, shares without	
par, and series, ir any, v		JEP ES	PAR VALUE/NO PAR	
	CLASS			
NUMBER OF SHARES	Common		\$100	

FORM WW-6A1 EXHIBIT 4, PAGE 2

4701706737

ChG Development Com	spany (Through CNG Producing Company)
orporate name	
resydent/Yice President	D. M. L. Secretary Wild WALL S.
Example Louisiana Parish Orleans	
James E. Wrig	out. Jr.
D. Malec	olr: Johns, Jr
nereof Certify was a series	the Secretary
	011170
	of CNG Producing Company
\$\htam	corporate name
office	gned the fore; ong as the soft and deed of the corporation.
	Notify Public
(notary sea	E
My commission expires 1	t death

Received | Office of Oil 8 Gas

APR 2 4 2015 -



April 14, 2015

Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE: Hatt

Hattie Unit 3H

Quadrangle: Pullman 7.5'

Doddridge County/Central District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following application for a new well work permit for the Hattie Unit 3H horizontal shallow well. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Hattie Unit 3H horizontal lateral will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Haley West Landman

Received
Office of Oil & Gas

APR 24 2015

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Notic	e Certification: 04/15/2015		No. 47		
				Well No. Hattie	
		Well	Pad N	ame: Stanley	Pad
Notice has b					
	e provisions in West Virginia Code § 22-	-6A, the Operator has provided	the req	uired parties w	rith the Notice Forms listed
	tract of land as follows:	Ε		540.405	
State:	West Virginia	UTM NAD 83 East North	ing: hing:	510,405m 4,343,079m	
County: District:	Doddridge Central	Public Road Access:	ning.	CR 21/1	
Quadrangle:	Pullman 7.5'	Generally used farm n	ame:	Stanley Webb et a	aÎ
Watershed:	North Fork Hughes River	Generally used failif in	anic.	Glamey Webb et e	4!
· · dioionodi					
prescribed by it has provide information re of giving the requirements Virginia Code of this article	West Virginia Code § 22-6A-7(b), ever the secretary, shall be verified and shall at the owners of the surface described acquired by subsections (b) and (c), section surface owner notice of entry to survey of subsection (b), section sixteen of this § 22-6A-11(b), the applicant shall tende have been completed by the applicant.	contain the following informatin subdivisions (1), (2) and (4 in sixteen of this article; (ii) that pursuant to subsection (a), so article were waived in writing proof of and certify to the second	ion: (14 i), subs t the recection t ng by teretary	A) A certification (b), security appropriate (b), security appropriate (c), security and the surface ow that the notice	on from the operator that (i) tion ten of this article, the deemed satisfied as a result cle six-a; or (iii) the notice orner; and Pursuant to West
	West Virginia Code § 22-6A, the Operator has properly served the required pa		otice Co	ertification	OOG OFFICE USE
*PLEASE CHE	CK ALL THAT APPLY				ONLY
☐ 1. NOT	TICE OF SEISMIC ACTIVITY OF SE	NOTICE NOT REQUIRED I			RECEIVED/ NOT REQUIRED
■ 2. NO	TICE OF ENTRY FOR PLAT SURVEY	or NO PLAT SURVEY W	VAS CO	ONDUCTED	RECEIVED
□ 3. NO	NO	NOTICE NOT REQUIRED DITICE OF ENTRY FOR PLATAS CONDUCTED OF			RECEIVED/ NOT REQUIRED
		WRITTEN WAIVER BY S (PLEASE ATTACH)	URFA	CE OWNER	
■ 4. NO	TICE OF PLANNED OPERATION				RECEIVED
■ 5. PUE	BLIC NOTICE				RECEIVED
■ 6. NO	TICE OF APPLICATION				RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

Received
Office of Oil & Gas
07/03/2015

WW-6AC (1/12)

Certification of Notice is hereby given:

THEREFORE, I	Kevin Kilstrom , hav	e read an	d understand	the notice requirements within West Virginia Code § 22-
6A. I certify tha	t as required under West Virginia Co	de § 22-6	5A, I have se	erved the attached copies of the Notice Forms, identified
above, to the re	quired parties through personal service	ce, by reg	gistered mail	or by any method of delivery that requires a receipt or
signature confirm	nation. I certify under penalty of law	that I hav	e personally	examined and am familiar with the information submitted
in this Notice C	Certification and all attachments, and	d that ba	sed on my i	nquiry of those individuals immediately responsible for
obtaining the inf	formation, I believe that the information	on is true.	accurate and	complete. I am aware that there are significant penalties
for submitting fa	alse information, including the possibil	ity of fine	and impriso	nment.
٥	3 P			
Well Operator:	Antero Resources Corporation		Address:	1615 Wynkoop Street
By:	Kevin Kilstrom			Denver, CO 80202
Its:	VP of Production		Facsimile:	303-357-7315
Telephone:	303-357-7310		Email:	asteele@anteroresources.com
	NOTARY SEAL NATALIE KOMP NOTARY PUBLIC STATE OF COLORADO NOTARY ID # 20144028170 MMISSION EXPIRES JULY 18, 2018	Δ	ibed and swo	notary Public Prices Delay of April 2015. Notary Public Prices Delay 8, 2018

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

Received
Office of Oil & Gas
APR 2 4 2015

API NO. 47- 017	-
OPERATOR WE	ELL NO. Hattie Unit 3H
Well Pad Name:	Stanley Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 4/15/2015 Date Permit Application Filed: 4/15/2015 Notice of: PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ PERSONAL REGISTERED ✓ METHOD OF DELIVERY THAT REQUIRES A SERVICE MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice ☑ Well Plat Notice is hereby provided to: SURFACE OWNER(s) ☐ COAL OWNER OR LESSEE Name: NO DECLARATIONS ON RECORD WITH COUNTY Name: PLEASE SEE ATTACHMENT Address: Address: ☐ COAL OPERATOR Name: Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: Address: ☑ SURFACE OWNER(s) (Road and/or Other Disturbance) WATER PURVEYOR(s)/OWNER(s) OF WATER WELL. Name: I.L. Morris SPRING OR OTHER WATER SUPPLY SOURCE Address: PO Box 397 Name: PLEASE SEE ATTACHMENT Glenville, WV 26351 Address: Name: William and Sharon Britton Address: RR 1 Box 203 ☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD West Union, WV 26456 ☐ SURFACE OWNER(s) (Impoundments or Pits) Name: *PLEASE NOTE THE ADDITIONAL SURFACE TRACTS WITH Address: Received DISTURBANCE SHOWN ON PAD DESIGN ARE NOT OVERLYING THE OIL & GAS LEASEHOLD BEING *Please attach additional forms if necessal office of Oll & Gas DEVELOPED BY THE PROPOSED WELL; THEREFORE, ARE NOT REQUIRED TO BE NOTIFIED PER WV CODE 22-6A-10.

ANTERO HAS SECURED A SIGNED AGREEMENT WITH THE

RELATED PARTIES

47017001706737

OPERATOR WELL NO. Hattie Unit 3H
Well Pad Name: Stanley Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, 1969. Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal well-11100 of a compounds generated by the drilling of horizontal well-11100 of a compound generated by the drilling of horizontal well-11100 of a compound generated by the drilling of horizontal well-11100 of a compound generated by the drilling of horizontal well-11100 of a compound generated by the drilling of horizontal well-11100 of a compound generated by the drilling of horizontal well-11100 of a compound generated by the drilling of horizontal well-11100 of a compound generated by the drilling of horizontal well-11100 of a compound generated by the drilling of horizontal well-11100 of a compound generated genera well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to abdres the hearts

API NO. 47-017

OPERATOR WELL NO. Hattie Unit 3H

Well Pad Name: Stanley Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304

test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

Received Office of Call Page 1879 (304) 926-0450

APR 2.4 (102)

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to

4701706737

API NO. 47- 017

OPERATOR WELL NO. Hattie Unit 3H

Well Pad Name: Stanley Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Office of Cit 9 Gas

4701706737

API NO. 47- 017 OPERATOR WELL NO. Hattie Unit 3H Well Pad Name: Stanley Pad

No	tice	is	hereby	y given	bv.
110		13	Hereb.	Siven	D. J.

Email: asteele@anteroresources.com

Well Operator: Antero Resources Corporation Telephone: (303) 357-7310

Address: 1615 Wynkoop Street Denver, CO 80202

Facsimile: 303-357-7315

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

NATALIE KOMP NOTARY PUBLIC STATE OF COLORADO NOTARY ID # 20144028170 MY COMMISSION EXPIRES JULY 18, 2018 Subscribed and sworn before me this 15th day of April 2015.

Notary Public My Commission Expires WY 18, 2018

WW-6A Notice of Application Attachment:

Surface Owners:

Owner: Stanley Webb, et al (James E. Webb, Richard L. Webb, Brian M. Webb)

Address: RR 1 Box 206A

West Union, WV 26456

Owner: Stanley Webb, et al (James E. Webb, Richard L. Webb, Brian M. Webb) (2nd Address)

Address: 945 Cabin Run Rd.

West Union, WV 26456

Owner: James E. Webb (2nd Address)

Address: 813 Cabin Run Rd.

West Union, WV 26456

Owner: Brian M. Webb (2nd Address)

Address: RR 1 Box 207

West Union, WV 26456

Water Source Owners:

Owner: Robert L. Britton, et ux (1 Water Source)

Address: 2641 Leeson Run

Pennsboro, WV 26415

Owner: William & Sharon Britton (1 Water Source)

Address: RR 1 Box 203

West Union, WV 26456

Owner: Stanley Webb, et al (James E. Webb, Richard L. Webb, Brian M. Webb) (3 Water Sources)

Address: RR 1 Box 206A

West Union, WV 26456

Owner: Stanley Webb, et al (James E. Webb, Richard L. Webb, Brian M. Webb) (2nd Address)

(3 Water Sources)

Address: 945 Cabin Run Rd.

West Union, WV 26456

Owner: Brian M. Webb (2 Water Sources)

Address: RR 1 Box 207

West Union, WV 26456

Owner: Edward Webb, et al (1 Water Source)

Address: RR 1 Box 208

West Union, WV 26456

Owner: Robert P. Harris, et al (1 Water Source)

Address: RR 1 Box 207

West Union, WV 26456

Owner: Darlene D. Winemiller, et al (1 Water Source)

Address: RR 1 Box 207 A

West Union, WV 26456

07/03/2015

Owner: James E. Webb (5 Water Sources)

Address: 813 Cabin Run Rd.

West Union, WV 26456


Owner: Daniel M. Webb (1 Water Source)

Address: 945 Cabin Run Rd.

West Union, WV 26456

(Note: On attached water well map, 6 other water wells, are identified but they are located greater than 1500' from the subject well pad location)

Received
Office of Oil & Gas
APR 2 4 2015



4701706737 Operator Well No. Hattle Unit 3H

Multiple Wells on the Stanley Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

entr	y	•	nned Entry: 11/12/2012	ys dut no more than	TEORI Y-FIVE (45) days prior to
Deli	ivery method	pursuant to West Virginia C	code § 22-6A-10a		
	PERSONAL SERVICE	REGISTERED MAIL	METHOD OF DEL RECEIPT OR SIGN		•
on to but a bend own and Seco	o the surface t no more than a eath such tract her of minerals Sediment Cor retary, which s	ract to conduct any plat survey forty-five days prior to such en that has filed a declaration pur underlying such tract in the control Manual and the statutes an	rs required pursuant to this are atry to: (1) The surface owner resuant to section thirty-six, as punty tax records. The notice and rules related to oil and gas information, including the accordance.	ticle. Such notice s of such tract; (2) t ticle six, chapter to e shall include a sta exploration and pi	shall provide notice of planned entry hall be provided at least seven days o any owner or lessee of coal seams wenty-two of this code; and (3) any tement that copies of the state Erosion roduction may be obtained from the age on the Secretary's web site, to
Not	ice is hereby	provided to:			
	SURFACE C	WNER(s)	☐ COAI	LOWNER OR LE	SSEE
	ne: PLEASE SEE	• •	Name: NO	DECLARATIONS ON REC	CORD WITH COUNTY
	lress:		Address:		
Nan	ne:				
Add	iress:		_ L MINE	ERAL OWNER(s)	
			Name: PLE	ASE SEE ATTACHMENT	
Nan	ne:		_ Address:		
Add	iress:		*please attack	h additional forms if ne	cessary
Purs		y given: Virginia Code § 22-6A-10(a), ne tract of land as follows:	notice is hereby given that th	e undersigned well	operator is planning entry to conduct
Stat		st Virginia	Approx. Latit	ude & Longitude:	39.23793, -80.87743
		ld-idea	Public Road A		CR 19
		etral			Cabin Run
	ndrangle: Pull		Generally use	d farm name:	Webb, Stanley et al
may Cha obta	y be obtained the barleston, WV that is a sined from the sined fro	from the Secretary, at the WV l 25304 (304-926-0450). Copies Secretary by visiting <u>www.de</u>	Department of Environmenta s of such documents or additi	l Protection headquoinal information re	il and gas exploration and production uarters, located at 601 57 th Street, SE, elated to horizontal drilling may be
	tice is hereby	•	A dduces	4045141.1.5	Beschad
		Antero Resources Corporation	Address:	1615 Wynkoop Street	Received
		303) 357- 7310	Facsimile:	Denver, CO 80202	Office of Oil & Gas
Ema	an: <u>-</u>	asteele@anteroresources.com	racsimile:	(303) 357-7315	APR 2 4 2015
0 :1	and Cas Du	inam Matian			W 11 11 11 11 11 11 11 11 11 11 11 11 11

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

WW-6A3 Notice of Entry For Plat Survey Attachment:

Surface Owners:

Located on TM 15/PCL 2

Owner: Address: Brian M. Webb Rt. 1 Box 206 A

West Union, WV 26456

Owner: Address: Richard L. Webb Rt. 1 Box 206 A

West Union, WV 26456

Owner: Address: James E. Webb Rt. 1 Box 206 A

West Union, WV 26456

Owner: Address: Stanley Webb Rt. 1 Box 206 A

West Union, WV 26456

Mineral Owners:

Located on TM 15/PCL 2

Owner: Address: Carolyn S. Gaston 1231 Bellaire St.

Fairmont, WV 26554

Owner: Address: Randall Leggett c/o Elizabeth Guido

1364 Locust Ave

Fairmont, WV 26554

Owner: Address: SJJ Leggett Family LLC

110 N North St.

Washington Courthouse, OH 43160

Owner: Address: **Bradley Leggett**

Rt. 1 Box 79

West Union, WV 26456

Owner: Address: Jennifer L. Powers 124 Clarksburg Rd. Buckhannon, WV 26201

> Received Office of Oil & Gas

WW-6A5 (1/12)

Operator Well No. Hattle Unit 3H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS **NOTICE OF PLANNED OPERATION**

Date of Notic			5/2015	
Delivery met	hod pursuant to West Virginia Code	§ 22-6A-16(c)		
CERTI	FIED MAIL [☐ HAND		
RETUI	RN RECEIPT REQUESTED	DELIVERY		
return receipt the planned or required to be drilling of a damages to the	requested or hand delivery, give the superation. The notice required by this provided by subsection (b), section te horizontal well; and (3) A proposed subsection and gas operate surface affected by oil and gas operate.	urface owner whose land s subsection shall include n of this article to a surfa urface use and compens tions to the extent the da	will be used for le: (1) A copy ace owner whos ation agreemen mages are com	cation, an operator shall, by certified mail or the drilling of a horizontal well notice of of this code section; (2) The information we land will be used in conjunction with the at containing an offer of compensation for pensable under article six-b of this chapter. Sted in the records of the sheriff at the time
	eby provided to the SURFACE OW! s listed in the records of the sheriff at t			
	OFF ATTACHMENT			
Name: PLEASE	SEE ATTACHMENT	Name:		
Name: PLEASE Address: Notice is her Pursuant to V	eby given: Vest Virginia Code § 22-6A-16(c), noti	Name:Address ce is hereby given that the	e undersigned v	
Name: PLEASE Address: Notice is her Pursuant to W operation on State: County:	eby given: Vest Virginia Code § 22-6A-16(c), noti the surface owner's land for the purpo West Virginia Doddridge	Name: Address ce is hereby given that the se of drilling a horizonta UTM NAD 8	te undersigned value on the tra Easting: Northing:	ct of land as follows: 510,405m 4,343,079m
Name: PLEASE Address: Notice is her Pursuant to W operation on State: County: District:	eby given: Vest Virginia Code § 22-6A-16(c), noti the surface owner's land for the purpo West Virginia Doddridge Central	Name: Address ce is hereby given that the se of drilling a horizonta UTM NAD 8 Public Road A	te undersigned value on the transport of the second of the	ct of land as follows: 510,405m 4,343,079m CR 21/1
Name: PLEASE Address: Notice is her Pursuant to W operation on State: County:	eby given: Vest Virginia Code § 22-6A-16(c), noti the surface owner's land for the purpo West Virginia Doddridge	Name: Address ce is hereby given that the se of drilling a horizonta UTM NAD 8 Public Road A	te undersigned value on the tra Easting: Northing:	ct of land as follows: 510,405m 4,343,079m
Name: PLEASE Address: Notice is her Pursuant to W operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to W to be provide horizontal we surface affect information is	eby given: Vest Virginia Code § 22-6A-16(c), noti the surface owner's land for the purpo West Virginia Doddridge Central Pullman 7.5' North Fork Hughes River Shall Include: Vest Virginia Code § 22-6A-16(c), this ed by W. Va. Code § 22-6A-10(b) to ell; and (3) A proposed surface use and ted by oil and gas operations to the ex- related to horizontal drilling may be of located at 601 57th Street, SE, Ci	Name: Address ce is hereby given that the se of drilling a horizonta UTM NAD 8 Public Road A Generally use a notice shall include: (1) a surface owner whose a compensation agreement the damages are constained from the Secret	te undersigned of well on the tra Easting: Northing: Access: d farm name: A copy of this cland will be undersigned ary, at the WV	code section; (2) The information required ased in conjunction with the drilling of an offer of compensation for damages to the ler article six-b of this chapter. Additional Department of Environmental Protection
Name: PLEASE Address:	eby given: Vest Virginia Code § 22-6A-16(c), noti the surface owner's land for the purpo West Virginia Doddridge Central Pullman 7.5' North Fork Hughes River Shall Include: Vest Virginia Code § 22-6A-16(c), this ed by W. Va. Code § 22-6A-10(b) to ell; and (3) A proposed surface use and tell the distribution of the extent of the color of t	Name: Address ce is hereby given that the se of drilling a horizonta UTM NAD 8 Public Road A Generally use a surface owner whose a compensation agreement the damages are contained from the Secret charleston, WV 25304 of the secret charleston.	te undersigned of well on the tra Easting: Northing: Access: d farm name: A copy of this land will be undersigned arry, at the WV (304-926-0450)	code section; (2) The information required ased in conjunction with the drilling of an offer of compensation for damages to the ler article six-b of this chapter. Additional Department of Environmental Protection or by visiting <a href="https://www.dep.wv.gov/oil-and-overlap-new-new-new-new-new-new-new-new-new-new</td></tr><tr><td>Name: PLEASE Address: Notice is her Pursuant to W operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to W to be provide horizontal we surface affect information in headquarters, gas/pages/def</td><td>eby given: Vest Virginia Code § 22-6A-16(c), noti the surface owner's land for the purpo West Virginia Doddridge Central Pullman 7.5' North Fork Hughes River Shall Include: Vest Virginia Code § 22-6A-16(c), this ed by W. Va. Code § 22-6A-10(b) to ell; and (3) A proposed surface use and ted by oil and gas operations to the ex- telated to horizontal drilling may be of located at 601 57th Street, SE, Ci- fault.aspx.</td><td>Name: Address ce is hereby given that the se of drilling a horizonta UTM NAD 8 Public Road A Generally use a notice shall include: (1) a surface owner whose a compensation agreement the damages are constained from the Secret</td><td>te undersigned of well on the tra Easting: Northing: Access: d farm name: A copy of this cland will be understand ary, at the WV (304-926-0450)</td><td>code section; (2) The information required ased in conjunction with the drilling of an offer of compensation for damages to the ler article six-b of this chapter. Additional Department of Environmental Protection or by visiting <a href=" https:="" oil-and-overlap-new-new-new-new-new-new-new-new-new-new<="" td="" www.dep.wv.gov="">
Name: PLEASE Address:	eby given: Vest Virginia Code § 22-6A-16(c), noti the surface owner's land for the purpo West Virginia Doddridge Central Pullman 7.5' North Fork Hughes River Shall Include: Vest Virginia Code § 22-6A-16(c), this ed by W. Va. Code § 22-6A-10(b) to ell; and (3) A proposed surface use and tell the distribution of the extent of the color of t	Name: Address ce is hereby given that the se of drilling a horizonta UTM NAD 8 Public Road A Generally use a surface owner whose a compensation agreement that the damages are constrained from the Secret tharleston, WV 25304 Address:	te undersigned of well on the tra Easting: Northing: Access: d farm name: A copy of this land will be undersigned arry, at the WV (304-926-0450)	code section; (2) The information required ased in conjunction with the drilling of an offer of compensation for damages to the ler article six-b of this chapter. Additional Department of Environmental Protection or by visiting

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information. DEP's Chief Privacy Officer at depprivacyofficer@wv.gov. Office of Oil & Gas

APR 24 2015

WW-6A5 Notice of Planned Operations Attachment:

Owner:

Stanley Webb, et al (James E. Webb, Richard L. Webb, Brian M. Webb)

Address:

RR 1 Box 206A

West Union, WV 26456

Owner:

Stanley Webb, et al (James E. Webb, Richard L. Webb, Brian M. Webb) (2nd Address)

Address:

945 Cabin Run Rd.

West Union, WV 26456

Owner:

James E. Webb (2nd Address)

Address:

813 Cabin Run Rd.

West Union, WV 26456

Owner:

Brian M. Webb (2nd Address)

Address:

RR 1 Box 207

West Union, WV 26456

Received Office of Oil & Gas

APR 24 2015



STANLEY WELL AND WATER SITE DESIGN & CONST EROSION & SEDIMENT (

Douglas 2015

ANTERO RESOURCES C

PROJECT CONTACTS

PROJECT OWNER

ANTERO RESOURCES 1615 WYNKOPP STREET DENVER, CO 80202

CONTACT: ANTHONY SMITH FIELD ENGINEER 304.869.3405 OFFICE 304.673.6196 CELL

CONTACT: ELI WAGONER ENVIRONMENTAL ENGINEER 304.622.3842, EXT 311

LOCATION SURVEYOR

WHITE BROTHERS CONSULTING, LLC CONTACT: LEE SNYDER, PS 447 CALL ROAD SUITE 216 CHARLESTON, WV 25312 304,550,9484

ENVIRONMENTAL/ DELINEATION BOUNDARY

GAI CONSULTANTS, INC. CONTACT: JASON COOK 4198 COX ROAD, SUITE 114 GLEN ALLEN, VA 23060 804.270.9357 OFFICE 303.709.3306 CELL

KLEINFELDER EAST, INC. CONTACT: JAMES M. BEIDEMAN 180 SHEREE BLVD, SUITE 3800 EXTON, PA 19341 610.594.1444 OFFICE 610.594.2743 FAX CONTACT: JOHN KAWCAK ENGINEER 817.368.1553


CONTACT: AARON KUNZLER CONSTRUCTION SUPERVISOR 405.227.8344

ENGINEER OF RECORD

KLEINFELDER EAST, INC.
CONTACT: JEFFERY B. CRISP, PE
WY PE #20354
3500 GATEWAY CENTRE BLVD, SUITE 200
MORRISVILLE, NC 27560
919.755.5011 OFFICE
919.755.1414 FAX

TOPO SURVEYOR

BLUE MOUNTAIN AERIAL MAPPING CONTACT: CRAIG FRY 11023 MASON DIXON HIGHWAY BURTON, WV 26562 304.662.2626 OFFICE 304.815.4890 CELL



NORTH MERIDIAN REFERENCED TO NAD83 WEST VIRGINIA STATE PLANE NORTH ZONE AFFECTED TAX PARCELS SEE SHEET 2

	SITE LOCA	TIONS		
DESCRIPTION	NAD 83 (WV NORTH)		UTM ZONE 17 (METERS)	
	LATITUDE	LONGITUDE	NORTHING	EASTING
CENTER OF WELL PAD (39.23710135	-80.87947654	4343095.4306	510401.4184
CENTER OF WATER CONTAINMENT PAD	39.23797324	-80.87732122	4343192.4394	510587.2961
STANLEY ACCESS ROAD ENTRANCE	39.23869666	-80.86901707	4343273.7250	511303.8363
JAMES WEBB ACCESS ROAD ENTRANCE	39.23622000	-80.86847100	4342998.9441	511351.3615

FLOODPLAIN	CONDITIONS	
DO SITE CONSTRUCTION ACTIVITIES TAKE PLACE IN FLOODPLAIN:		NO
PERMIT NEEDED FROM COUNTY FLOODPLAIN COORDINATOR:		NO
HEC-RAS STUDY COMPLETED:		N/A
FLOODPLAIN SHOWN ON DRAWINGS:		N/A
FIRM MAP NUMBER(S) FOR SITE:	54017C0250C & 54085C0225C	
ACREAGES OF CONSTRUCTION IN FLO		N/A

_ 1 . 1	_	LENCTH /	
E PLACE IN FLOODPLAIN	NO	LENGTH (FEET)	
PLAIN COORDINATOR:	NO	DESCRIPTION	FEET
	N/A	ACCESS ROAD 1	6,490
	N/A	ACCESS ROAD 2	368
54017C0250C & 54085	C0225C		
OPLAIN:	N/A	TOTAL	6,858

ACCESS ROAD


Americants below. Cell leaders you dig. MISS UTILITY OF WEST VIRGINIA 1-80-245-484 WEST VIRGINIA STATE LAW RECURRES THAT YOU CALL TWO DUSINESS DAYS BEFORE YOU DIG IN THE STATE OF WEST VIRGINIA. IT'S THE LAWII

DESIGN CERTIFICATION

THE DRAWINGS, CONSTRUCTION NOTES, AND REFERENCE DIAGRAMS ATTACHED HERETO HAVE BEEN PREPARED IN ACCORDANCE WITH THE WEST VIRGINIA CODE OF STATE RULES, DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS §35-8.

MM-109 PERMIT

ANTERO RESOURCES WILL OBTAIN AN ENCROACHMENT PERMIT (MM-109) FROM THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION, DIVISION OF HIGHWAYS, PRIOR TO THE COMMENCEMENT OF CONSTRUCTION ACTIVITIES.



PLAN REPRODUCTION WA

THE PLANS HAVE BEEN CREATED ON ANSI D (221) REDUCTIONS, REFER TO GRAPHIC SCALE

THE PLANS HAVE SEEN CREATED FOR FULL COLOR OF THE PLANS THAT IS NOT PLOTTED IN FULL COLO CONSIDERED ADEQUATE FOR CONSTRUCTION PUR

"MARNING 7/03/20415T IN COPYL



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110
Earl Ray Tomblin
Governor

Charleston, West Virginia 25305-0430 • (304) 558-3505

Paul A. Mattox, Jr., P. E. Secretary of Transportation/ Commissioner of Highways

December 16, 2014

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Stanley Webb Pad, Doddridge County
Hattie Unit 3H Well site

Dear Mr. Martin,

This well site will be accessed from a DOH permit 06-2012-1097 issued to Antero Resources Corporation for access to the State Road for a well site located off of Doddridge County Route 21/1 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Day K Clayton

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Ashlie Steele

Antero Resources Corporation

CH, OM, D-4

File

Received
Office of Oil & Gas

APR 24 2015

List of Anticipated Additives Used for Fracturing or Stimulating Well

Additives	Chemical Abstract Service Number (CAS #)	
Fresh Water	7732-18-5	
2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1	
Ammonium Persulfate	7727-54-0	
Anionic copolymer	proprietary	
Anionic polymer	proprietary	
BTEX Free Hydrotreated Heavy Naphtha	64742-48-9	
Cellulase enzyme	(Proprietary)	
Demulsifier Base	(Proprietary)	
Ethoxylated alcohol blend	Mixture	
Ethoxylated Nonylphenol	68412-54-4	
Ethoxylated oleylamine	26635-93-8	
Ethylene Glycol	107-21-1	
Glycol Ethers	111-76-2	
guar gum	9000-30-0	
Hydrogen Chloride	7647-01-0	
Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8	
Isopropyl alcohol	67-63-0	
liquid, 2,2-dibromo-3-nitrilopropionamide	10222-01-2	
Microparticle	proprietary	
Petroleum Distillates (BTEX Below Detect)	64742-47-8	
Polyacrylamide	57-55-6	
Propargyl Alcohol	107-19-7	
Propylene Glycol	57-55-6	
Quartz	14808-60-7	
Sillica, crystalline quartz	7631-86-9	
Sodium Chloride	7647-14-5	
Sodium Hydroxide	1310-73-2	
Sugar	57-50-1	
Surfactant	68439-51-0	
Suspending agent (solid)	14808-60-7	
Tar bases, quinoline derivs, benzyl chloride-quaternized	72480-70-7	

Received
Office of Oil & Gas
APR 2 4 2015