



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
fax: (304) 926-0452

Austin Caperton, Cabinet Secretary
www.dep.wv.gov

Thursday, April 9, 2020
PERMIT MODIFICATION APPROVAL
Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION
1615 WYNKOOP STREET
DENVER, CO 80202

Re: Permit Modification Approval for RUSSELL UNIT 1H
47-017-06900-00-00

Extend Lateral Length & Point of Entry. Extend Lateral Length 3643 to 10343'. Extend Measured Depth 11900' to 19250'. Updated Leases.

ANTERO RESOURCES CORPORATION

The Office of Oil and Gas has reviewed the attached permit modification for the above referenced permit. The attached modification has been approved and well work may begin. Please be reminded that the oil and gas inspector is to be notified twenty-four (24) hours before permitted well work is commenced.

If there are any questions, please feel free to contact me at (304) 926- 0450.

James A. Martin
Chief

Operator's Well Number: RUSSELL UNIT 1H
Farm Name: SAMUEL AND PEGGY SMITH
U.S. WELL NUMBER: 47-017-06900-00-00
Horizontal 6A New Drill
Date Modification Issued: 04/09/2020

Promoting a healthy environment.

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Resources Corpora 494507062 017 - Doddg West Upj Smithburg 7.5'
Operator ID County District Quadrangle

2) Operator's Well Number: Russell Unit 1H Well Pad Name: Peggy June Pad

3) Farm Name/Surface Owner: Samuel and Peggy Smith Public Road Access: Smithton Rd (Old US-50)

4) Elevation, current ground: 1275' Elevation, proposed post-construction: _____

5) Well Type (a) Gas X Oil _____ Underground Storage _____

Other _____

(b)If Gas Shallow X Deep _____

Horizontal X _____

6) Existing Pad: Yes or No Yes _____

7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Expected Pressure(s):

Marcellus Shale: 7400' TVD, Anticipated Thickness- 55 feet, Associated Pressure- 2950#

RECEIVED
Office of Oil and Gas

8) Proposed Total Vertical Depth: 7400' TVD

MAR 27 2020

9) Formation at Total Vertical Depth: Marcellus

10) Proposed Total Measured Depth: 19250' MD ✓

WV Department of
Environmental Protection

11) Proposed Horizontal Leg Length: 10434' ✓

12) Approximate Fresh Water Strata Depths: 145', 215', 320' ✓

13) Method to Determine Fresh Water Depths: 4701704853, 4701705606, 4701701318 ✓

14) Approximate Saltwater Depths: 1603' ✓

15) Approximate Coal Seam Depths: 1601' ✓

16) Approximate Depth to Possible Void (coal mine, karst, other): None Anticipated

17) Does Proposed well location contain coal seams directly overlying or adjacent to an active mine? Yes _____ No X

(a) If Yes, provide Mine Info: Name: _____

Depth: _____

Seam: _____

Owner: _____

WW-6B
(04/15)

API NO. 47- 017 - 06900
OPERATOR WELL NO. Russell Unit 1H
Well Pad Name: Peggy June Pad

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	80	80 ✓	CTS, 77 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/48#	370 *see #19	370 *see #19 ✓	CTS, 514 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500	2500 ✓	CTS, 1018 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	20#	19250	19250 ✓	4886 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#			
Liners							

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	30"	24"	0.438"	1530	50	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	1000	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12,630	2500	Large-H/POZ & Tall - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

RECEIVED
Office of Oil and Gas

MAR 27 2020

WV Department of
Environmental Protection

PACKERS

Kind:	N/A			
Sizes:	N/A			
Depths Set:	N/A			

WW-6B
(10/14)

API NO. 47- 017 - 06900
OPERATOR WELL NO. Russell Unit 1H
Well Pad Name: Peggy June Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs
Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 40.52 Acres

22) Area to be disturbed for well pad only, less access road (acres): 8.89 Acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers
Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.
Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.
Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.
Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake
Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat
Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51
Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

RECEIVED
Office of Oil and Gas
MAR 27 2020
WV Department of
Environmental Protection

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.
Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.
Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.
Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.


*Note: Attach additional sheets as needed.

Daniel A. Flack

Digitally signed by Daniel A. Flack
Date: 2020.03.24 13:08:08 -04'00'

RUSSELL UNIT 1H (PEGGY JUNE PAD)- AREA OF REVIEW 35-8-5.11

PERMIT MODIFICATION API # 47-017-06900



RECEIVED
 Office of Oil and Gas
 MAR 24 2020
 WV Department of
 Environmental Protection



Antero Resources Corporation

Russell Unit 1H - AOR



WELL SYMBOLS
 Gas Well



October 14, 2019

UWI (APINum)	Well Name	Well Number	Operator	Hist Oper	TD	Perforated interval (shallowest, deepest)	Perforated Formation(s)	Producible Formation(s) not perf'd
47017053950000	TATE	4	ENERGY PROD INC	ENERGY PROD INC	5148	N/A	Gordon, Alexander	Warren, Speechley Balltown, Riley, Benson, U. Dev
47017042010000	MAXWELL LEWIS III ET AL	13	ENERGY CORP OF AMER	EASTERN AMERICAN ENE	5392	2606-5273	Gordon, Riley, Benson, Alexander	3rd Salt Sand, Big Injun, Big Injun, Warren, Speechley, Balltown, U. Dev,
47017053710000	DAVIS LLOYD W	8586	ALLIANCE PETR CORP	DOMINION EXPL&PROD	5397	1908 - 5204	Gordon, Riley, Alexander	3rd Salt Sand, Big Injun, Warren, Speechley Balltown, Benson, U. Dev
47017046950000	BARNES	3	KEY OIL COMPANY	KEY OIL COMPANY	5275	3118-5109	Warren, Speechley, Riley, U. Dev, Alexander	3rd Salt Sand, Big Injun, Gordon, Balltown, Riley, Benson
47017047480000	ROBINSON	1	KEY OIL COMPANY	KEY OIL COMPANY	5218	3199-5161	Warren, Speechley, Riley, Benson, Alexander	3rd Salt Sand, Big Injun, Gordon, Balltown, U. Dev,

RECEIVED
 Office of Oil and Gas
MAR 24 2020
 WV Department of
 Environmental Protection

LATITUDE 39°20'00"

10,799'

LATITUDE 39°17'30" 7,879' TO BOTTOM HOLE

Antero Resources Corporation Well No. Russell Unit 1H

NOTES: WELL 1H TOP HOLE INFORMATION: N: 294,997ft E: 1,647,273ft LAT: 39°18'11.60" LON: 80°44'47.38" BOTTOM HOLE INFORMATION: N: 284,898ft E: 1,650,057ft LAT: 39°16'32.17" LON: 80°44'10.19" WEST VIRGINIA COORDINATE SYSTEM OF 1927 NORTH ZONE. ZONE WAS DERIVED FROM MEASUREMENTS TAKEN WITH TRIMBLE GEOXT SUBMETER MAPPING GRADE GPS UNIT. PLAT ORIENTATION, CORNER, AND WELL REFERENCE TIE LINES ARE BASED ON GRID NORTH.

(NAD) 83 (UTM) ZONE 17 COORDS: WELL 1H TOP HOLE INFORMATION: N: 4,350,466m E: 521,873m BOTTOM HOLE INFORMATION: N: 4,347,404m E: 522,772m

PAD LAYOUT NOT TO SCALE



NO WATER WELL WERE LOCATED WITHIN 2000' OF CENTER OF PAD




Table listing well numbers and owners. Includes names like David Spaniole, Michael O'Brien, John Smith, George Wyckoff, Spencer Enterp, LLC, Douglas Landers, Carol Moyle, Shirley Shultz, Michael Barnes, Martha Jackson, Matthew Kimball, Donovan Campsten, Donavan Campsten, W.V. Dept. of Highways, Ronald Spencer, W.V. Dept. of Highways, Jeremy Sutton, W.V. Railroad Maint. Auth., William Katsky, Warren Bee, Arthur Calhoun, Larry Gonzalez, Warren Bee, Doddridge Co. Board of Ed., W.V. Dept. of Highways, W.V. Dept. of Highways, Doddridge Co. Board of Ed., Town of West Union, Dale Keplinger, Rocky Moyle, John Smith, Marie Grassaway, Doddridge Co. Park & Rec., Lorena Slater, I. L. Morris, William Katsky, and Doddridge Co. Court.

5,851' TO BOTTOM HOLE

10,967'

LONGITUDE 80°42'30"


LONGITUDE 80°42'30"

I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE RULES ISSUED AND PERSCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.



STATE OF WEST VIRGINIA, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

WILLOW LAND SURVEYING PLLC 220 MASONIC AVE. PENNSBORO WEST VIRGINIA 26415



JOB # 19-030WA DRAWING # RUSSELL1HMOD SCALE 1" = 2000' MINIMUM DEGREE OF ACCURACY SUBMETER PROVEN SOURCE OF ELEV. SUBMETER MAPPING GRADE GPS

LEGEND: Surface Owner Boundary Lines +/-, Interior Surface Tracts +/-, Existing Fence, Found monument, as noted

(NAD) 27 (UTM) ZONE 17 COORDS: WELL 1H TOP HOLE INFORMATION: N: 14,272,440ft E: 1,712,130ft POINT OF ENTRY INFORMATION: N: 14,272,274ft E: 1,711,743ft BOTTOM HOLE INFORMATION: N: 14,262,392ft E: 1,715,081ft



NO OCCUPIED DWELLINGS OR BUILDINGS TWO THOUSAND FIVE HUNDRED (2,500) SQUARE FEET OR LARGER USED TO HOUSE OR SHELTER DAIRY CATTLE OR POULTRY HUSBANDRY ARE LOCATED WITHIN SIX HUNDRED TWENTY-FIVE (625) FEET OF THE CENTER OF THE WELL PAD.

Form containing well details: WELL TYPE: OIL GAS X LIQUID INJECTION WASTE DISPOSAL 47 017 06900 MOD 1; (IF "GAS") PRODUCTION X STORAGE DEEP SHALLOW X STATE COUNTY PERMIT; LOCATION: ELEVATION 1,276' - AS BUILT WATERSHED HEADWATERS MIDDLE ISLAND CREEK; QUADRANGLE SMITHBURG 7.5 DISTRICT WEST UNION COUNTY DODDRIDGE; SURFACE OWNER SAMUEL AND PEGGY SMITH ACREAGE 28.956 ACRES +/-; OIL & GAS ROYALTY OWNER ELAINE DEBOLT; CAROLYN ROBISON ET AL; R.L. BARNES ET UX; AMERICAN ENERGY-MARCELLUS MINERALS, LLC LEASE ACREAGE 84.8 AC +/- 28 AC +/- 222 AC +/-; C. M. TATE ET UX; THOMAS L. BARNES ET UX; WVDNR; WVSRA; EOT PRODUCTION COMPANY; 102 AC +/- 9 AC +/- 54.48 AC +/- 301.19 AC +/- 75 AC +/-; ALTON J. CHILDERS ET AL; PATHFINDER RESOURCES, LLC; MARY N. KISSINGER; W.L. DAVIS ET UX 99 AC +/- 138.58 AC +/- 61.58 AC +/- 285 AC +/-; PROPOSED WORK: DRILL CONVERT DRILL DEEPER X REDRILL FRACTURE OR STIMULATE X; PLUG OFF OLD FORMATION PERFORATE NEW FORMATION X OTHER PHYSICAL CHANGE IN WELL; (SPECIFY) MOD-BHL PLUG & ABANDON CLEAN OUT & REPLUG; TARGET FORMATION MARCELLUS ESTIMATED DEPTH 7,400' TVD 19,250' MD; WELL OPERATOR ANTERO RESOURCES CORP. DESIGNATED AGENT DIANNA STAMPER - CT CORPORATION SYSTEM; ADDRESS 1615 WYNKOOP ST. ADDRESS 5400 D BIG TYLER ROAD; DENVER, CO 80202 CHARLESTON, WV 25313

LATITUDE 39°20'00"

10,799'

LATITUDE 39°17'30" 7,879' TO BOTTOM HOLE

Antero Resources Corporation Well No. Russell Unit 1H

NOTES: WELL 1H TOP HOLE INFORMATION: N: 294,997ft E: 1,647,273ft LAT: 39°18'11.60" LON: 80°44'47.38" BOTTOM HOLE INFORMATION: N: 284,898ft E: 1,650,057ft LAT: 39°16'32.17" LON: 80°44'10.19" WEST VIRGINIA COORDINATE SYSTEM OF 1927 NORTH ZONE. ZONE WAS DERIVED FROM MEASUREMENTS TAKEN WITH TRIMBLE GEOXT SUBMETER MAPPING GRADE GPS UNIT. PLAT ORIENTATION, CORNER, AND WELL REFERENCE TIE LINES ARE BASED ON GRID NORTH.

(NAD) 83 (UTM) ZONE 17 COORDS: WELL 1H TOP HOLE INFORMATION: N: 4,350,466m E: 521,873m BOTTOM HOLE INFORMATION: N: 4,347,404m E: 522,772m

PAD LAYOUT NOT TO SCALE



NO WATER WELL WERE LOCATED WITHIN 2000' OF CENTER OF PAD



Table listing well numbers and owners. Owners include David Sponagle, Michael O'Brien, John Smith, Janice Brooks, George Wyckoff, Douglas Lenders, Carol Moyle, Shirley Shultz, Michael Barnes, Martha Jackson, Matthew Kimball, Danavan Cumpsten, W.V. Dept. of Highways, Ronald Spencer, W.V. Dept. of Highways, Jeremy Surten, W.V. Railroad Maint. Auth., William Kately, Warren Bee, Arthur Calhoun, Larry Gonzalez, Warren Bee, Doddridge Co. Board of Ed., Town of West Union, Dale Keplinger, Dale Keplinger, Rocky Moyle, John Smith, Marie Gasaway, Doddridge Co. Park & Rec., Loren Slater, I. L. Morris, William Kately, and Doddridge Co. Court.

5,851' TO BOTTOM HOLE

10,967'


LONGITUDE 80°42'30"

I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE RULES ISSUED AND PERSCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.



STATE OF WEST VIRGINIA, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

WILLOW LAND SURVEYING PLLC 220 MASONIC AVE. PENNSBORO WEST VIRGINIA 26415



JOB # 19-030WA DRAWING # RUSSELL1HMOD SCALE 1" = 2000' MINIMUM DEGREE OF ACCURACY SUBMETER PROVEN SOURCE OF ELEV. SUBMETER MAPPING GRADE GPS

LEGEND: Surface Owner Boundary Lines +/- Interior Surface Tracts +/- Existing Fence Found monument, as noted. THOMAS SUMMERS P.S. 2109

(NAD) 27 (UTM) ZONE 17 COORDS: WELL 1H TOP HOLE INFORMATION: N: 14,272,440ft E: 1,712,130ft POINT OF ENTRY INFORMATION: N: 14,272,274ft E: 1,711,743ft BOTTOM HOLE INFORMATION: N: 14,262,392ft E: 1,715,081ft

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVISION OF OIL AND GAS

DATE 03/19/20 OPERATOR'S WELL# RUSSELL UNIT #1H



NOTE: NO OCCUPIED DWELLINGS OR BUILDINGS TWO THOUSAND FIVE HUNDRED (2,500) SQUARE FEET OR LARGER USED TO HOUSE OR SHELTER DAIRY CATTLE OR POULTRY HUSBANDRY ARE LOCATED WITHIN SIX HUNDRED TWENTY-FIVE (625) FEET OF THE CENTER OF THE WELL PAD.

WELL TYPE: OIL GAS X LIQUID INJECTION WASTE DISPOSAL 47 017 08900 Mod I (IF "GAS") PRODUCTION X STORAGE DEEP SHALLOW X STATE COUNTY PERMIT LOCATION: ELEVATION 1,276' - AS BUILT WATERSHED HEADWATERS MIDDLE ISLAND CREEK QUADRANGLE SMITHBURG 7.5' DISTRICT WEST UNION COUNTY DODDRIDGE SURFACE OWNER SAMUEL AND PEGGY SMITH ACREAGE 28.956 ACRES +/- OIL & GAS ROYALTY OWNER ELAINE DEBOLT; CAROLYN ROBISON ET AL.; R.L. BARNES ET UX; AMERICAN ENERGY-MARCELLUS MINERALS, LLC LEASE ACREAGE 84.8 AC +/- 26 AC +/- 222 AC +/- C. M. TATE ET UX; THOMAS L. BARNES ET UX; WVDNR; WVSRA; FOT PRODUCTION COMPANY; 102 AC +/- 9 AC +/- 51.48 AC +/- 301.19 AC +/- 75 AC +/- ALTON J. CHILDERS ET AL.; PATHFINDER RESOURCES, LLC; MARY N. KISSINGER; W.L. DAVIS ET UX 89 AC +/- 126.58 AC +/- 61.58 AC +/- 265 AC +/- PROPOSED WORK: DRILL CONVERT DRILL DEEPER X REDRILL FRACTURE OR STIMULATE X PLUG OFF OLD FORMATION PERFORATE NEW FORMATION X OTHER PHYSICAL CHANGE IN WELL (SPECIFY) MOD-BHL PLUG & ABANDON CLEAN OUT & REPLUG TARGET FORMATION MARCELLUS ESTIMATED DEPTH 7,400' TVD 19,250' MD WELL OPERATOR ANTERO RESOURCES CORP. DESIGNATED AGENT DIANNA STAMPER - CT CORPORATION SYSTEM ADDRESS 1615 WYNKOOP ST. ADDRESS 5400 D BIG TYLER ROAD DENVER, CO 80202 CHARLESTON, WV 25313

WW-6A1
(5/13)

Operator's Well No. Russell Unit 1H

RECEIVED
Office of Oil and Gas

**INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)**

MAR 24 2020

WV Department of
Environmental Protection

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
<u>W.L. Davis et al Lease</u>	W.L. Davis et al	The Fisher Oil Company	1/8	0014/0304
	The Fisher Oil Company	The Carter Oil Company	Assignment	0022/0126
	The Carter Oil Company	Hope Natural Gas Company	Assignment	0026/0196
	Hope Natural Gas Company	Consolidated Gas Supply Corporation	Conveyance	0143/0345
	Consolidated Gas Supply Corporation	CNG Gas Transmission Corporation	Name Change	0328/0398
	CNG Gas Transmission Corporation	Dominion Transmission Inc.	Name Change	0332/0570
	Dominion Transmission Inc.	Consol Energy Holdings LLC	Assignment	0245/0001
	Consol Energy Holdings LLC	CNX Gas Company LLC	Merger	0293/0252
	CNX Gas Company LLC	Antero Resources Corporation	Assignment	0387/0216

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

**Acknowledgement of Possible Permitting/Approval
In Addition to the Office of Oil and Gas**

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Antero Resources Corporation
 By: Tim Rady
 Its: Vice President - Land

Operator's Well Number Russell Unit 1H

**INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)**

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
<u>Elaine Debolt Lease</u>			
Elaine Debolt	Antero Resources Corporation	1/8+	433/306
<u>Carolyn Robinson Lease</u>			
Carolyn Robinson	Key Oil Company	1/8	195/272
Key Oil Company	Antero Resources Appalachian Corporation	Assignment	256/285
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
<u>American Energy Marcellus Minerals LLC Lease</u>			
American Energy Marcellus Minerals LLC	Antero Resources Corporation	1/8+	0410/0514
<u>R. L. Barnes, et ux Lease</u>			
R.L. Barnes, et ux	South Penn Oil Company	1/8	19/71
South Penn Oil Company	Hope Natural Gas Company	Assignment	23/424
Hope Natural Gas Company	Consolidated Gas Supply Corporation	Assignment	143/345
Consolidated Gas Supply Corporation	Consolidated Gas Transmission Corporation	Assignment	135/583
Consolidated Gas Transmission Corporation	CNG Transmission Corporation	Name Change	332/563
CNG Transmission Corporation	Dominion Transmission Inc	Name Change	332/570
Dominion Transmission Inc	Consol Energy Holding LLC XVI	Assignment	245/1
Consol Energy Holding LLC XVI	Consol Gas Company	Merged	292/469
Consol Gas Company	CNX Gas Company LLC	Merged	293/252
CNX Gas Company LLC	Antero Resources Corporation	Assignment	317/379
<u>C. M Tate, et ux Lease</u>			
C. M Tate, et ux	South Penn Oil Company	1/8	19/71
South Penn Oil Company	Hope Natural Gas Company	Assignment	23/424
Hope Natural Gas Company	Consolidated Gas Supply Corporation	Assignment	143/345
Consolidated Gas Supply Corporation	Consolidated Gas Transmission Corporation	Assignment	135/583
Consolidated Gas Transmission Corporation	CNG Transmission Corporation	Name Change	332/563
CNG Transmission Corporation	Dominion Transmission Inc	Name Change	332/570
Dominion Transmission Inc	Consol Energy Holding LLC XVI	Assignment	245/1
Consol Energy Holding LLC XVI	Consol Gas Company	Merged	292/469
Consol Gas Company	CNX Gas Company LLC	Merged	293/252
CNX Gas Company LLC	Antero Resources Corporation	Assignment	317/379
<u>Thomas L. Barnes et ux Lease</u>			
Thomas L. Barnes et ux	Key Oil Company	1/8	0192/0012
Key Oil Company	Antero Resources Appalachian Corporation	Assignment	0276/0526
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1

*Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

MAR 24 2020

WV Department of
Environmental Protection

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
WVDNR Lease			
WVDNR	Antero Resources Appalachian Corporation	1/8+	0253/0409
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
EQT Production Company Lease			
EQT Production Company	Antero Resources Corporation	1/8+	0371/0288
WVDNR Lease			
WVDNR	Antero Resources Appalachian Corporation	1/8+	0253/0409
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	Exhibit 1
Alton J. Childers Lease			
Alton J. Childers	George Jackson	1/8	0094/0030
George Jackson	David C. Nichols II	Will	0023/0375
David C. Nichols II	Antero Resources Appalachian Corporation	Partial Assignment	0285/0565
Antero Resources Appalachian Corporation	Antero Resources Corporation	Name Change	0046/0523
Pathfinder Resources LLC Lease			
Pathfinder Resources LLC	Antero Resources Corporation	1/8+	0483/0188
Mary N. Kissinger Lease			
Mary N. Kissinger	Antero Resources Corporation	1/8+	0471/0322

WW-6B
(04/15)

API NO. 47-017 - 06900

OPERATOR WELL NO. Russell Unit 1H

Well Pad Name: Peggy June Pad

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
WELL WORK PERMIT APPLICATION

1) Well Operator: Antero Resources Corporation 494507062 017 - Doddri West Uni Smithburg 7.5'
Operator ID County District Quadrangle

2) Operator's Well Number: Russell Unit 1H Well Pad Name: Peggy June Pad

3) Farm Name/Surface Owner: Samuel and Peggy Smith Public Road Access: Smithton Rd (Old US-50)

4) Elevation, current ground: 1275' Elevation, proposed post-construction: _____

5) Well Type (a) Gas Oil _____ Underground Storage _____
Other _____

(b) If Gas Shallow Deep _____
Horizontal

6) Existing Pad: Yes or No Yes

7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Expected Pressure(s):
Marcellus Shale: 7400' TVD, Anticipated Thickness- 55 feet, Associated Pressure- 2950#

8) Proposed Total Vertical Depth: 7400' TVD

9) Formation at Total Vertical Depth: Marcellus

10) Proposed Total Measured Depth: 19250' MD

11) Proposed Horizontal Leg Length: 10434'

12) Approximate Fresh Water Strata Depths: 145', 215', 320'

13) Method to Determine Fresh Water Depths: 47017048530000, 47017056060000, 47017013180000

14) Approximate Saltwater Depths: 1603'

15) Approximate Coal Seam Depths: 1601'

16) Approximate Depth to Possible Void (coal mine, karst, other): None Anticipated

17) Does Proposed well location contain coal seams directly overlying or adjacent to an active mine? Yes _____ No

(a) If Yes, provide Mine Info: Name: _____
Depth: _____
Seam: _____
Owner: _____

RECEIVED
Office of Oil and Gas
MAR 24 2020
WV Department of
Environmental Protection

WW-6B
(04/15)

API NO. 47- 017 - 06900
OPERATOR WELL NO. Russell Unit 1H
Well Pad Name: Peggy June Pad

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	H-40	94#	80	80	CTS, 77 Cu. Ft.
Fresh Water	13-3/8"	New	J-55/H-40	54.5#/48#	370 *see #19	370 *see #19	CTS, 514 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	2500	2500	CTS, 1018 Cu. Ft.
Intermediate							
Production	5-1/2"	New	P-110	20#	19250	19250	4886 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#			
Liners							

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	30"	24"	0.438"	1530	50	Class A	1.18
Fresh Water	13-3/8"	17-1/2"	0.38"/0.33"	2730/1730	1000	Class A	1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	1.18
Intermediate							
Production	5-1/2"	8-3/4" & 8-1/2"	0.361"	12,630	2500	Lead-H/POZ & Tail - H	H/POZ-1.44 & H-1.8
Tubing	2-3/8"	4.778"	0.19"	11,200			
Liners							

PACKERS

Kind:	N/A			
Sizes:	N/A			
Depths Set:	N/A			

VOID

RECEIVED
Office of Oil and Gas

MAR 24 2020

WV Department of
Environmental Protection

WW-6B
(10/14)

API NO. 47- 017 - 06900
OPERATOR WELL NO. Russell Unit 1H
Well Pad Name: Peggy June Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs
Anticipated Max Rate - 80 bpm

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 40.52 Acres

22) Area to be disturbed for well pad only, less access road (acres): 8.89 Acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers
Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.
Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface.
Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

RECEIVED
Office of Oil and Gas

24) Describe all cement additives associated with each cement type:

MAR 24 2020

Conductor: no additives, Class A cement.
Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake
Intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat
Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51
Production: Tail cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

WV Department of
Environmental Protection

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.
Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.
Intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls fresh water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.
Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

RECEIVED
Office of Oil and Gas
MAR 24 2020
WV Department of
Environmental Protection

*Note: Attach additional sheets as needed.

LATITUDE 39°20'00"

10,799'

LATITUDE 39°17'30" 7,879' TO BOTTOM HOLE

Antero Resources Corporation Well No. Russell Unit 1H


NOTES:

WELL 1H TOP HOLE INFORMATION: N: 294,997ft E: 1,647,273ft LAT: 39°18'11.60" LON: 80°44'47.38" BOTTOM HOLE INFORMATION: N: 284,898ft E: 1,650,057ft LAT: 39°16'32.17" LON: 80°44'10.19" WEST VIRGINIA COORDINATE SYSTEM OF 1927 NORTH ZONE. ZONE WAS DERIVED FROM MEASUREMENTS TAKEN WITH TRIMBLE GEOXT SUBMETER MAPPING GRADE GPS UNIT. PLAT ORIENTATION, CORNER, AND WELL REFERENCE TIE LINES ARE BASED ON GRID NORTH.

(NAD) 83 (UTM) ZONE 17 COORDS: WELL 1H TOP HOLE INFORMATION: N: 4,350,466m E: 521,873m BOTTOM HOLE INFORMATION: N: 4,347,404m E: 522,772m

PAD LAYOUT

NOT TO SCALE



NO WATER WELL WERE LOCATED WITHIN 2000' OF CENTER OF PAD




Table listing landowners and lease information for the area, including names like David Sponagle, Michael O'Brien, John Smith, etc.

5,851' TO BOTTOM HOLE

10,967'


LONGITUDE 80°42'30"

I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE RULES ISSUED AND PERSCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.



STATE OF WEST VIRGINIA, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

WILLOW LAND SURVEYING PLLC 220 MASONIC AVE. PENNSBORO WEST VIRGINIA 26415




VOID

JOB # 19-030WA DRAWING # RUSSELL1HMOD SCALE 1" = 2000' MINIMUM DEGREE OF ACCURACY SUBMETER PROVEN SOURCE OF ELEV. SUBMETER MAPPING GRADE GPS

LEGEND: Surface Owner Boundary Lines +/-, Interior Surface Tracts +/-, Existing Fence, Found monument, as noted

(NAD) 27 (UTM) ZONE 17 COORDS: WELL 1H TOP HOLE INFORMATION: N: 14,272,440ft E: 1,712,130ft POINT OF ENTRY INFORMATION: N: 14,272,274ft E: 1,711,743ft BOTTOM HOLE INFORMATION: N: 14,262,392ft E: 1,715,081ft



NOTE: NO OCCUPIED DWELLINGS OR BUILDINGS TWO THOUSAND FIVE HUNDRED (2,500) SQUARE FEET OR LARGER USED TO HOUSE OR SHELTER DAIRY CATTLE OR POULTRY HUSBANDRY ARE LOCATED WITHIN SIX HUNDRED TWENTY-FIVE (625) FEET OF THE CENTER OF THE WELL PAD.

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVISION OF OIL AND GAS

DATE 03/19/20 OPERATOR'S WELL# RUSSELL UNIT #1H

Form containing well type, production, location, surface owner, oil & gas royalty owner, proposed work, target formation, well operator, and address information.

LATITUDE 39°20'00"

10,799'


LATITUDE 39°17'30" 7,879' TO BOTTOM HOLE

Antero Resources Corporation Well No. Russell Unit 1H

NOTES: WELL 1H TOP HOLE INFORMATION: N: 294,997ft E: 1,647,273ft LAT: 39°18'11.60" LON: 80°44'47.36" BOTTOM HOLE INFORMATION: N: 284,898ft E: 1,650,057ft LAT: 39°16'32.17" LON: 80°44'10.19" WEST VIRGINIA COORDINATE SYSTEM OF 1927 NORTH ZONE. ZONE WAS DERIVED FROM MEASUREMENTS TAKEN WITH TRIMBLE GEOXT SUBMETER MAPPING GRADE GPS UNIT. PLAT ORIENTATION, CORNER, AND WELL REFERENCE TIE LINES ARE BASED ON GRID NORTH.

(NAD) 83 (UTM) ZONE 17 COORDS: WELL 1H TOP HOLE INFORMATION: N: 4,350,466m E: 521,873m BOTTOM HOLE INFORMATION: N: 4,347,404m E: 522,772m

PAD LAYOUT NOT TO SCALE



NO WATER WELL WERE LOCATED WITHIN 2000' OF CENTER OF PAD




Table listing landowners and lease information for the West Union District - Doddridge County. Includes well numbers (e.g., 08-49, 08-50, 12-08) and owner names (e.g., David Sponagle, Michael O'Brien, John Smith).

5,851' TO BOTTOM HOLE LONGITUDE 80°42'30"


10,967' LONGITUDE 80°42'30"

I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE RULES ISSUED AND PERSCRIBED BY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION.



STATE OF WEST VIRGINIA, DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

WILLOW LAND SURVEYING PLLC 220 MASONIC AVE. PENNSBORO WEST VIRGINIA 26415



VOID

JOB # 19-030WA DRAWING # RUSSELL1HMOD SCALE 1" = 2000' MINIMUM DEGREE OF ACCURACY SUBMETER PROVEN SOURCE OF ELEV. SUBMETER MAPPING GRADE GPS STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVISION OF OIL AND GAS

LEGEND: Surface Owner Boundary Lines +/-, Interior Surface Tracts +/-, Existing Fence, Found monument, as noted. THOMAS SUMMERS P.S. 2109 DATE 03/19/20 OPERATOR'S WELL# RUSSELL UNIT #1H

(NAD) 27 (UTM) ZONE 17 COORDS: WELL 1H TOP HOLE INFORMATION: N: 14,272,440ft E: 1,712,130ft POINT OF ENTRY INFORMATION: N: 14,272,274ft E: 1,711,743ft BOTTOM HOLE INFORMATION: N: 14,262,392ft E: 1,715,081ft REFERENCES: STAKE/ NAIL, SET 1" = 300' STAKE/ NAIL, SET N 60°04' E 200.1' WELL NO. 1H GRID NORTH

NOTE: NO OCCUPIED DWELLINGS OR BUILDINGS TWO THOUSAND FIVE HUNDRED (2,500) SQUARE FEET OR LARGER USED TO HOUSE OR SHELTER DAIRY CATTLE OR POULTRY HUSBANDRY ARE LOCATED WITHIN SIX HUNDRED TWENTY-FIVE (625) FEET OF THE CENTER OF THE WELL PAD.

WELL TYPE: OIL GAS X LIQUID INJECTION WASTE DISPOSAL 47 017 06900 H&D (IF "GAS") PRODUCTION X STORAGE DEEP SHALLOW X STATE COUNTY PERMIT LOCATION: ELEVATION 1,275' - AS BUILT WATERSHED HEADWATERS MIDDLE ISLAND CREEK QUADRANGLE SMITHBURG 7.5' DISTRICT WEST UNION COUNTY DODDRIDGE SURFACE OWNER SAMUEL AND PEGGY SMITH ACREAGE 28.956 ACRES +/- OIL & GAS ROYALTY OWNER ELAINE DEBOLT; CAROLYN ROBISON ET AL.; R.L. BARNES ET UX; AMERICAN ENERGY-MARCELLUS MINERALS, L.L.C. LEASE ACREAGE 84.8 AC.; 26 AC.; 222 AC.; C. M. TATE ET UX; THOMAS L. BARNES ET UX; WVDNR; WVSRA; EQT PRODUCTION COMPANY; 102 AC.; 9 AC.; 54.48 AC.; 301.19 AC.; 75 AC.; ALTON J. CHILDERS ET AL.; PATHFINDER RESOURCES, L.L.C.; MARY N. KISSINGER; W.L. DAVIS ET UX 99 AC.; 136.58 AC.; 61.58 AC.; 265 AC. PROPOSED WORK: DRILL CONVERT DRILL DEEPER X REDRILL FRACTURE OR STIMULATE X PLUG OFF OLD FORMATION PERFORATE NEW FORMATION X OTHER PHYSICAL CHANGE IN WELL (SPECIFY) MOD - BHL PLUG & ABANDON CLEAN OUT & REPLUG TARGET FORMATION MARCELLUS ESTIMATED DEPTH 7,400' TVD 19,250' MD WELL OPERATOR ANTERO RESOURCES CORP. DESIGNATED AGENT DIANNA STAMPER - CT CORPORATION SYSTEM ADDRESS 1615 WYNKOOP ST. ADDRESS 5400 D BIG TYLER ROAD DENVER, CO 80202 CHARLESTON, WV 25313