

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax; (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Thursday, July 7, 2022 WELL WORK PERMIT Horizontal 6A / New Drill

ANTERO RESOURCES CORPORATION 1615 WYNKOOP STREET

DENVER, CO 80202

Re: Permit approval for PETER 3H 47-017-06935-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: PETER 3H

Farm Name: JEFFREY D & CRAIG A HILL

U.S. WELL NUMBER: 47-017-06935-00-00

Horizontal 6A New Drill Date Issued: 7/7/2022

API Number: 47-017-01-935

## PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: 47-017-06935

## PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

API NO. 47-017 +

OPERATOR WELL NO. Peter Unit 3H
Well Pad Name: Lerri ey Pa d


# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION. OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

I) Wall Opera	tor: Antero	Resources Corpo	oral 494507062	017-Dodd	rid Grant	Smithburg 7.5
i) wen Opera	ioi.		Operator ID	County	District	Quadrangle
2) Operator's	Well Numbe	r: Peter Unit 3H	Well	Pad Name: Ler	mley Pad	
3) Farm Name	Surface Ow	ner: Phillip N. Hill	, et al Public	Road Access:	Iollow Run F	Rd
4) Elevation, c	urrent groun	d: 1304' AS BUILT	Elevation, propo	sed post-constru	ction:	
5) Well Type	(a) Gas	X Oil	1	Inderground Sto	rage	
	Other					
	(b)If Gas	Shallow X	Deep			
		Horizontal X				
6) Existing Pa					D (1)	
		ion(s), Depth(s), And VD, Anticipated Thic				
8) Proposed To	otal Vertical					
) Formation a	at Total Verti	cal Depth: Marce	ellus			
10) Proposed	Total Measur	ed Depth: 7700°	MD			
11) Proposed 1	Horizontal L	eg Length: 0' *C	open to modificat	ion at a later da	ate	
12) Approxim	ate Fresh Wa	nter Strata Depths:	225', 279, 79	90'		
13) Method to	Determine F	resh Water Depths	47-017-04998, 47-01	7-04719, Depths have	been adjusted ad	coording to surface elevation
		Depths: 1460', 16	the state of the s			
15) Approxim	ate Coal Sear	m Depths: 980'				
16) Approxim	ate Depth to	Possible Void (coa	I mine, karst, othe	r): None Antici	pated	
		cation contain coal ent to an active min		(1	No X	
(a) If Yes, pr	rovide Mine	Info: Name:				
		Depth:				
		Seam:				
		Owner:	-			
			(	RECEIVED Office of Oil & Gas		
				UN 2 3 2022		

JON 23 2022

WV Department of Environmental Protection

Page 1 of 3



WW-68 (04/15) API NO. 47- 01 7 OPERATOR WELL NO. Peter Link 3H
Well Pad Name: Lern epad

18)

#### CASING AND TUBING PROGRAM

TYPE	Size (in)	<u>New</u> or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	X60	78.67#	100'	100'	CTS, 96 Cu. Ft.
Fresh Water	13-3/8"	New	J-55	54.5#	840'	840'	CTS, 433 Cu. Ft.
Coal	9-5/8"	New	J-55	36#	3200'	3200'	CTS, 1303 Cu. Ft.
Intermediate							<u></u>
Production	5-1/2"	New	P-110HP	20#	7700'	7700'	1023 Cu. Ft
Tubing	2-3/8"	New	N-80	4.7#		7100'	
Liners			-	······································			

ТҮРЕ	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	24"	0.438"	1530	50	Class A	~1.18
Fresh Water	13-3/8"	17-1/2"	0.38"	2730	1000	Class A	~1.18
Coal	9-5/8"	12-1/4"	0.352"	3520	1500	Class A	~1.18
Intermediate			<del></del>				
Production	5-1/2"	8-3/4" & 8-1/2"	0.415"	12,630	2500	Land HOPOZ & Telt - H	H/POZ~1.44 & H~1.8
Tubing	2-3/8"	4.778"	0.19"	11,200		· · · · · · · · · · · · · · · · · · ·	
Liners							

### **PACKERS**

Kind:	N/A		
	N/A		
Depths Set:	N/A		_

RECEIVED
Office of Oil & Gas

JUN 23 2022

WV Department of Environmental Protection

Page 2 of 3

57107/08/2022 6-ko-ZZ WW-6B (10/14) API NO. 47- 817

OPERATOR WELL NO. Peter Unit 3H
Well Pad Name; Lemiey Pad

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill, perforate, fracture a new horizontal shallow well and complete Marcellus Shale.

\*Antero will be air drilling the fresh water string which makes it difficult to determine when fresh water is encountered. Therefore, we have built in a buffer for the casing setting depth which helps to ensure that all fresh water zones are covered.

20) Describe fracturing stimulating methods in detail, including anticipated max pressure and max rate:

Antero plans to pump Slickwater into the Marcellus Shale formation in order to ready the well for production. The fluid will be comprised of approximately 99 percent water and sand, with less than 1 percent special-purpose additives as shown in the attached "List of Anticipated Additives Used for Fracturing or Stimulating Well."

Anticipated Max Pressure - 9300 lbs Anticipated Max Rate - 80 bpm

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 27.26 acres
- 22) Area to be disturbed for well pad only, less access road (acres): 4.31 acres

23) Describe centralizer placement for each casing string:

Conductor: no centralizers

Surface Casing: one centralizer 10' above the float shoe, one on the insert float collar and one every 4th joint spaced up the hole to surface.

Intermediate Casing: one centralizer above float joint, one centralizer 5' above float collar and one every 4th collar to surface. Production Casing: one centralizer at shoe joint and one every 3 joints to top of cement in intermediate casing.

24) Describe all cement additives associated with each cement type:

Conductor: no additives, Class A cement.

Surface: Class A cement with 2-3% calcium chloride and 1/4 lb of flake intermediate: Class A cement with 1/4 lb of flake, 5 gallons of clay treat

Production: Lead cement- 50/50 Class H/Poz + 1.5% salt + 1% C-45 + 0.5% C-16a + 0.2% C-12 + 0.45% C-20 + 0.05% C-51
Production: Tall cement- Class H + 45 PPS Calcium Carbonate + 1.0% FL-160 + 0.2% ACGB-47 + 0.05% ACSA-51 + 0.2% ACR-20

25) Proposed borehole conditioning procedures:

Conductor: blowhole clean with air, run casing, 10 bbls fresh water.

Surface: blowhole clean with air, trip to conductor shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate pipe capacity + 40 bbls fresh water followed by 25 bbls bentonite mud, 10 bbls fresh water spacer.

intermediate: blowhole clean with air, trip to surface casing shoe, trip to bottom, blowhole clean with air, trip out, run casing, circulate 40 bbls brine water followed by 10 bbls fresh water and 25 bbls bentonite mud, pump 10 bbls fresh water.


Production: circulate with 14 lb/gal NaCl mud, trip to middle of lateral, circulate, pump high viscosity sweep, trip to base of curve, pump high viscosity sweep, trip to top of curve, trip to bottom, circulate, pump high viscosity sweep, trip out, run casing, circulate 10 bbls fresh water, pump 48 bbls barite pill, pump 10 bbls fresh water followed by 48 bbls mud flush and 10 bbls water.

\*Note: Attach additional sheets as needed.

RECEIVED Office of Oil & Gas

JUN 2 3 2022

Page 3 of 3





# LEMLEY PAD ANTERO RESOURCES CORPORATION



RECEIVED
Office of Oil and Gas

JUN 0 1 2022

WV Department of Environmental Protection

WILLOW LAND SURVEYING, PLLC P.O. BOX 17, PENNSBORO, WV 26415 (304) 659-1717

DATE: 05/19/22

DRAWN BY: D.L.P. FT/ F: PI

JOB #: 22-005WA

SCALE: 1-INCH = 1000-FEET 0' 1000' 2000'

00' 3000'

FILE: PETER3HAOR.DWG

RECEIVED
Office of Oil and Gas

JUN 0 1 2022

WV Department of Environmental Protection

WW-9 (4/16)

API Number 47 - 017

operator's Well No. Peler Unit 3H

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

## FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Antero Resources Corporation	OP Code 494507062
Watershed (HUC 10) McElroy Creek	Quadrangle Smithburg 7.5
Do you anticipate using more than 5,000 bbls of water to	complete the proposed well work? Yes V No
Will a pit be used? Yes No V	
If so, please describe anticipated pit waste: ***	pt will be used at this bias (Drilling and Flowback Flutin will be etoned in tenior. Guttings will be lumined and national off was.)
Will a synthetic liner be used in the pit? Yes	No ✓ If so, what mi.? N/A
Proposed Disposal Method For Treated Pit Wast	res:
Land Application	
	Permit Number *UIC Permit # will be provided on Form WR-34
	permitted well locations when applicable. API# will be provided on Form WR-34  n WW-9 for disposal location) (Meadowfill Landfill Permit #SWF-1032-98)
Other (Explain	Northwestern Landfill Permit #SWF-1025/ WV0109410
Will closed loop system be used? If so, describe: Yes, fit	(Wetzel Co Landfill Permit #SWF-1021) uids stored in tanks, cuttings removed offsite and taken to landfill.
Drilling medium anticipated for this well (vertical and hor	
-If oil based, what type? Synthetic, petroleum, e	tc. Synthetic
Additives to be used in drilling medium? Please See Attac	shment
Drill cuttings disposal method? Leave in pit, landfill, rem	noved offsite, etc. Drill cuttings stored in tanks, removed offsite and taken to landfill.
-If left in pit and plan to solidify what medium w	ill be used? (cement, lime, sawdust) N/A
-Landfill or offsite name/permit number?	wfill Landfill (Permit #SWF-1032-98), Northwestern Landfill (Permit # SWF-1025/WV0109410) zel Co Landfill Permit #SWF-1021)
Permittee shall provide written notice to the Office of Oil	and Gas of any load of drill cuttings or associated waste rejected at any vided within 24 hours of rejection and the permittee shall also disclose
on August 1, 2005, by the Office of Oil and Gas of the We provisions of the permit are enforceable by law. Violatic law or regulation can lead to enforcement action.  I certify under penalty of law that I have person application form and all attachments thereto and that, obtaining the information, I believe that the information penalties for submitting false information, including the population.	Office of Oil & C-
Company Official Signature Gretchen Kohlen	JUN 2 3 2022
Company Official (Typed Name) Gretchen Kohler Company Official Title Director Environmental & Regulator	y Compliance WV Department of
Company Official Title Should Environmental A regulator	y compliance Environmental Prolection
Subscribed and sworn before me this 3 \ day o	of Mous , page ,
	DIAME RLAIR
CinneBlan	Notaly Public NUTARY PUBLIC STATE OF COLORADO
My commission expires 27 Ap	STATE OF COLORADO NOTARY ID 19994011871 MY-60MMISSION EXPIRES 27-Apr-2024
	07/08/202

Form WW-9

Antero Resources Con			
<del></del>			
roposed Revegetation Treatment	t: Acres Disturbed 27.26 a	cres Prevegetation	рН
Lime 2-4	Tons/acre or to correct to pH	6.5	
Fertilizer type Hay or str	aw or Wood Fiber (will be used	where needed)	
Fertilizer amount 500	lt	s/acre	
Mulch 2-3	Tons/a		
Access Road *A* (9.01) +	Access Road "B" (1.39 scress - Well Pad acress + Excess/Toxsol	(4.3) acres + Truck Turnsround Pad (1.36) + 6 Stockpiles (3.63 acres) = 27.26 Acres	Centralized Impoundment Pad 15.54
	<u> 266</u>	O MILITURES	
Tempo	rary	Per	manent
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Ryegrass	40	Crownvetch	10-15
ield Bromegrass	40	Tail Fescue	30
e attached Table IV-3 for additional se	ed type (Lemley Pad Design)	See attached Table IV-4A for addition	onal seed type (Lemby Pad Design)
· -	nted by autilian awar		wasted by a wifee aware
ttach: aps(s) of road, location, pit and	proposed area for land applic	*or type of grass seed requation (unless engineered plans increasions (L x W x D) of the pit, a	luding this info have been
tach: aps(s) of road, location, pit and ovided). If water from the pit wi reage, of the land application an	proposed area for land application in the land applied, include diseation.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	luding this info have been and dimensions (L x W), and are
tach: aps(s) of road, location, pit and ovided). If water from the pit wi reage, of the land application are otocopied section of involved 7	proposed area for land applicately include disca.  7.5' topographic sheet.	ation (unless engineered plans inc	luding this info have been and dimensions (L x W), and are
tach:  aps(s) of road, location, pit and ovided). If water from the pit wireage, of the land application are otocopied section of involved 7 and Approved by:	proposed area for land applicately include disca.  7.5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	luding this info have been and dimensions (L x W), and are
tach:  aps(s) of road, location, pit and byided). If water from the pit wiveage, of the land application are otocopied section of involved 7 and Approved by:	proposed area for land applic ill be land applied, include di ca. .5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	luding this info have been and dimensions (L x W), and are
tach:  aps(s) of road, location, pit and ovided). If water from the pit wireage, of the land application are otocopied section of involved 7 and Approved by:	proposed area for land applic ill be land applied, include di ca. .5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	luding this info have been and dimensions (L x W), and are
tach:  aps(s) of road, location, pit and ovided). If water from the pit wireage, of the land application are otocopied section of involved 7 and Approved by:	proposed area for land applic ill be land applied, include di ca. .5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	luding this info have been and dimensions (L x W), and are
tach:  aps(s) of road, location, pit and byided). If water from the pit wiveage, of the land application are otocopied section of involved 7 and Approved by:	proposed area for land applic ill be land applied, include di ca. .5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	luding this info have been and dimensions (L x W), and are
tach: aps(s) of road, location, pit and ovided). If water from the pit wi reage, of the land application an actocopied section of involved 7 an Approved by:	proposed area for land applic ill be land applied, include di ca. .5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	RECEIVED Office of Off & 2022
tach:  aps(s) of road, location, pit and ovided). If water from the pit wi reage, of the land application an otocopied section of involved 7	proposed area for land applic ill be land applied, include di ca. .5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	luding this info have been and dimensions (L x W), and are RECEIVED Office of Oil & G
tach: aps(s) of road, location, pit and ovided). If water from the pit wi reage, of the land application are notocopied section of involved 7 an Approved by:	proposed area for land applic ill be land applied, include di ca. .5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	RECEIVED Office of Off & 2022
tach:  aps(s) of road, location, pit and ovided). If water from the pit wireage, of the land application are otocopied section of involved 7 and Approved by:	proposed area for land applicall be land applied, include disca.  7.5' topographic sheet.	ation (unless engineered plans inc mensions (L x W x D) of the pit, a	RECEIVED Office of Off & 2022

## Form WW-9 Additives Attachment

### **SURFACE INTERVAL**

- 1. Fresh Water
- 2. Soap -Foamer AC
- 3. Air

### **INTERMEDIATE INTERVAL**

#### STIFF FOAM RECIPE:

- 1) 1 ppb Soda Ash / Sodium Carbonate-Alkalinity Control Agent
- 2) 1 ppb Conqor 404 (11.76 ppg) / Corrosion Inhibitor
- 3) 4 ppb KLA-Gard (9.17 ppg) / Amine Acid Complex-Shale Stabilizer
- 4) 1ppb Mil Pac R / Sodium Carboxymethylcellulose-Filtration Control Agent
- 5) 12 ppb KCL / Potassium Chloride-inorganic Salt
- 6) Fresh Water 80 bbls
- 7) Air

### **PRODUCTION INTERVAL**

1. Alpha 1655

Salt Inhibitor

2. Mil-Carb

Calcium Carbonate

3. Cottonseed Hulls

Cellulose-Cottonseed Pellets - LCM

4. Mil-Seal

Vegetable, Cotton & Cellulose-Based Fiber Blend – LCM

5. Clay-Trol

Amine Acid Complex - Shale Stabilizer

6. Xan-Plex

Viscosifier For Water Based Muds

7. Mil-Pac (All Grades)

Sodium Carboxymethylcellulose - Filtration Control Agent

8. New Drill

Anionic Polyacrylamide Copolymer Emulsion - Shale Stabilizer

9. Caustic Soda

Sodium Hydroxide - Alkalinity Control

10. Mil-Lime

Calcium Hydroxide - Lime

11. LD-9

Polyether Polyol - Drilling Fluid Defoamer

12. Mil Mica

Hydro-Biotite Mica - LCM

RECEIVED
Office of Oil and Gas

JUN 0,1,2022

WV Department of Environmental Protection

13. Escaid 110

Drilling Fluild Solvent - Aliphatic Hydrocarbon

14. Ligco

Highly Oxidized Leonardite - Filteration Control Agent

15. Super Sweep

Polypropylene - Hole Cleaning Agent

16. Sulfatrol K

Drilling Fluid Additive - Sulfonated Asphalt Residuum

17. Sodium Chloride, Anhydrous

Inorganic Salt

18. D-D

Drilling Detergent - Surfactant

19. Terra-Rate

Organic Surfactant Blend

20. W.O. Defoam

Alcohol-Based Defoamer

21. Perma-Lose HT

Fluid Loss Reducer For Water-Based Muds

22. Xan-Plex D

Polysaccharide Polymer - Drilling Fluid Viscosifier

23. Walnut Shells

Ground Cellulosic Material - Ground Walnut Shells - LCM

24. Mil-Graphite

Natural Graphite - LCM

25. Mil Bar

Barite - Weighting Agent

26. X-Cide 102

Biocide

27. Soda Ash

Sodium Carbonate – Alkalinity Control Agent

28. Clay Trol

Amine Acid complex - Shale Stabilizer

29. Sulfatrol

Sulfonated Asphalt - Shale Control Additive

30. Xanvis

Viscosifier For Water-Based Muds

31. Milstarch

Starch - Fluid Loss Reducer For Water Based Muds

32. Mil-Lube

**Drilling Fluid Lubricant** 

RECEIVED
Office of Oil and Gas

JUN 0 1 2022

WV Department of Environmental From 2



911 Address 3126 Morgans Run Rd West Union, WV 26456

# Well Site Safety Plan Antero Resources

Well Name: Lemley Unit 5V

Pad Location: LEMLEY PAD

Doddridge County/Grant District

RECEIVED
Office of Oil & Gas

JUN 2 3 2022

WV Department of Environmental Protection

**GPS Coordinates:** 

Entrance - Lat 39°19′25.08″/Long -80°41′13.18″ (NAD83)

Pad Center - Lat 39°19′34.87″/Long -80°40′48.39″ (NAD83)


## **Driving Directions:**


From The intersection of US 50 and Interstate 79 near Bridgeport, WV travel west on US 50 approximately 19 miles. Turn right (north) onto Co Rt 9/Tarkiln Run and take the first left (west) toward Co Rt 3/Big Flint Rd. Turn right (north) onto Co Rt 3/Big Flint Rd and travel approximately 7.5 miles. Turn left onto Co Rt 5/Riggins Run Rd and travel south approximately 0.3 miles. Turn left onto Co Rt 30/Israel Fork and continue south approximately 2.5 miles. Turn left onto Main Camp Rd and continue approximately 0.2 miles to location.


## **Alternate Route:**

From the intersection of HWY 19 and US-50 near West Union, head east on US-50 for 4.7 miles. Turn left onto Morgans Run/20 and continue for 1.5 miles. Continue straight onto Israels Fork for 1.7 miles. Follow the road up some switch backs, passed the water containment and the pad will be straight ahead.

**EMERGENCY (24 HOUR) CONTACT 1-800-878-1373** 







Operator's Well Number

Peter Unit 3H

## INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
Mariette Lemley, et al Lease Mariette Lemley, et al S&K Land Company Mert Development, Inc. Continental Reserves 1980-E Appalachian Energy Development Corporation Appalachian Energy Reserves, Inc. Jay Shearer Clowser Production Company Antero Resources Appalachian Corporation	S&K Land Company Mert Development, Inc. Continental Reserves 1980-E Appalachian Energy Development Corporation Appalachian Energy Reserves, Inc Jay Shearer Clowser Production Company Antero Resources Appalachian Corporation Antero Resources Corporation	1/8 Assignment Assignment Assignment Affidavit of Identity Assignment Assignment Assignment Assignment Name Change	0114/0075 0115/0110 0123/0022 0150/0251 0019/0210 0179/0146 0285/0420 0285/0417 <b>0046/0523</b>

RECEIVED
Office of Oil and Gas

JUN 0 1 2022

WV Department of Environmental Protection 07/08/2022

<sup>\*</sup>Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

W	W-	-6/	l
(5	/13	)	

Operator's	Well No.	Peter Unit 3H	
-			

### INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that —

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or				
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
Mariette Lemley, et al Lease	<del></del>	<u> </u>		
	Mariette Lemley, et al	S & K Land Company	1/8	0114/0075
	S & K Land Company	Mert Development, Inc.	Assignment	0115/0110
	Mert Development, Inc.	Continental Reserves 1980-E	Assignment	0123/0022
	Continental Reserves 1980-E	Appalachian Energy Development Corp.	Assignment	0150/0251
	Appalachian Energy Development Corpation	Appalachian Energy Reserves, Inc.	Affidavit of Identity	0019/0210
	Appalachian Energy Reserves, Inc.	Jay Shearer	Assignment	0179/0146
	Jay Shearer	Clowser Production Company	Assignment	0285/0420
	Clowser Production Company	Antero Resources Appalachian Corporation	Assignment	0285/0417
	Antero Resources Appalachian Corpation	Antero Resources Corporation	Name Change	0046/0523

<sup>\*</sup>Partial Assignments to Antero Resources Corporation include 100% rights to extract, produce and market the oil and gas from the Marcellus and any other formations completed with this well.

#### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator:	Antero Resources Corporatio	n RECEIVED
By:	Tim Rady	Office of Oil and Gas
Its:	Senior VP of Operations	JUN 0 1 2022
		—_, · -

WV Department of Environmental Protection



May 31, 2022

Antero Resources 1615 Wynkoop Street Denver, CO 80202 Office 303.357.7310 Fax 303.357.7315

West Virginia Department of Environmental Protection Chief, Office of Oil and Gas Attn: Mr. James Martin 601 57th Street SE Charleston, WV 25304

RE:

Peter Unit 1H, 2H, 3H and 4H Quadrangle: Smithburg 7.5'

Doddridge County/Grant District, West Virginia

Mr. Martin:

Antero Resources Corporation (Antero) is submitting the following applications for a new well work permits for the Peter Unit 1H- 4H horizontal shallow wells. As an authorized representative, I certify that Antero has the right to extract, produce or market the oil or gas for all leases through which the Peter Unit 1H - 4H horizontal laterals will drill through including any and all roads crossed under as identified on the attached survey plat.

Sincerely,

Tyler Skavdahl Senior Landman

RECEIVED
Office of Oil and Gas

JUN 0 1 2022

WV Department of Environmental Protection 07/08/2022

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

Date of Noti	ce Certification: 05/30/2022		API	API No. 47- 017 -			
			Ope	rator's	Well No. Peter	Unit 3H	
2 Km / 2 m			We	I Pad I	Name: Lemley	Pad	
Notice has							
Pursuant to th	ne provisions in West Virginia C	ode (	22-6A, the Operator has provided	the red	quired parties v	with the Notice Forms listed	
State:	tract of land as follows: West Virginia		F-V		and the same of th		
County:	Doddridge Doddridge	_		ting:	527562.8m		
District:	Grant	_	Public Road Access:	thing:	4353029.5m Hollow Run Rd		
Quadrangle:	Smithburg 7.5		Generally used farm r	ame.	Hill, et al		
Watershed:	McElroy Creek		Scherally used failing	anic.	(Mil), G. Di		
it has provid information r of giving the requirements Virginia Cod	ed the owners of the surface de equired by subsections (b) and (c surface owner notice of entry of subsection (b), section sixte	escrit c), se to su en o hall t	nall contain the following informatived in subdivisions (1), (2) and (4) ction sixteen of this article; (ii) that they pursuant to subsection (a), so it is article were waived in writtender proof of and certify to the set.	4), subs t the re ection ing by	section (b), sec quirement was ten of this arti the surface ov	ction ten of this article, the deemed satisfied as a result cle six-a; or (iii) the notice wher; and Pursuant to West	
that the Ope	West Virginia Code § 22-6A, the rator has properly served the recent of the THAT APPLY	e Op quire	erator has attached proof to this N I parties with the following:	otice C	ertification	OOG OFFICE USE ONLY	
☐ 1. NO	TICE OF SEISMIC ACTIVITY	or	■ NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS CO			RECEIVED/ NOT REQUIRED	
☐ 2, NO	TICE OF ENTRY FOR PLAT S	URV	EY or  NO PLAT SURVEY V	VAS CO	ONDUCTED	RECEIVED	
■ 3. NO	TICE OF INTENT TO DRILL	or	☐ NOTICE NOT REQUIRED NOTICE OF ENTRY FOR PLA WAS CONDUCTED or			RECEIVED/ NOT REQUIRED	
			☐ WRITTEN WAIVER BY S (PLEASE ATTACH)	URFA	CE OWNER		
■ 4. NO	TICE OF PLANNED OPERATI	ON				RECEIVED	
■ 5. PUE	BLIC NOTICE					☑ RECEIVED	
■ 6. NO	TICE OF APPLICATION					☐ RECEIVED	

#### Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidering from the return receipt card or other postal receipt for certified mailing.

JUN 0 1 2022

#### Certification of Notice is hereby given:

THEREFORE, | Diana Hoff . have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator: Antero Resources Corporation

By: Diana Hoff iana ( Its:

Telephone: 303-357-7310

Senior Vice President - Operations

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

Email: mstanton@anteroresources.com

DIANTA BY STAT NOTARY PUBLIC STATE OF COLORADO NOTARY ID 19994011871 MY COMMISSION EXPIRES 27-Apr-2024 Subscribed and sworn before me this day of VVa

Notary Public

My Commission Expires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

> RECEIVED Office of Oil and Gas

JUN 0 1 2022

WV Department of Environmental Protection 07/08/2022

## 4701706935

API NO. 47-017
OPERATOR WELL NO. Peter Unit 3H
Well Pad Name: Lemley Pad

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application. Date of Notice: 04/12/2022 Date Permit Application Filed: 05/31/2022 Notice of: PERMIT FOR ANY ☐ CERTIFICATE OF APPROVAL FOR THE WELL WORK CONSTRUCTION OF AN IMPOUNDMENT OR PIT Delivery method pursuant to West Virginia Code § 22-6A-10(b) ☐ PERSONAL ☐ REGISTERED ☑ METHOD OF DELIVERY THAT REQUIRES A SERVICE MAIL RECEIPT OR SIGNATURE CONFIRMATION Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule. ☑ Application Notice ☑ WSSP Notice ☑ E&S Plan Notice ☑ Well Plat Notice is hereby provided to: ☑ SURFACE OWNER(s) ☐ COAL OWNER OR LESSEE Name: PLEASE SEE ATTACHMENT Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: Address: Name: ☐ COAL OPERATOR Name: NO DECLARATIONS ON RECORD WITH COUNTY Address: ☐ SURFACE OWNER(s) (Road and/or Other Disturbance) Name: IT SURFACE OWNER OF WATER WELL Address: AND/OR WATER PURVEYOR(s) Name: PLEASE SEE ATTACHMENT Name: Address: Address: OPERATOR OF ANY NATURAL GAS STORAGE FIELD ☐ SURFACE OWNER(s) (Impoundments or Pits) Name: Office of Oil and Gas Name: Address: Address: JUN 0 1 3022 \*Please attach additional forms if necessary

> WV Department of Environmental Protection

4701706935

API NO. 47-017

OPERATOR WELL NO. Peter Unit 3H

Well Pad Name: Lemisy Pad

#### Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

#### This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application: (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting <a href="https://www.dep.wv.gov/oil-and-gas/pages/default-aspx">www.dep.wv.gov/oil-and-gas/pages/default-aspx</a>.

#### Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided. whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices as were employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall and Gas permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 12022 other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well padWhatlerstone of Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

API NO, 47-017 OPERATOR WELL NO, Peter Unit 3H
Well Pad Name: Lemley Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

#### Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

#### Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

## Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

#### Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as forest to location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57<sup>th</sup> St. SE
Charleston, WV 25304
(304) 926-0450

JUN 0 1 3022

WV Department of Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

4701706935

OPERATOR WELL NO. Peter Unit 3H

Well Pad Name: Lemley Pad

#### Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

#### Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <a href="http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx">http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx</a> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

#### Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED
Office of Oil and Gas

JUN 0 1 2022

WV Department of Environmental Protection

4701706935

API NO. 47-017

OPERATOR WELL NO. Peter Unit 3H

Well Pad Name: Lemley Pad

Notice is hereby given by:

Well Operator: Antero Resources Corporation

Telephone: (303) 357-7310 Diana (

mstanton@anteroresources.com Email:

Address: 1615 Wynkoop Street

Denver, CO 80202

Facsimile: 303-357-7315

#### Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

DIANE BLAIR **NOTARY PUBLIC** STATE OF COLORADO NOTARY ID 19994011871 MY COMMISSION EXPIRES 27-Apr-2024

Subscribed and sworn before me this 31 day of May

Notary Public

My Commission Expires

RECEIVED Office of Oil and Gas

WV Department of Environmental Protection

## WW-6A Notice of Application Attachment: Multiple Wells - Lemley Pad

#### **Surface Owners:**

Tax Parcel ID: 13-5

Owner: Address:

HFP LLC PO Box 418

Kenova, WV 25530-0418

**Surface Owners:** 

Tax Parcel ID: 13-11, 11.2, 35

Owner:

Brian D. Lemley & Christy M. LeMaster

Address:

1105 20th St.

Vienna, WV 26105-1237

Owner: Address: Jefferey D. Hill 35 Timberland Dr.

Parkersburg, WV 26104-3702

Water Source Owners: Within 2000'

**TM 13-11** 

2 Water Wells: 893.5' (W1) 952.2 (W2)

Owner:

Brian D. Lemley & Christy M. LeMaster.

Address:

1105 20th Street

Vienna, WV 25530

TM 14-43

1 Water Well: 1870.2' (W1)

Owner:

Danny J. & Linda K. Marshall

Address:


1070 Howell Run

West Union, WV 26456

RECEIVED
Office of Oil and Gas

JUN 0 1 2022

WV Department of Environmental Protection



WW-6A4 (1/12)

Operator Well No. Peter Unit 3H Lemley Pad

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill

	to the second the second	te of intent to Drill requirement has NO1 been w	aived in writing by the surface owner.
Notice Time Date of Noti	Requirement: Notice shall be ice: 04/12/2022	provided at least TEN (10) days prior to filing a Date Permit Application Filed: 05/31/2022	permit application.
Delivery me	thod pursuant to West Virgin	ia Code § 22-6A-16(b)	
☐ HAND	■ CERTIFIED N	440	
DELIVI		CEIPT REQUESTED	
drilling a hor of this subsection mand if availab	rizontal well: Provided. That notion as of the date the notice way be waived in writing by the ble, facsimile number and electrons.	least ten days prior to filing a permit application, surface owner notice of its intent to enter upon the otice given pursuant to subsection (a), section to as provided to the surface owner: <i>Provided, how</i> surface owner. The notice, if required, shall included onic mail address of the operator and the operator	the surface owner's land for the purpose of the of this article satisfies the requirements wever. That the notice requirements of this
Votice is he	reby provided to the SURI		
	EASE SEE ATTACHMENT	Name;	
Address:		Address:	
County: District: Quadrangle:	Doddridge Grant Smithburg 7.5°	UTM NAD 83 Easting: Northing: Public Road Access: Generally used farm name:	527562.8m 4353029.5m Hollow Run Rd
Vatershed:	McElroy Creek		7111, 0.1 31
Pursuant to Vacsimile num elated to hor	nber and electronic mail addre	16(b), this notice shall include the name, address of the operator and the operator's authorized from the Secretary, at the WV Department of V 25304 (304-926-0450) or by visiting www.de	d representative. Additional information
Notice is he	reby given by:  T: Antero Resources Appelachian Corr	Pooration Authorized Representative:	
ddress	1615 Wynkoop St.	Address:	Mallory Stanton
and the second	Denver, CO 80202	71ddi Coo.	1615 Wynkoop St.
elephone:	303-357-7310	Telephone:	Denver, CO 80202
mail:	mstanton@anteroresources.com	Email:	303-357-7310
acsimile:	303-357-7315	Facsimile:	mstanton@anteroresources.com 303-357-7315
	Privacy Notice:		Office of Oil and

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business localization. needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information. nvironmental Protection DEP's Chief Privacy Officer at deportvacyofficerative.gov.

# WW-6A4 Notice of Intent to Drill Attachment: Multiple Wells - Lemley Pad

## **Surface Owners:**

Tax Parcel ID: 13-5

Owner:

HFP LLC PO Box 418

Address:

Kenova, WV 25530-0418

**Surface Owners:** 

Tax Parcel ID: 13-11, 11.2, 35

Owner:

Brian D. Lemley & Christy M. LeMaster

Address:

1105 20th St.

Vienna, WV 26105-1237

Owner: Address: Jefferey D. Hill 35 Timberland Dr.

Parkersburg, WV 26104-3702

RECEIVED
Office of Oil and Gas

JUN 0 1 2022

WV Department of Environmental Protection WW-6A5 (1/12)

Operator Well No. Peter Unit 3H

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

ate of Notic	e: 05/31/2022 Date Pern	nit Application Filed: 05/31/2022	2
elivery met	hod pursuant to West Virginia Co	de § 22-6A-16(c)	
CERTI	FIED MAIL	☐ HAND	
	RN RECEIPT REQUESTED	DELIVERY	
eturn receipt the planned of equired to be rilling of a amages to that i) The notice f notice.	requested or hand delivery, give the operation. The notice required by to provided by subsection (b), section norizontal well; and (3) A proposed e surface affected by oil and gas ope	surface owner whose land will his subsection shall include: ( ten of this article to a surface of surface use and compensation rations to the extent the damag- iven to the surface owner at the VNER(s)	ermit application, an operator shall, by certified main the used for the drilling of a horizontal well notice of a local to the drilling of a horizontal well notice of the used for comparation of the same whose land will be used in conjunction with the agreement containing an offer of compensation for the same compensable under article six-b of this chapter address listed in the records of the sheriff at the time
ame: PLE/ ddress:  otice is her irsuant to W peration on	eby given:  est Virginia Code § 22-6A-16(c), notes the surface owner's land for the purple.	Name: Address:  otice is hereby given that the uncose of drilling a horizontal wel	
otice is her arsuant to Weration on ate:	eby given:  est Virginia Code § 22-6A-16(c), no the surface owner's land for the purp  West Virginia	Name: Address:  otice is hereby given that the un cose of drilling a horizontal wel	If on the tract of land as follows: Easting: 527562.8m
otice is her irsuant to Weration on ate:	eby given:  lest Virginia Code § 22-6A-16(c), no the surface owner's land for the purp  West Virginia  Doddridge	Name: Address:  otice is hereby given that the uncose of drilling a horizontal wel  UTM NAD 83	If on the tract of land as follows:   Easting: 527562.8m
otice is her dress:	eby given:  lest Virginia Code § 22-6A-16(c), no the surface owner's land for the purp  West Virginia  Doddridge  Grant	Name: Address:  otice is hereby given that the uncose of drilling a horizontal wel  UTM NAD 83  Public Road Acces	If on the tract of land as follows:   Easting: 527562.8m
ame: PLE ddress: otice is her ursuant to W	eby given:  lest Virginia Code § 22-6A-16(c), no the surface owner's land for the purp  West Virginia  Doddridge	Name: Address:  otice is hereby given that the uncose of drilling a horizontal wel  UTM NAD 83	If on the tract of land as follows:   Easting: 527562.8m
otice is her ursuant to W peration on tate: ounty: istrict: uadrangle: /atershed: his Notice S ursuant to W be provide prizontal we urface affect formation readquarters, is pages/def	eby given:  Vest Virginia Code § 22-6A-16(c), not the surface owner's land for the purpose Virginia  Doddridge  Grant  Smithburg 7.5  McEiroy Creek  Shall Include:  Vest Virginia Code § 22-6A-16(c), the distribution of the purpose virginia Code § 22-6A-10(b) ll; and (3) A proposed surface use a lead by oil and gas operations to the elated to horizontal drilling may be located at 601 57th Street, SE, ault 155px.	Name: Address:  Detice is hereby given that the uncose of drilling a horizontal well uTM NAD 83  Public Road Access Generally used far a surface owner whose land a compensation agreement context of the damages are compensation the Secretary, Charleston, WV 25304 (304-	If on the tract of land as follows:  Easting: 527562 8m  Northing: 4353029.5m  SSS: Hollow Run Rd  rm name: Hill, et al  opy of this code section; (2) The information required will be used in conjunction with the drilling of a containing an offer of compensation for damages to the ensable under article six-b of this chapter. Additional at the WV Department of Environmental Protection-926-0450) or by visiting www.dep.wv.govioll-and
otice is her arsuant to Weration on ate: bunty: istrict: uadrangle: atershed: his Notice Sursuant to We provide orizontal we rface affect formation readquarters.	eby given:  Vest Virginia Code § 22-6A-16(c), not the surface owner's land for the purpose Virginia  Doddridge  Grant  Smithburg 7.5  McEiroy Creek  Shall Include:  Vest Virginia Code § 22-6A-16(c), the distribution of the purpose virginia Code § 22-6A-10(b) ll; and (3) A proposed surface use a lead by oil and gas operations to the elated to horizontal drilling may be located at 601 57th Street, SE, ault 155px.	Name: Address:  Detice is hereby given that the uncose of drilling a horizontal well and the second formula of	If on the tract of land as follows:  Easting: 527562 8m  Northing: 4353029.5m  Hollow Run Rd  rm name: Hill, et al  opy of this code section; (2) The information required will be used in conjunction with the drilling of a containing an offer of compensation for damages to the ensable under article six-b of this chapter. Additional at the WV Department of Environmental Protection

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact Office of Oil and Gas DEP's Chief Privacy Officer at depprivacyofficer new you.

JUN 0 1 2022

WV Department of Environmental Protection

## WW-6A5 Notice of Planned Operations Attachment: Multiple Wells - Lemley Pad

## **Surface Owners:**

Tax Parcel ID: 13-5

Owner:

HFP LLC

Address:

PO Box 418

Kenova, WV 25530-0418

**Surface Owners:** 

Tax Parcel ID: 13-11, 11.2, 35

Owner:

Brian D. Lemley & Christy M. LeMaster

Address:

1105 20th St.

Vienna, WV 26105-1237

Owner:

Jefferey D. Hill

Address:

35 Timberland Dr.

Parkersburg, WV 26104-3702

RECEIVED Office of Oil and Gas JUN 0 1 2022 WV Department of Environmental Protection



# WEST VIRGINIA DEPARTMENT OF TRANSPORTATION Division of Highways

D. Alan Reed, P.E. State Highway Engineer 1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Jimmy Wriston, P. E. Secretary of Transportation Commissioner of Highways

May 26, 2022

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57<sup>th</sup> Street, SE Charleston, WV 25304

Subject: DOH Permit for the Lemley Pad, Doddridge County Peter Unit 3H Well Site

Dear Mr. Martin,

This well site will be accessed from a DOH permit #04-2013-0425 which has been issued to Antero Resources Corporation for access to the State Road for a well site located off Doddridge County Route 30 SLS MP 1.68.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from the date of this letter.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Tan K. Clayton

Cc: Diane Blair

Antero Resources Corporation

CH, OM, D-4

File

Office of Oil and Gas


JUN 0 1 2022

WV Department of Environmental Protection

Subdivision 3.3.e A listing of the anticipated additives that may be used in the water used for fracturing or stimulating the well. (A listing of the additives that were actually used in the fracturing or stimulating of the well shall be submitted as part of the completion report required by W. Va. Code 22-6-22.)

#### FRACTURING/STIMULATING INTERVAL

	Additive	Chemical Abstract Service Number (CAS #)
1.	Fresh Water	7732-18-5
2.	2 Phosphobutane 1,2,4 tricarboxylic acid	37971-36-1
3.	Ammonium Persulfate	7727-54-0
4.	Anionic copolymer	Proprietary
5.	Anionic polymer	Proprietary
6.	BTEX Free Hydrotreated Heavy Naphtha	64742-48-9
7.	Cellulase enzyme	(Proprietary)
8.	Demulsifier Base	(Proprietary)
9.	Ethoxylated alcohol blend	Mixture
10.	Ethoxylated Nonylphenol	68412-54-4
11.	Ethoxylated oleylamine	26635-93-8
12.	Ethylene Glycol	107-21-1
	Glycol Ethers	111-76-2
	Guar gum	9000-30-0
	Hydrogen Chloride	7647-01-0
	Hydrotreated light distillates, non-aromatic, BTEX free	64742-47-8
	Isopropyl alcohol	67-63-0
	Liquid, 2,2-dibromo-3- nitrilopropionamide	10222-01-2
	Microparticle	Proprietary
	Petroleum Distillates (BTEX Below Detect)	64742-47-8
	Polyacrylamide	57-55-6
	Propargyl Alcohol	107-19-7
	Propylene Glycol	57-55-6
24.	Quartz	14808-60-7
	Sillica crystalline quartz	7631-86-9
	Sodium Chloride	7647-14-5
27.	Sodium Hydroxide	1310-73-2
28.	Sugar	57-50-1
29.	Surfactant	68439-51-0
	Suspending agent (solid)	14808-60-7
	Tar bases, quinolone derivs, benzyl chloride-quarternized	72480-70-7
	Solvent Naptha, petroleum, heavy aliph	64742-96-7
	Soybean Oil, Me ester	67784-80-9
	Copolymer of Maleic and Acrylic Acid	52255 <del>-4</del> 9- <del>9</del>
	DETA Phosphonate	15827-60-8
	Hexamythylene Triamine Penta	34690-00-1
	Phosphino Carboxylic acid polymer	71050-62- <del>9</del>
	Hexamethylene diamine penta	23605-74-5
	2-Propenoic acid, polymer with 2 propenamide	9003-06-9
	Hexamethylene diamine penta (methylene phosphonic ad	DECEIVED
	Diethylene Glycol	Office of Oil and Gas
	Methenamine	100-97-0
	Polyethylene polyamine	68603-67-8 JUN 0 1 2022
	Coco amine	01/31-14-0
<b>4</b> 5.	2-Propyn-1-olcompound with methyloxirane	38172-91-7 WV Department of
		Environmental Protectio





W	W٠	6/	۱7
(6	-12	2)	

## 4701706935

OPERATOR: Antero Resources Corp.	WELL NO: Peter Unit 3H
PAD NAME: Lemley Pad	_
REVIEWED BY: Diane Blair	SIGNATURE: Diane Blair

## WELL RESTRICTIONS CHECKLIST

#### HORIZONTAL 6A WELL

Well Restri	ctions
<b>V</b>	At Least 100 Feet from Pad and LOD (including any E&S Control Feature) to any Perennial Stream, Lake, Pond, Reservoir or Wetland; OR
	DEP Waiver and Permit Conditions
<b>V</b>	At Least 300 Feet from Pad and LOD (including any E&S Control Feature) to any Naturally Producing Trout Stream; OR
	DEP Waiver and Permit Conditions
<b>V</b>	At Least 1000 Feet from Pad and LOD (including any E&S Control Feature) to any Groundwater Intake or Public Water Supply; OR
	DEP Waiver and Permit Conditions
V	At Least 250 Feet from an Existing Water Well or Developed Spring to Well Being Drilled; OR
	Surface Owner Waiver and Recorded with County Clerk, OR
	DEP Variance and Permit Conditions
<b>v</b>	At Least 625 Feet from an Occupied Dwelling Structure to Center of the Pad; OR
	Surface Owner Waiver and Recorded with County Clerk, OR
	DEP Variance and Permit Conditions
~	At Least 625 Feet from Agricultural Buildings Larger than 2500 Square Feet to the Center of the Pad; OR

Surface Owner Waiver and Recorded with County Clerk, OR

**DEP Variance and Permit Conditions** 

RECEIVED Office of Oil & Gas
JUN 28 2022

WV Department 2022 Environmental Protection