

Latitude 39°17'30"

88°47'30"

Longitude

75'
+

Topo Location

7.5' Loc. 1.64 S 15' Loc. 4.72 S
0.54 W (calc.) 2.77 W

Company 6206

Farm Jake Netzel

15' Quad West Union SQ
(sec.)

7.5' Quad West Union

District West Union

WELL LOCATION PLAT

County 017 Permit 30061


COMPLETION DATA SHEET
 No. 2
 POPULATION RECORD

Year	Actual	Estimated	Notes
1940	1200	1200	
1941	1250	1250	
1942	1300	1300	
1943	1350	1350	
1944	1400	1400	
1945	1450	1450	
1946	1500	1500	
1947	1550	1550	
1948	1600	1600	
1949	1650	1650	
1950	1700	1700	



West Union Tst

017-61A



ATT: Measurement
 Arnold's Creek
 31-1949

Arnolds Creek

**AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL**

WEST VIRGINIA DEPARTMENT OF MINE
REGISTRATION DIVISION

1931.
 COAL OPERATOR OF
 ADDRESS
 COAL OPERATOR OF
 ADDRESS
 COAL OPERATOR OF
 ADDRESS
 STATE OF WEST VIRGINIA,
 COUNTY OF Doddrige
E. G. Swisher
 being first duly sworn according to law
 and filling oil and gas wells and were
 and participated in the work of plugging
 the following number:
 Let day of September
 Manner in which said was plugged:
 to 1930' in dip line / Set
 1907 sealine hole completed
 above maxon sand; set well
 1700' sealine hole. Filled
 to 1292'. Cemented from 1292'
 1128 and filled with clay
 at 695.
 Manner in which coal was plugged:
 Cemented from 695 to 697'
 Filled with clay 671 to 697'

1931.
 COAL OPERATOR OF
 ADDRESS
 COAL OPERATOR OF
 ADDRESS
 COAL OPERATOR OF
 ADDRESS
 STATE OF WEST VIRGINIA,
 COUNTY OF Doddrige
E. G. Swisher
 being first duly sworn according to law
 and filling oil and gas wells and were
 and participated in the work of plugging
 the following number:
 Let day of September
 Manner in which said was plugged:
 to 1930' in dip line / Set
 1907 sealine hole completed
 above maxon sand; set well
 1700' sealine hole. Filled
 to 1292'. Cemented from 1292'
 1128 and filled with clay
 at 695.
 Manner in which coal was plugged:
 Cemented from 695 to 697'
 Filled with clay 671 to 697'

CK 97K 7/18/33
 Mining File - 202-61-

Description of measurement:

Instrument of 2 1/2' of cement
 diameter and about 2 1/2' feet high

and that the work of plugging and filling said well was done

of date of "57"

with seal.

from 1917 to
 1910 to
 plus 1295
 1490 hole
 divided

well operator,
 on the
 and the end was fixed and fixed in

Party William

1931.
 COAL OPERATOR OF
 ADDRESS
 COAL OPERATOR OF
 ADDRESS
 COAL OPERATOR OF
 ADDRESS
 STATE OF WEST VIRGINIA,
 COUNTY OF Doddrige
E. G. Swisher
 being first duly sworn according to law
 and filling oil and gas wells and were
 and participated in the work of plugging
 the following number:
 Let day of September
 Manner in which said was plugged:
 to 1930' in dip line / Set
 1907 sealine hole completed
 above maxon sand; set well
 1700' sealine hole. Filled
 to 1292'. Cemented from 1292'
 1128 and filled with clay
 at 695.
 Manner in which coal was plugged:
 Cemented from 695 to 697'
 Filled with clay 671 to 697'

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. _____

J. H. Piggott, _____

Company of West Union, W. Va.

containing 85 acres Location Arnolda Creek,

West Union District in Doddridge Co.

The surface of the above tract is owned in fee by Jacob Hestzer heirs.

of Petrolemo, W. Va. _____

Jacob Hestzer heirs.

The oil and gas privileges are held under lease by the above named company, and the well was

on October 28, 1922.

Elevation of surface at top of well _____

The number of feet of the different sized casings used in the well

1740 _____ 6-5/8" _____

feet. _____

feet. _____

feet. _____

feet. _____

feet. _____

feet. _____

feet. _____

Coal was encountered at 551 ft. Shot _____

feet; thickness _____

Lenses were used as follows: (Give details) _____

COMPLETION DATA SHEET
NO. 2
FORMATION RECORD

Name	Color	Character	Oil Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Pittsburgh Coal				551	how. 1098			estimated depth.
Cow Run Sand				1060	1380			
First Salt Sand				1315	1430			
Second Salt Sand				1395	1514			
Third Salt Sand				1486	1750			
Marion Sand				1735	1940			
Big Alma				1876	1965			Not drilled through.
Big Injun Sand				1940				
Total Depth							1965	

Well completed October 28, 1922.

The above is all the record that was given to me by the writer
Oil Company which owned the lease and well when I purchased same.

about 1 do not know, but have no record of its having been shot.

Well was not shot at _____

Well was _____