

LATITUDE

3925

80 35

LONGITUDE

7.5' loc
Kla 5/4/83

7.5 OGIS topo location

7.5' loc	<u>1.825</u>	15' loc	<u>1.825</u>
	<u>0.56W</u>	(calc.)	<u>0.56W</u>

Company _____

Farm _____

Quad Folsom Centerpointe

County _____

District McClellan

WELL LOCATION MAP

File No. Dodd, GSA
30065

M. J. H. & K. P.

McClellan District, Doddridge County, W. Va.
By The Wheeling Natural Gas Co.
Elevation, 950' B.

now. Dodd. 65A

This well was shot Nov. 17, 1905, by Young Torpedo Co., Jackson-
burg, W. Va., with 40 qts.; top of shot, 2669'; bottom, 2679';
2' anchor; result of shot, small increase.

This well drilled 2603 ft. below Pittsburgh Coal and filled up to
2681' to shoot 4th Sand.

	Top.	Bottom.
Pittsburgh Coal	526	538
Little Dunkard Sand	961	972
Big Dunkard Sand	1035	1140
Gas Sand	1200	1250
Salt Sand	1280	1460
Little Lime	1728	1765
Big Lime	1780	1870
Big Injun Sand (small show gas, 1965')	1870	1970
Boulder Sand	2568	2582
Stray Sand	2587	2603
Gordon Sand	2650	2661
Fourth Sand (fair gas pay at 2673')	2669	2679
Slate, lime, and shale	2679	3129
Total depth		3129
Filled to		2681

McClellan District, Doddridge County, W. Va.
 By The Manufacturers Light & Heat Co., 800 Union Trust Bldg.,
 Pittsburgh, Pa.
 On 18½ acres, surface owned by A. C. Ballouz, New Martinsville,
 W. Va., and mineral rights by M&H Co., Pgh., Pa.
 Drilled prior to June 1, 1929.
 Elevation, 892' L.
 14' conductor; 10" casing, 220'; 8½", 1052'; 6-5/8", 1856';
 4" tubing, 2690'.
 Packer, 4 x 6-1/8, set at 1870'.
 Coal was encountered at 526-538'.
 Abandonment reported to Dept. of Mines Jan. 28, 1933.
 Well was shot at 2669'.

	Top.	Bottom.
Pittsburgh Coal	526	- 538
Little Dunkard Sand	961	- 972
Big Dunkard Sand	1035	- 1140
Gas Sand	1200	- 1250
Salt Sand	1280	- 1460
Little Lime	1728	- 1765
Big Lime	1780	- 1870
Big Injun Sand (small show of gas, 1965')	1870	- 1970
Boulder Sand	2568	- 2582
Stray Sand	2587	- 2603
Gordon Sand	2650	- 2661
4th Sand (fair pay of gas, 2673')	2669	- 2679
Slate, lime, and shale	2679	- 3129
Total depth		3129

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL

A. C. Ballous

800 Union Trust Bldg., Pittsburgh, Pa.

APRIL 11, 1935

McClellan
Doddridge
County
West Virginia
A. C. Ballous
Farm

AFFIDAVIT

STATE OF WEST VIRGINIA

Court of Doddridge

Geoff A. Galsos and Alvinus B. Butman

being first duly sworn according to law sworn and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by The Manufacturers Light & Heat Gas Company, and participated in the work of plugging and filling the above well, that said work was commenced on the 14th day of February, 1935, and that the well was plugged and filled in the following manner:

Well Depth of well before plugging, 2601'

2601 to 2600	Set Lead Plug	1600	Plugged with Red Clay	1100 to 1200
2600 to 2600	Plugged with Red Clay	1670	to 1670	1200
2600 to 2607	Set Wood Plug	1670	to 1687	Plugged with Cement
2607 to 2647	Set Wood Plug	1687	to 1687	1200 to 2000
2647 to 2646	Plugged with Cement	1687	to 1687	1200
2646 to 2636	Plugged with Red Clay	1687	to 1680	Plugged with Red Clay
2636 to 2604	Plugged with Cement	1680	to 1670	901
2604 to 2601	Plugged with Red Clay	1670	to 1670	Plugged with Cement
2601 to 2600	Plugged with Cement	1600	to 1100	901 to 900

Having Oley Packer numbered at 900', or 80' below the Pittsburgh zone of coal, with a string of 2" tubing connected to packer and extending to 3' above surface, for vent.
Plugged with cement from 900' to 905' or 80' above the Pittsburgh zone of coal.
Plugged with Red Clay from 905' to surface.

Description of cement:
Cement Mixture 80' SH, with 20" x 40" x 10" base.
2 - 2" HALL HILL Screen & Hinged to top of vent pipe to prevent obstructions.

And further deposes that the work of plugging and filling said well was completed on the 11th day of April, 1935.

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION
PRELIMINARY DATA SHEET NO. 1

Well No. 1995
The Manufacturers Light & Heat Company, of 800 Union Trust Building, Pittsburgh, Pa., on the A. C. Ballous Farm containing 100' area, located in Doddridge County, West Virginia

The surface of the above tract is owned in fee by A. C. Ballous, address and the mineral rights are owned by The Manufacturers Light & Heat Co., of Pittsburgh, Pa.
The oil and gas production are held under lease by the above named company, and this well is drilled under permit No. Prior to June 1st, 1929 issued by the West Virginia Department of Mines, Oil and Gas Division

Direction of surface on top of well. 920 feet
The number of feet of the different sized casings used in the well.

1 1/2"	10'
2"	10'
3"	10'
4"	10'
5"	10'
6"	10'
8"	10'
10"	10'
12"	10'
14"	10'
16"	10'
18"	10'
20"	10'
22"	10'
24"	10'
26"	10'
28"	10'
30"	10'
32"	10'
34"	10'
36"	10'
38"	10'
40"	10'
42"	10'
44"	10'
46"	10'
48"	10'
50"	10'
52"	10'
54"	10'
56"	10'
58"	10'
60"	10'
62"	10'
64"	10'
66"	10'
68"	10'
70"	10'
72"	10'
74"	10'
76"	10'
78"	10'
80"	10'
82"	10'
84"	10'
86"	10'
88"	10'
90"	10'
92"	10'
94"	10'
96"	10'
98"	10'
100"	10'