

Latitude 39° 20' 00"

+ 25'

80° 32' 30"

Longitude

Topo Location

7.5' Loc. 0.62S 15' Loc. 0.62S  
1.83W (calc.) 4.06W

Company C-1186

Farm R.R. Chips #4

15' Quad Centrepnt S  
(sec.)

7.5' Quad Salem

District McClellan

WELL LOCATION PLAT

County 017 Permit 30096

Plan of Well Nos. 1170, 1185, 1187,  
 Hope Construction & Refining Company  
 J. Lee Taylor, R. R. Chippa  
 McClellan

Contract No. 1000  
 Plan covering of 38.80 Acres  
 County, W. Va.

M. W. Tate

Nathan McDonald

Ben Dodderidge

Chas Digman

J Lee Taylor

*Good-96-A*

ROBINSON



LEGEND

- Location
- Oil Well
- " " Aband
- " " Aband
- " " Aband
- " " Aband
- Dry Hole

Field Book No. 91-Pg. 31-32  
 Scale 1" = 400'

1185 - 18 - 21 1934

J. M. Reed L. Co. 1000  
 Salt Lake, U. Va.  
 Address

COMPLETION DATA SHEET  
 NO. 2  
 INFORMATION RECORD

Name	Color	Quantity	Oil, Gas or Water	Top	Bottom	Thickness	Total	Remarks
Pittsburgh Coal				815	825	9'		
Runa Sand				1040	1075	35'		
Little Ldg				2031	2046	15'		
Penell Sand				2046	2066	20'		
Big Lime				2066	2117	51'		
Big Injan Sand				2117	2228	109'		
Salty Sand Sand				2765	2765	18'		
Garden Slaty Sand				2825	2865	40'		
Garden Sand				2865	2905	10'		
				011-2897-2825				

Well was shut at 100 feet  
 Fresh water at 100 feet recorded  
 Salt water at 100 feet recorded  
 Salt water at 100 feet recorded

**AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF  
PLUGGING AND FILLING WELL**  
WEST VIRGINIA DEPARTMENT OF MINERS  
OIL AND GAS DIVISION

46

No. Coal Operation in this section: Rad & Messia

Name of well operator: S.A. Messia, Jr.

County: Putnam

Well and location: 13

Operator: Daniel

Address: Dodgeville

City: Putnam

**AFFIDAVIT**

STATE OF WEST VIRGINIA

County of Harrison

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Rad & Messia, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

day of Jan, 1935, at 13 and that the well was plugged and filled in the following manner:

Remover in which sand was plugged: Removed 2" Tubing and filled Hole with clay to 2780' and placed wood plug and cement.

Installed bridge at 2255'-30' below big Injun sand and filled hole with sand clay to 2107'-10' below where 6 5/8 casing was set place.

Installed bridge at 1950' and filled hole with sand clay to 1765'-20' above where salt sand could be, then placed plug of cement at 1765'.

Installed bridge xxxx and placed plug at 1315' which could be in the big Bunkardsand, filled hole with sand above plug. coal seam, then filled with cement to 795'-20' with sand clay.

Description of monument: Concrete monument to be erected over the hole when Rig Removed.

and that the work of plugging and filling said well was completed on the day of Jan

WEST VIRGINIA DEPARTMENT OF MINERS  
OIL AND GAS DIVISION

Subscribed and sworn to before me on this 11 day of Jan, 1935

J. E. Bond

Notary Public

Notary Public for the State of West Virginia

J. E. Bond

The surface of the above land is owned by Rad & Messia, Jr.

of Putnam County, West Virginia.

Witness

The oil and gas privileges in said well are owned by Rad & Messia, Jr.

Witness

Direction of surface at top of well: North

The number of feet of the different sand and shale layers is as follows:

2007 feet of clay

100 feet of sand

100 feet of clay