

Latitude 39° 12' 30"

75'

80° 32' 30"

Longitude

Topo Location

7.5' Loc. 0.72 S 15' Loc. 3.60 S
0.08 W (calc.) 2.31 W

Company C-172

Farm ANSON. A. Mowery

15' Quad Vadis NE
(sec.)

7.5' Quad BIG ISSAC

District GREENBRIER

WELL LOCATION PLAT

County 017 Permit 30103

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. Doc 1000A Well No. 178
J. M. Reed & Co. Mines Company of W. Va.
Salmon, W. Va. on the W. M. Tolson Farm
Salmon, W. Va. location Salmon, W. Va. District, in Putnam County, West Virginia
 The surface of the above land is owned in fee by W. M. Tolson address, and the mineral rights are owned by W. M. Tolson, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit No. 180 issued by the West Virginia Department of Mines, Oil and Gas Division.

Elevation of surface at top of well, 1500 feet. Spot Barometer.

The number of feet of the different sized casings used in the well:

Size	Length	Weight	Notes
8 1/2" dia. cas.	2000	2000	8-1/2" dia. Wood conductor.
6" dia. cas.	0	0	0
4 1/2" dia. cas.	0	0	0
3" dia. cas.	0	0	0
2 1/2" dia. cas.	0	0	0
2" dia. cas.	0	0	0
1 1/2" dia. cas.	0	0	0
1" dia. cas.	0	0	0
3/4" dia. cas.	0	0	0
5/8" dia. cas.	0	0	0
3/8" dia. cas.	0	0	0
1/2" dia. cas.	0	0	0
1/4" dia. cas.	0	0	0

Coal was encountered at 200 feet, thickness 20 inches, and at 800 feet, thickness 98 inches; and at _____ feet, thickness _____ inches.
 Lenses were used as follows: (Give details) _____

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL
 (Form No. 1) Approved by the Board of Directors of the Department of Mines, Oil and Gas Division, West Virginia, on _____ day of _____, 1935.

No. 178 Coal Operation at Salmon, W. Va. Locality, Salmon, W. Va.
 Name of well, 178
 Date of completion, June 19, 1935
 Name of operator, W. M. Tolson
 Name of engineer, W. M. Tolson
 Name of foreman, W. M. Tolson
 Name of witness, W. M. Tolson

AFFIDAVIT

STATE OF WEST VIRGINIA,)
 County of Putnam,)
 I, W. M. Tolson, being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by W. M. Tolson, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the _____ day of June, 1935, and that the well was plugged and filled in the following manner:

Manner in which well was plugged: Removed 2" tubing and filled hole with clay to 2660', removed 5-3/16 casing which was set at 2652' and continued filling to 2520', and placed wood plug with cement. Installed bridge at 2155' and filled hole with mud clay to 2025'-10' below where 6 5/8 casing set placed plug and removed 6 5/8 casing. Installed bridge at 170' and placed cement plug. Installed bridge and placed plug at 1050' and filled to 616'. 30' below Pittsburgh Coal Seam the hole was filled with cement to 550' above Pittsburgh Coal Seam, and from this point to the surface the hole was filled with mud clay.

Description of monument: Concrete monument to be erected over the hole when Rig removed.

And further deposes and says that the work of plugging and filling said well was completed on the _____ day of July, 1935.

19 _____ And further deposes and says that _____