

Latitude 39° 25' 00"

Longitude 98° 37' 30"

Longitude

75
+

Topo Location

7.5' Loc. 1.74S 15' Loc. 1.74S
1.72W (calc.) 3.95W

Company _____

Farm A.C. Ballous #2
(66 acres)

15' Quad Centerpt C
(sec.)

7.5' Quad Center Point

District McClellan

WELL LOCATION PLAT

County 017 Permit 30118

COMPLETION DATA SHEET
NO. 2
FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Coal	Black			855	860	5		
Marion Sand	White			1978	1990			
Big Lame				2190	2227			
Big Injun			Oil 8297 to 8307	2297	2343			

Well was first shut in on 20 record of 2001 Shut in was due to low

Well was first shut in on 20 Shut in was due to low

Well was first shut in on 20 Shut in was due to low

Frank D.

PRELIMINARY DATA SHEET NO. 1

Well No. 2

David Ruby
Bellisle, Ohio

Company of A. C. Bellows

Well No. 104184

66 acres Location Dodderidge County, West Virginia

District in A. C. Bellows

The surface of the above tract is owned in fee by Rev. Martinville, W. Va. address, and the mineral rights are owned by same party

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. 104 issued by the West Virginia Department of Mines, Oil and Gas Division

Elevation of surface at top of well 2168 feet

The number of feet of the different sized casings used in the well

2168 feet 6-5/8" also, 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet

feet 0 feet 0 feet 0 feet



Date 10/1/54
Approved Frank D. Operator

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION
WORK ORDER

Well to be plugged and filled as follows:
**Fill with clay from 2365 to 2380 feet, Road Plug 2390 to 2397 feet.
 Cement 2397 to 2398 feet.**

Fill with clay from 1760' to 1760' 7" - 20' above the
 Big Indian Sand.
 Drive road plug from 2207' to 2207' 4"
 Cement from 2207' to 2194' sealing the gap in the Big Indian sand.
 Continue to fill with clay from 2171' to 2171'
 Drive road plug from 2171' to 2169'
 Full 6-8/8 casing set at 2169'

SET A PERMANENT SIGN AT 2020' - 30' below the "Laxon Sand."
 Fill with clay from 2020' to 1955' - 20' above the "Laxon Sand."
Set a permanent sign at 1955' - 20' above the "Laxon Sand."
 Cement from 1955' to 1945' sealing the "Laxon Sand."

SET A PERMANENT SIGN AT 1740' approximately 30' below the Salt Sand.
 Fill with clay from 1840' to 1760' - 20' above the Salt Sand.
 Cement from 1760' to 175' sealing the Salt Sand.
 Continue to fill with clay from 1760' to 1700' - 30' below the Coal Seam
 Cement from 1390' to 1355' - 20' above the Coal Seam.
 Fill with clay from 1355' to the surface and
 Erect a marker such as is specified in Rule 19, 1931 Regulations.
 All to be done in a workman-like manner.

A marker will be erected as called for in the law.

To the Department of Mines,
 Coal Owner or Operator,
 Lease or Property Owner.

Gentlemen:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the underigned will proceed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

David Andy
 Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interested by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this 22d day

of July 1935 from West Virginia, at Charleston, West Virginia, July 22, 1935.
 DEPARTMENT OF MINES

NOTICE OF INTENTION TO PLUG AND ABANDON WELL

WEST VIRGINIA DEPARTMENT OF MINES
 OIL AND GAS DIVISION

To The Department of Mines,
 Charleston, W. Va.

No coal operations

NAME OF WELL OPERATOR: David Andy
 OPERATOR ADDRESS: Bellaire, Ohio
 WELL TO BE ABANDONED: July 18th, 1935

A. O. Ballou

Ray Martinville, W. Va.

District: Boone
 County: Boone
 Well No. 250
 A. O. Ballou, Fern

Gentlemen:—

The underigned well operator is about to abandon the above described well and will commence the work of plugging and abandoning said well on the 26th day of July, 1935, (which date shall not be less than five days after the day on which this notice is received, or in due course should be received by the Department of Mines).

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the underigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

David Andy
 Well Operator.