

Latitude 39° 15' 00"

80° 42' 30"

Longitude

75'  
+

Topo Location

7.5' Loc. 1.985 15' Loc. 1.985  
1.84W (calc.) 4.07W

Company \_\_\_\_\_

Farm Porter Maxwell #9

15' Quad Vadis NW  
(sec.)

7.5' Quad New Milton

District New Milton

WELL LOCATION PLAT

County 017 Permit 30123

COMPLETION DATA SHEET

NO 2

FORMATION RECORD

Company

Address

Well No. 9

From Porter Maxwell

Notes	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
CAVE				590	690			
COY RUN				940	975			
BALT SAND				1090	1190			
BARTON				1515	1940			
BIG LIME				1685	1730			
BIG INJUN				1730	1830			
GORDON			OIL	2397	2363			
Total Depth							2395	

Well was not shut at \_\_\_\_\_ feet; well was shut at \_\_\_\_\_ feet.

Salt \_\_\_\_\_ feet; Fresh water at \_\_\_\_\_ feet; Fresh water at \_\_\_\_\_ feet.

Well was \_\_\_\_\_ feet; Fresh water at \_\_\_\_\_ feet.

August 5, 1935

Approved

*John Linton*

Lima Gas Co.



I, H. M. Linton, hereby certify that this map is true and correct to the best of my knowledge and belief.

Scale 1:23,000

**AFFIDAVIT IN TRIPPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL**

**WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION**

Name of well operator: 11.2.0 - 50  
 Name of well: 19  
 Location: 19  
 District: 19  
 County: 19  
 Well No.: 19  
 Name of well: 19

I, the undersigned, being duly sworn, depose and say that the above is a true and correct statement of the facts and circumstances as to the location and location of the well as shown on the attached map.

**AFFIDAVIT**

STATE OF WEST VIRGINIA,  
County of \_\_\_\_\_

being duly sworn, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by 1935-60 well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the \_\_\_\_\_ day of \_\_\_\_\_, 1935, and that the well was plugged and filled in the following manner:

Manner in which said well was plugged: Well was filled from the bottom to 1330. 70# plug placed 1330 to 1327 and cemented to 1317, and filled to 1735. Removed casing. Filled to 1550, placed wood plug and cemented to 1537. Continued filling to the surface.

Manner in which coal was plugged:

Description of monument: Casing set in concrete in the well mouth, number, 1935, to be used as a monument.

and that the work of plugging and filling said well was completed on the 25 day of August, 1935.

And further deposes to the fact.

*AM Lewis*

**WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION**

**PRELIMINARY DATA SHEET NO. 1**

File No. Dod 133-A Well No. \_\_\_\_\_  
 Name of well operator: James Ows Company of Charleston  
 Location: Forger Maxwell Para  
 containing 1333 acres. Location \_\_\_\_\_  
 Name of well: 1935-60 District: Doddridge County: West Virginia  
 The surface of the above land is owned in fee by James Maxwell Co  
 of Charleston, W. Va. address, and the mineral rights are owned by Forger Maxwell Co of \_\_\_\_\_

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit No. \_\_\_\_\_ issued by the West Virginia Department of Mines, Oil and Gas Division.

Elevation of surface at top of well \_\_\_\_\_ feet  
 Spirit Barometric \_\_\_\_\_

The number of feet of the different sized casings used in the well \_\_\_\_\_ feet

124	feet	10	size, cog.	1785	feet	5 3/16"	size, cog.
856	feet	8 1/4"	size, cog.		feet		size, cog.
1140	feet	6 5/8"	size, cog.		feet		size, cog.

\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_  
 \_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_  
 \_\_\_\_\_ in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 \_\_\_\_\_ in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet

Coal was encountered at \_\_\_\_\_ feet, thickness \_\_\_\_\_ inches, and at \_\_\_\_\_ feet, thickness \_\_\_\_\_ inches, and at \_\_\_\_\_ feet, thickness \_\_\_\_\_ inches.

Liners were used as follows: (Give details) \_\_\_\_\_

August 5, 1935

Date