

Latitude

39° 17' 30"

39° 53' 30"

+ 75'

Longitude

Topo Location

7.5' Loc. 1.11 S 15' Loc. 399 S
0.04 W (calc.) 2.27 W

Company C-1260

Farm E. H. Dotson

15' Quad Wst Union SC
(sec.)

7.5' Quad Penningboro

District Central

WELL LOCATION PLAT

County 017 Permit 30130

Central District, Doddridge County, W. Va.

By Hope Xons. & Ref. Co., 445 W. Main St., Clarksburg, W. Va.

On 40 acres, surface and mineral rights owned by J. L. Young,
Greenwood, W. Va.

Elevation, 883' L.

6-5/8" casing, 1784'; 6-3/16", 1837'; 2" tubing, 1932'.

Coal was encountered at 533-535'.

Abandonment reported to Dept. of Mines August 26, 1935.

Well was shot at 1886-1892'.

Salt water at 1368 and 1720'.

Oil well; now exhausted.

	Top.	Bottom.	Thickness.
Pittsburgh Coal	533	- 535	2
First Cow Run Sand	840	- 860	20
Second Cow Run Sand	1009	- 1034	25
First Salt Sand (water, 1368')	1340	- 1375	35
Second Salt Sand	1455	- 1550	95
Maxton Sand (water, 1720')	1710	- 1730	20
Little Lime	1740	- 1760	20
Pencil Cave	1760	- 1780	20
Big Lime	1780	- 1872	92
Big Injun Sand (oil, 1886')	1872	- 1938	66
Total depth			1942

COMPLETION DATA SHEET

NO. 2

FORMATION RECORD

Hope Construction & Refining Company
 Clontarf, N. Y.
 Address
 1000 ...
 J. L. Young

Well	Depth	Stratification	Oil Use or Water	Top	Bottom	Thickness	Total Depth	Remarks
1261	800			800	825	25'		
1262	840			840	860	20'		
1263	1000			1000	1004	4'		
1264	1340			1340	1375	35'		
1265	1605		1340	1605	1680	75'		
1266	1710		1710	1710	1760	50'		
1267	1740		1740	1740	1760	20'		
1268	1760		1760	1760	1780	20'		
1269	1760		1760	1760	1872	112'		
1270	1872		1872	1872	1888	16'	1948	

Well was not shut at 1888 to 1892
 Salt
 Fresh water at 1888 & 1780
 Well was producing salt - Now exhausted.

August 28th, 1936

Approved Hope Construction & Refining Company

Plan of Wells No. 1258-1259-1260 & 1261
 Hope Construction & Refining Co.
 Clontarf, N. Y.



Robt. Smith Mrs.

Code-1261-A

- LEGEND
- Location
 - Oil Well
 - ⊙ Aband
 - ⊛ Gas Well
 - ⊞ Aband
 - ⊚ Dry Hole
- Field Book No. 600
 Book 1260
 Aug. 7th 1936

PAINTING: GERTIGATZ

**AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL**

(Prescribed by Chapter 5, Article 2, Section 50 of the Code)

**WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION**

No Coal operators in this section.
 Mine Construction & Refining Company
 Charlestown, W. Va.
 October 14th, 1935
 Well and Location
 Central District
 Doddridge County
 Well No. 1280
 J. B. Young, Foreman

The undersigned, being duly sworn, deposes and says that the foregoing is a true and correct copy of the original and substantiated copy of the return of surface as required by law.

AFFIDAVIT

STATE OF WEST VIRGINIA,
 County of Doddridge

Charles P. Bahrlinger and Edward B. Underwood being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Mine Construction & Refining Co. operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 5th day of September 1935, and that the well was plugged and filled in the following manner:

Manner in which well was plugged:
 Removed 2" tubing and filled with clay to 1000' above lead plug at 1000'.
 Removed 5 3/16" casing filled with clay to 1600' cemented at 1600'.
 Ripped 6 5/8" casing at 1600' ft bridged at 1600'. Filled to 1800' ft
 cemented at 1800' ft. casing pulled and was unable to set plug at 800'.
 on account of savings, substituted 4 1/2" casing and cemented
 from 800' ft to 815' ft, and filled with clay to top of surface.

Manner in which well was plugged:

Description of cement:
 Will erect concrete monument when rig is torn down.
 (This return substantiated copy as an original and substantiated copy the return of surface as required by law, Article 2, Section 50 of the Code)
 and that the work of plugging and filling said well was completed on the 5th day of October 1935.

**WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION**

PRELIMINARY DATA SHEET NO. 1

Well No. 1280
 Mine Construction & Refining Company of 608 West Main St.
 Charlestown, W. Va. on the J. B. Young
 containing 60 acres. Location
 Central District in Doddridge County, West Virginia

The number of the above tract is owned in fee by J. B. Young
 of Greenbush, W. Va. address, and the mineral rights are owned by
 J. B. Young of Greenbush, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under joint
 lease by the West Virginia Department of Mines, Oil and Gas Division
 No. 1280

Elevation of surface at top of well 805
 The number of feet of the different sized casings used in the well
 1784 feet 8-5/8" size, csg. 1637 feet 5-3/16" size, csg.
 1908 feet 6" size, csg.
 packer of
 packer of
 feet to
 feet to
 in casing perforated at
 in casing perforated at
 805 feet, thick ness
 feet; thickness
 feet; thickness

Lines were used as follows: (Give details)

723931