

Latitude 39° 17' 30"

11 00, 05 00 8

Longitude

75'  
+

Topo Location

7.5' Loc. 1.43S 15' Loc. 4.31S  
1.72W (calc.) 1.72W

Company C-118

Farm Ray C. Hudkins

15' Quad West Union SC  
(sec.)

7.5' Quad West Union

District Central

WELL LOCATION PLAT

County 017 Permit 30138

Central District, Doddridge County, W. Va.  
 By Hope Cons. & Ref. Co., 445 W. Main St., Clarksburg, W. Va.  
 On 100 acres, surface and mineral rights owned by Ray Hudkins,  
 Greenwood, W. Va.  
 Elevation, 1145' L.  
 10" casing, 489'; 8 $\frac{1}{4}$ " 1308'; 6-5/8", 2102'; 5" liner, 153';  
 2" tubing, 2222'.  
 Coal was encountered at 840-844'.  
 Abandonment reported to Dept. of Mines Oct. 2, 1935.  
 Well was shot at 2180-2187 and 2212-2222'.  
 No fresh water recorded; salt water at 2030 and 2055'.  
 Oil well; now exhausted.

	Top.	Bottom.	Thickness.
Pittsburgh Coal	840	- 844	4
Little Dunkard Sand	1115	- 1140	25
Big Dunkard Sand	1285	- 1335	50
Gas Sand	1470	- 1500	30
First Salt Sand	1520	- 1570	50
Second Salt Sand	1675	- 1870	195
Maxton Sand (water, 2030 & 2055')	1985	- 2065	80
Little Lime	2065	- 2085	20
Pencil Cave	2085	- 2089	4
Big Lime	2090	- 2169	79
Big Injun Sand (oil, 2181-82, and 2214-2224')	2174		
Total depth			2230



PRELIMINARY DATA SHEET NO. 1

File No. 10-1-100 Well No. 116

Hope Construction & Refining Company, Inc. Charleston, W. Va.

Operator Central County, West Virginia

The surface of the above well is owned in fee by Hope Construction & Refining Company, Inc. and the mineral rights are owned by Hope Construction & Refining Company, Inc.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit No. 116 issued by the West Virginia Department of Mines, Oil and Gas Division.

Elevation of surface at top of well 1168 feet

The number of feet of the different sized casings used in the well:

4 1/2" dia. cas.	10'	dia. int. of	3 3/8"
6" dia. cas.	100'	dia. int. of	5 1/2"
8" dia. cas.	100'	dia. int. of	6 1/2"
10" dia. cas.	100'	dia. int. of	7 1/2"

Coal was encountered at 840 feet, thickness 45 inches, and at 840 feet, thickness 45 inches, and at 840 feet, thickness 45 inches, and at 840 feet, thickness 45 inches.

Layers were used as follows: (Give details)

Date October 2nd, 1935.

Approved W. C. Williams General

Hope Construction & Refining Company

No. coal operations 1 in a section. Hope Construction & Refining Company, Inc.

Coal operations at Central County, West Virginia

Operator Central County, West Virginia

The surface of the above well is owned in fee by Hope Construction & Refining Company, Inc. and the mineral rights are owned by Hope Construction & Refining Company, Inc.

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Putnam

PERLEY S. WILLIAMS and ALBERT GARDNER bring first duly sworn according to law depose and say that they are engaged in the work of plugging and filling oil and gas wells and were employed by Hope Construction & Refining Company, Inc. and participated in the work of plugging and filling the above well, that said well was plugged and filled on the 14th day of October, 1935, and that the well was plugged and filled in the following manner:

Manner in which said well was plugged:  
Removed 2" tubing & 5 3/16" liners, and filled with clay to 2100' above 6 5/8" lead plug at 2154' to 2182' immediately previous to 2098' filled with clay to 1945' cemented at 1945' previous to 1900' at 1900' filled with clay to 1800' cemented at 1800' previous to 1800' at said cemented at 1818' removed 8 1/2" casing filled with clay to 840'

Manner in which coal was plugged:

filled with cement from 874' to 820' filled with clay to 840' cemented at 499' and filled with clay to surface

Description of monument:

Will erect monument when rig is torn down

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 20, CHAPTER 20, CODE OF WEST VIRGINIA) and that the work of plugging and filling said well was completed on the 14 day of October, 1935

And further deponents swear not

Perley S. Williams  
Albert Gardner