


SILAS LANGFITTNO.7- RAAD SUPPLY GO, -

DOD_542-A



Surface & & Coal. Ray & Nellie Hays: West Union (Star Route) W.Va.

E Coal. Silas Langfitt Hrs.

Address: S.B. Langfitt.

1030 Juliana St., Parkersburg. W.Va.

inil Deeper

bandonment

Company Raad Supply Co.

ddress Salem W.Va

arm Silas Langfitt

ract Acres 550 Lease No.

/eli | Farmi No. 7 Serial No.

levation Spirit Level: Front TAA, 24

uadrangle Center point

ounty Doddridge District McClellan

agineer EC. Tabler

"gineer's Registration No.

e No. Drawing No.

te Aug 8th 1946 Scale 1" = 800 feet

lew Location

Map N37 53-4 W6-7

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP

- + Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.

to short

DEPARTMENT OF MINES OIL AND GAS DIVISION



NOTICE OF INTENTION TO PLUG AND ABANDON WELL

(Negquired by Section 3, 7	Afficie 4, Chapter 22 of the Code)
To the Department of Mines Charleston, West Virginia	9.74.24 D
र्वे - Silas Langfitt Heirs	RAAD SUPPLY COMPANY
Coal Operator or Coal Owner Ray and *Nellie Hays	Name of Well Operator
West Union (Star Route) W. Va.	184 East Main St., Salem, W. Vs.
Silas Langfitt Heirs Coal Operator or Coal Owner	
Address: S. B. Langfitt	
1030 Juliana St., Parkersburg, W. Va.	Well No. 7 Date Drilled
Ray and Nellie Hays	Silas Langfitt Far
Lease or Property Owner Star Route	
West Union, W. Va. Address	McClellan Distric
	- Doddridge Coun
Gentlemen:	
The undersigned well operator is about to aba	andon the above well and will commence the work of pluggir
and abandoning said well on the 6th day of	December 1946, (which date shall not be
less than five days after the day on which this notice	ice so mailed is received, or in due course should be receive
by the Department of Mines). If plugging cannot	t begin on date specified, please notify inspector
D. F. Desist	
signed will proceed on that date, or shortly there	spective representatives may be present at the plugging an whether you are represented or not represented the unde eafter, to plug and fill said well in the manner required be digiven in detail on the reverse side of this notice, in "wor
This notice is being mailed by registered mail to	to each of you at the above addresses on the above date.
	Very truly yours, RAAD SUPPLY COMPANY
	Well Operator
To the Department of Mines	
Coal Owner or Operator, Lease or Property Owner:	
Gentlemen:	
This "work order" as outlined on the reverse surrence and unless notified of your disapproval or niging and filling of said well in the described manner	side of this sheet is submitted for your approval and cor non-concurrence, the undersigned will proceed with the plug er on the date stated above.
	Very truly yours, RAAD SUPPLY COMPANY
	a.m. Roof
	Well Operator
and county in which the tract of land is located, the name and	1, 1929, a plat prepared by a competent engineer showing the district acreage of same, the names of the owners and adjacent tracts, and the courses and distances of such well from two permanent points.
Note: This "work order" shall be filed in triplicate, one copy for and returned to the well operator as his authority for plugging sa	or the files of the Department of Mines; one to be approved or correcte aid well; and one for the well inspector.

(Over)

DOD-542

Permit Number

WORK ORDER

PROPOSED MANNER OF PLUGGING AND FILLING WELL

FORMATION	ELEVATION AT SURFACTOR TOTAL DEPT	H.1892 WATER	FILLING MATERIAL PLUGS - BRIDGES NOTE: AT SURFACE ERECT CONCRETE MARKER AS
Pittsburgh Coal	470 - 475		Fill with clay to surface. Cement 505! - 450! - 20! above Coal.
			Fill with clay to 505.
.			Bet Bridge at 550.
		V	
		:	Neat Cement 980 - 970 -
Dunkard Sand	1000 - 1040		Fill with clay 1070 - 980.
		5-3/16" @ 1107	Set a permanent bridge at 1070.
			Neat Cement - 1786* - 1776*. Fill with clay to 1786*.
		6-5/8" @ 1823	Remove 6-5/8" casing - 1823".
Big Injun S.	1806 - 1892	Gas - 1868* 011 - 1871*	Fill with clay to 1820.
	,		Remove 5-3/16" casing - 1107.
		2* Tub. 1890*	Remove 2 th tubing - 1890.
<u> </u>			

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owner or interposed by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this

_7thday	of Decem	ber, 1946	19	9 4
---------	----------	-----------	----	----------------

DEPARTMENT OF MINES
OIL AND GAS DIVISION

By:_____