



J.H. Fry, 24th Lease
 surface now Glenn Starkey

Surface: Russell D. Starkey
 Industrial, Harrison Co. W. Va.
 Coal, all 24th: Ray Ash
 700 1/2 Prunty Building
 Clarksburg, W. Va.

- New Location
- Drill Deeper
- Abandonment

Company Rad Supply Co
 Address Salem, W. Va
 Farm J H Fry
 Tract _____ Acres 24th Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) Floor - 985.77
 Ground - 983.77
 Quadrangle Centerpoint
 County Doddridge District Grant
 Engineer E. C. Tabler
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date Sept 1st 1945 Scale 1" = 200'

S 12 E 1

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. DOD-589-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500; latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

484

WELL RECORD

Permit No. 584 A

Oil or Gas Well Oil

(KIND)

Company Read Supply Company
Address 184 E. Main St., Salem, W. Va.
Farm J. H. Fry Acres 24
Location (waters) Long Run of Buckeye Fork
Well No. 1 Elev. 983.77
District Grant County Doddridge
The surface of tract is owned in fee by Russell D. Starkey
Harrison Co. Address Industrial, W. Va.
Mineral rights are owned by Ray Ash
700 1/2 Prunty Bldg. Address Clarksburg, W. Va.
Drilling commenced April 24, 1902
Drilling completed July 2, 1902
Date Shot 6/13/03 From 2852 To _____
With 6/18/09 2856
11/27.13 2856
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ 5 bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	<u>280'</u>	<u>None</u>	Size of _____
8 1/4	<u>1290'</u>	<u>None</u>	
6 5/8	<u>1595</u>	<u>1595'</u>	Depth set _____
5 3/16 ✓	<u>2245'</u>	<u>2245'</u>	
3			Perf. top _____
2 ✓	<u>2800'</u>	<u>2800'</u>	Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED No SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 760 FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				<u>16'</u>			
Pittsburgh Coal			<u>760</u>				
Dunkard Sand			<u>1290</u>				
Salt Sand			<u>1500</u>	<u>1535</u>			
Maxon Sand			<u>1850</u>				
Big Lime			<u>2035</u>				
Big Injun			<u>2095</u>	<u>2195</u>			
Fifty Foot			<u>2610</u>				
Stray Sand			<u>2808</u>	<u>2822</u>			
Gorgon Sand			<u>2850</u>	<u>2862</u>			
Pay			<u>2856</u>				
Total Depth				<u>2865</u>			

56789
DEC 1907
DEPARTMENT OF MINES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date December 8, 1947

APPROVED Road Supply Co., Owner

By J. M. Road, mg owner
 s.m. (Title)