

McClellan District, Heddrige County, W. Va.

By A. B. Snider, Hundred, W. Va.

Abandoned under permit No.-A?

On.....acres.

Elevation, 1324' L.

Drilling completed March 14, 1908.

Shot March 16, 1908, with 30 qts., 11' 6" shell; top, 3265'.

Shot March 26, 1908, with 20 qts., 7' 8" shell; top, 3220'.

Shot March 28, 1908, with 30 qts., 11' 6" shell; top, 3222'.

Initial production, Gordon Sand, 20 wals.

10" casing, 448' (pulled); 8", 1705' (pulled); 6", 2490'; 5", 3194'.

Remarks: April 3, 1908: 123' - 4 x 4 1/2" F. J. casing - bottom joint perforated 1 ft. perforated in Stray Sand. Well collar on top.

Top, 3156'. February 13, 1925. 102' - 4 x 4" F.J. casing - top.....

Oil well. Record to Dept. of Mines not dated or stamped.

Record to MCT from Mrs. Griffith Sept. 23, 1948. Old File No. 534.

	Top.	Bottom.
Pittsburgh Coal	1174	- 1182
Little Dunkard Sand	1600	- 1640
Big Dunkard Sand	1700	- 1720
Gas Sand	2000	- 2080
Salt Sand	2160	- 2220
Maxton Sand	2350	- 2385
Big Line	2440	- 2500
Big Injun Sand	2500	- 2600
Fifty-foot Sand	3035	- 3055
Thirty-foot Sand	3135	- 3155
Stray Sand (oil, 3234-3238')	3207	- 3241
Gordon Sand	3256	- 3275
Total depth		3275



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

574

Permit No. AB 655A

Oil or Gas Well Oil (KIND)

Company A. M. Snider
Address Hundred, W. Va.
Farm R. J. George Acres _____
Location (waters) _____
Well No. 4 Elev. 1324
District McClallan County Doddridge
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced _____
Drilling completed March 14, 1908
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	448'	Pulled	Size of
8 1/4	1705'	"	
6 1/2	2490'	2490'	Depth set
5 3/16	3194'	3194'	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh coal			1174	1182			
Little Dunkard			1600	1640			
Big Dunkard			1700	1720			
Gas sand			2000	2080			
Salt sand			2160	2220			
Walton sand			2350	2385			
Big lime			2440	2500			
Big Injun			2500	2600			
Fifty foot			3035	3055			
Thirty foot			3135	3155			
Stray sand			3207	3241			
Gordon sand			3256	3275			
Oil			3234	3238			

TORPEDO RECORD

Date shot	Qts.	Shell	Top
3-16-08	30	11 1/2"	3265
3-26-08	20	7 1/2"	3220
3-28-08	30	11 1/2"	3222

Remarks: April 3, 1908
125' - 4 x 4 1/2" F. J. casing - bottom joint perforated 1/2" 1 ft perforated in Stray sand. Bell collar on top. Top 3156.
February 19, 1925
102' - 4 x 4 1/2" F. J. casing - top

INITIAL PRODUCTION

Gordon sand = 20 bbls.