



New Location
 Drill Deeper
 Abandonment

Company JAMES R. KOKEN
 Address PENNSBORO, W. VA.
 Farm JOHN MAXWELL
 Tract _____ Acres 86 Lease No. _____
 Well (Farm) No. 1 Serial No. NW
 Elevation (Spirit Level) 1177.3
 Quadrangle VADIS
 County DODDRIDGE District NEW MILTON
 Engineer B. F. RINEHART
 Engineer's Registration No. 648
 File No. _____ Drawing No. 728-ND
 Date Nov. 13, 1948 Scale 1 in. = 400 ft.

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. DOD-711-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

633

WELL RECORD

Permit No. 711-A

Oil or Gas Well O&G

(KIND)

Company J. B. Kooker
Address Pennsboro, W. Va.
Farm John Maxwell Acres 86
Location (waters) Grouse Run
Well No. 1 Elev. 1177.3
District New Milton County Doddridge
The surface of tract is owned in fee by Rollin Maxwell Address West Union, W. Va.
Mineral rights are owned by --- Address _____
Drilling commenced November 8, 1917
Drilling completed February 26, 1918
Date Shot From _____ To _____
With _____
Open Flow /10ths Water in _____ Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	450	160	Size of
8 1/4	1145	None	
6 1/2	1933	1933	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
1st Dunbar			1070	1085	Water	1164	
2nd Dunbar			1142	1167	Water	1470	
1st Gas Sand			1230	1310	Gas	2070	
Salt Sand			1320	1330	Oil	2680	
2nd Salt Sand			1425	1500			
3rd Salt Sand			1650	1815			
Little Lime			1885	1900			
Pencil Cave			1900	1915			
Big Lime			1915	2000			
Big In. Lime			2000	2130			
Squaw Sand			2135	2280			
Perrea Sand			2280	2295			
Santz Sand			2300	2431			
50 Ft. Sand			2445	2460			
Gordon Stray Sand			2658	2666			
Gordon Sand			2674	2680			

C

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date Nov 19, 19 40

APPROVED J. P. Coolidge, Owner

By _____ (Title)

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT TO BE MADE BY THE OPERATOR OF THE WELL AND BY THE WELL OPERATOR OR OWNER OF THE WELL.

NAME OF WELL OPERATOR OR OWNER: **Hone**
 ADDRESS: _____
 NAME OF WELL OPERATOR: **J. R. Kooker**
 COMPLETE ADDRESS: **Pennsboro, W. Va.**
 DATE: **February 15, 1949**
 WELL AND LOCATION: **New Milton** District
Doddridge County
 NAME OF PROPERTY OWNER: **J. R. Kooker**
 ADDRESS: **Pennsboro, W. Va.**
 Well No: **1**
John Maxwell Farm
 STATE INSPECTOR SUPERVISING PLUGGING: **W. F. Desist**

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of **Ritchie**

Charles B. Kelly and **Wm. H. Kysor**
 being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by **J. R. Kooker** well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the **21st** day of **December**, 1948, and that the well was plugged and filled in the following manner:

SAND OR HONE RECORD	FILLING MATERIAL			PLUGS USED	GAGES	
	PERCENT	FROM	TO		COG FALLS	COG LEFT IN
Garden	med clay	2680	2600			
	Cement	2600	2590			
	Crush. Stone	2590	2585			
Big Injun	Bridge		2160			
	med Clay		1963		1100	843 (6 5/8)
	Cement	1963	1953			
2nd Salt	Crush. Stone	1953	1948			
	Bridge		1500			
	2nd Dunkard	Red Clay		1142		
2nd Dunkard	Cement	1142	1132			
	Crush. Stone	1132	1128			
	Little Dunkard	Red Clay	1128	1050		
Little Dunkard	Cement	1050	1040			
	Crushed stone	1040	1035			
	Bridge		500			
COAL BEANS	Red Clay		0			
(NAME)	DESCRIPTION OF MONUMENT					
(NAME)	6 5/8" casing cement filled.					
(NAME)	Set 36" above surface.					
(NAME)						
(NAME)						

and that the work of plugging and filling said well was completed on the **2nd** day of **February**, 1949.

And further deponents saith not.

Sworn to and subscribed before me this **16th** day of **February**, 1949.

Charles B. Kelly
William H. Kysor
 da of *February*, 1949.