

Latitude 39°22'30"

80°37'30"

75' +

Longitude

Topo Location

7.5' Loc. 0.88S 15' Loc. 3.74S
0.05W (calc.) 2.28W

Company _____

Farm Albert Ford #1

15' Quad Centrapant C
(sec.)

7.5' Quad Smithburg

District McKellan

WELL LOCATION PLAT

County 017 Permit 30791

McClellan District, Doddridge County, W. Va.

By Carnegie Natural Gas Co.

Abandoned under permit Ded-.....-A?

On 50 acres,

Elevation, 904' L.

Surface and minerals owned by Alfred Ford Heirs, Salem, W. Va.

Drilling commenced Sept. 2, 1910; completed Nov. 2, 1910.

10" casing, 610' (pulled); 8 $\frac{1}{2}$ " , 1080' (pulled); 6 $\frac{3}{8}$ " , 1830'; 5 $\frac{1}{2}$ " , 1909'.

Coal was encountered at 546-551'.

Gas well. Record to Dept. of Mines stamped Aug. 26, 1949.

Record to RGT from Mrs. Griffith Nov. 4, 1949. Old File No. 675.

| | Top. | Bottom. |
|--------------------------------------|------|---------|
| Pittsburgh Coal, black, soft | 546 | - 551 |
| Dunkard Sand, little | 1000 | - 1030 |
| Gas Sand | 1185 | - 1275 |
| 1st Salt Sand | 1455 | - 1495 |
| 2nd Salt Sand | 1570 | - 1730 |
| 3rd Salt Sand | 1720 | - 1760 |
| Maxton Sand | 1760 | - 1780 |
| Little Lime | 1798 | - 1810 |
| Big Lime | 1815 | - 1875 |
| Big Injan Sand (gas, 1948 and 1985') | 1845 | - 1962 |
| Squeaw Sand | 1964 | - 2042 |
| Total depth | | 2042 |

05-107
MM



675

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. 711-A

Oil or Gas Well X (KIND)

Company Drilled by Carnegie Mt. Gas
Address _____
Farm Alfred Ford - Mrs. Acres 50
Location (waters) _____
Well No. one Elev. 704
District McClellan County Doddridge
The surface of tract is owned in fee by Alfred Ford - Mrs
Address Salem, W. Va.
Mineral rights are owned by Alfred Ford - Mrs
Address Salem, W. Va.
Drilling commenced Sept. 2, 1910
Drilling completed Nov. 2, 1910
Date Shot _____ From _____ To _____
With _____

| Casing and Tubing | Used in Drilling | Left in Well | Packers |
|-------------------|------------------|--------------|----------------|
| Size | | | |
| 16 | | | Kind of Packer |
| 13 | | | |
| 10 | 610 | | Size of |
| 8 1/4 | 1080 | | |
| 6 3/8 | 1830 | 1830 | Depth set |
| 5 3/16 | 1909 | 1909 | |
| 3 | | ✓ | Perf. top |
| 2 | | | Perf. bottom |
| Liners Used | | | Perf. top |
| | | | Perf. bottom |

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 546 FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

| Formation | Color | Hard or Soft | Top | Bottom | Oil, Gas or Water | Depth Found | Remarks |
|-----------------------------|--------------|--------------|-------------|-------------|-------------------|-------------|---------|
| <u>Patch Pittsburg Coal</u> | <u>Black</u> | <u>soft</u> | <u>546</u> | <u>551</u> | | | |
| <u>Dunkard</u> | | | <u>1000</u> | <u>1030</u> | | | |
| <u>gas sand</u> | | | <u>1185</u> | <u>1275</u> | | | |
| <u>1st salt sand</u> | | | <u>1455</u> | <u>1495</u> | | | |
| <u>2nd "</u> | | | <u>1570</u> | <u>1730</u> | | | |
| <u>3rd "</u> | | | <u>1720</u> | <u>1760</u> | | | |
| <u>m apter</u> | | | <u>2760</u> | <u>1780</u> | | | |
| <u>Little lime</u> | | | <u>1798</u> | <u>1810</u> | | | |
| <u>Big lime</u> | | | <u>1815</u> | <u>1875</u> | | | |
| <u>Big Engine</u> | | | <u>1845</u> | <u>1962</u> | | | |
| <u>Squaw</u> | | | <u>1964</u> | <u>2042</u> | <u>Gas</u> | <u>1948</u> | |
| | | | | | <u>Gas</u> | <u>1985</u> | |

123742576
AUG 19 1919
1919

