



New Location   
 Drill Deeper   
 Abandonment

Company	G. O. TRAVIS
Address	WEST UNION, W. VA.
Form	J. PAUL ROBINSON
Tract	Area 200 Lease No.
Well (Farm) No.	Serial No.
Elevation (Spirit Level)	932'
Quadrangle	YADIS
County	JODD BRIDGE District NEW MILTON
<i>Surveyed by R. Clarke</i>	

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. D&D-922-A

† Denotes location of well on United States Topographic Map, scale 1 to 62,500, latitude and longitude lines being represented

Latitude

39° 12' 30"

75'  
+

80° 42' 30"

Longitude

Topo Location

7.5' Loc.	<u>0.24S</u>	15' Loc.	<u>3.12S</u>
	<u>1.34W</u>	(calc.)	<u>3.57W</u>

Company Maxwell

Farm Paul Robinson

15' Quad Vadis NW  
(sec.)

7.5' Quad New Milton

District New Milton

WELL LOCATION PLAT

County 017 Permit 30922

PAUL ROBINSON NO. 1 WELL.

Dodd 922A

New Milton District, Doddridge County, W. Va.

By J. F. Maxwell Estate, -C. O. Travis, West Union, W. Va.

Abandoned under permit Dod-922-A (?)

On 200 acres, on Webley Fork.

Elevation, 932' L.

Surface owned by Paul Robinson, West Union, W. Va.

10" casing, 180'; 8 $\frac{1}{4}$ "<sup>11</sup>, 825' (pulled); 6 $\frac{5}{8}$ "<sup>11</sup>, 1800'; 2" tubing, 2000'.

Oil? well. Record to Dept. of Mines dated May 26, 1952.

Record to RCT from Mrs. Griffith Dec. 2, 1952. O.F.No.872.

	Top.	Bottom.
Hurry-up sand	120	- 175
Salt Sand	1080	- 1180
Maxton Sand	1300	- 1420
Big Lime	1800	- 1895
Big Injun Sand	1895	- 1950
Total depth		2000

WELL RECORD

Permit No. \_\_\_\_\_ Oil or Gas Well No. 011

Company L. E. Maxwell, et al.  
 Address Dunsmuir - West Union, W. Va.  
 Farm Paul Robinson Acre 200  
 Location (section) Hobley Fork  
 Well No. 1 Elev. 932

District West Union County Doddridge  
 The surface of land is owned in fee by Paul Robinson  
WEST UNION, W. VA. Address \_\_\_\_\_  
 Mineral rights are owned by L. Robinson, et al.  
West Union, W. Va. Address \_\_\_\_\_

Drilling commenced \_\_\_\_\_  
 Drilling completed \_\_\_\_\_  
 Date Shat. \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_

Wick \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs.  
 Oil \_\_\_\_\_ bbl., net 24 hrs.  
 Fresh water \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Perforation	Color	Kind of Salt	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
hurry up Sand			120	175			
Salt Sand			1080	1180			
Mazon Sand			1300	1420			
Big Lane			1800	1895	Oil	1915	
Big Logan Sand			1895	1950			
Total depth				2000			

C. C. Travis  
 NAME OF WELL OPERATOR  
 West Union, W. Va.  
 COUNTY ADDRESS  
 June 24, 1952  
 WELL AND LOCATION  
 West Union  
 District  
 County  
 Paul Robinson  
 Farm  
 Well No. 1  
 Paul Robinson  
 Farm  
 West Union, W. Va.  
 STATE INSPECTOR SUPERVISING PLUGGING. BECKY V. YAMM

AFFIDAVIT

STATE OF WEST VIRGINIA,  
 County of Doddridge ss:  
C. O. Travis and C. A. Travis  
 being first duly sworn according to law deposited say that they are experienced in the work of  
 plugging and filling of mines wells and were employed by C. O. Travis  
 well operator, and participated in the work of plugging and filling the above well, that said work  
 was commenced on the 4 day of June, 1952, at \_\_\_\_\_, and that the well was plugged  
 and filled in the following manner:

CASE OR CASE NUMBER	PERFORATION	FILLING MATERIAL		PLUGS USED		CASINGS	
		QUANTITY	WEIGHT	SIZE & KIND	QUANTITY	SIZE & KIND	DEPTH LEFT IN
		filled 2" tubing		2" tubing	2000	NONE	
		Filled Red Clay to 1820					
		Next Cement 1820-1810					
		5' stone on cement plug					
		Bridge set at 1200					
		2 hrs cement, 5' stone on bridge					
		Filled clay to 1060					
		Cement, 5' stone, 1060-1050					
		6-5/8" sandstone with well 114			1400	400	
		Filled clay to 825					
		Cement, 5' stone, 825-815					
		Bridge set at 250					
		Filled clay					
		Cement, 5' stone, 190-180					
		Filled 60" casing					
		Filled clay to surface			114	None	
		DESCRIPTION OF MONUMENT					
		Cement Slab 36" X 36"					
		Signed:					

and that the work of plugging and filling said well was completed on the 18 day of  
June, 1952, at \_\_\_\_\_  
 And further deposes with not  
C. O. Travis  
C. A. Travis  
 Sworn to and subscribed before me this 27th day of July 1952.  
 My commission expires \_\_\_\_\_

