

DEPARTMENT OF MINES





Oil and Gas Division

R

OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES,	The state of the s
Charleston, W. Va.	DATE May 31, 1977
Surface Owner Glenville State College	Company Pacific States Gas & Oil, Inc.
Address Glenville, W.V. 26351	
Mineral Owner B.S. Messenger	B.S. Messenger 100
Address Baldwin, W.V.	Location (waters) Stewarts Creek
Coal Owner B.S. Messenger or his a	ssigns Well No. One Elevation 992
Address Baldwin, W.V.	Clanyilla
Coal Operator NONE	District Glenville 7 County Glimer Quadrangle Glenville 7 5
Address	Quadrangle GIENVIIIE 19
IS PERMIT MUST BE POSTED AT THE WELL SITE	
provisions being in accordance with Chapter 22,	
the W. Va. Code, the location is hereby approved	INSPECTOR
drilling . This permit shall expire if	TO BE NOTIFIED Paul Goodknight
erations have not commenced by 10-1-77	ADDRESS Smithville, WV 26178
Nobest Woods	
Deputy Director - Oil & Gas Division	PHONE 477-2455
GENTLEMEN:	
The undersigned well operator is entitled to drill	l upon the above named farm or tract of land for oil and gas, having fee
title thousts (or as the same but he)	April 15 38 R.S.
made to	and recorded on the day of May
19 38 in Gilmer County, Book	138 Page 88
	PERREDRILLFRACTURE OR STIMULATE
OIL AND GAS WELL ORIGINALLY	DRILLED BEFORE JUNE 5, 1969.
The enclosed plat was prepared by a registered have been notified as of the above date.	engineer or licensed land surveyor and all coal owners and/or operators
The above named coal owners and/or operator ar to make by Section 3 of the Code, must be received	the hereby notified that any objection they wish to make, or are required by, or filed with the Department of Mines within ten (10) days. *
Copies of this notice and the enclosed plat were	mailed by registered mail, or delivered to the above named coal operators
or coal owners at their above shown respective add	ress before, or on the to the Department of Mines at Charleston, West Virginia.
came day with the maning of delivery of this copy (the Department of Mines at Charleston, West Virginia.
PLEASE SUBMIT COPIES OF ALL	Very truly yours
GEOPHYSICAL LOGS DIRECTLY TO:	(Sign Name)
on the second of country of the part of the country	Well Operator
WEST VIRGINIA GEOLOGICAL AND	P.O. Box 67
ECONOMIC SURVEY	Address Street
P. O. BOX 879 MORGANTOWN, WEST VIRGINIA 26505	Well Operator Glenville
AC-304 - 292-6331	City or Town
Complete Comment of Spendency of the conditions.	West Virginia
mention of the state of the sta	State of a second secon
envisoral post sacinalizado para litar o licio del concessora	02/16/2024
*SECTION 3 If no objections are filed or found	d by the Department of mines within said period of ten days from the receipt of
bettee and plat by the department of mines, to said proposed	location, the department shall forthwith issue to the well operator a permit position
and the well operator authorized to proceed.	the coal operators or found thereto by the department and that the same is approved

the reclamation requirements as set forth in b and will carry out the specified requirements."

GIL-2829

47-021

PERMIT NUMBER

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	XX DRILL	DEEPEN	FRACTURE-STIMULATE
DRILLING CONTRACTOR: (If		RESPONSIBLE AGEN	T:
NAME S.W. Jack Dril		NAME John Mork	
ADDRESS Buckhannon, W.			x 67, Glenville, W.V. 2635
TELEPHONE 472-2161		TELEPHONE	-462-8118
ESTIMATED DEPTH OF COMPL	ETED WELL: 4800	ROTARY XX	CABLE TOOLS
PROPOSED GEOLOGICAL FORM	MATION Benson Sand		
TYPE OF WELL: OIL_	GAS XX	COMB STORAG	E DISPOSAL
TENTATIVE CASING PROGRAM		ING WATER FI	LOODOTHER
CASING AND TUBING SIZE	USED FOR DRILLING	LEFT IN WELL	CEMENT FILL UP OR SACKS - CUBIC FT.
20 - 16			
13 - 10			- mails to
9 - 5/8			
8 - 5/8	500	500	Surface 200 sks
7		1 4 4-	
5 ½	4800	4800	200 sks
4 ½	4000	1000	
3			Perf. Top Perf. Bottom
Liners		11 11 11 11	Perf. Top
· ·		77.6	Perf. Bottom
			- Vogeshearing
WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED TO FRACTURE - STIMULATE: OIL AND/OR GAS WELL OF BOND, PERMANENT PLATOIL AND/OR GAS WELL OF ING ORIGINAL PERMIT NU	OF OG - 1, SHOWING ORIGINO 1929, A PERMANENT OF THE PROPERTY O	ORE JUNE 5, 1929, FIVE (5 CORD. AND/OR AFTER JUNE 5, 19 E BOND.	AND PERFORMANCE BOND. ON THE ORIGINAL WELL RECORD O COPIES OG - 1, PERFORMANCE O 29, FIVE COPIES OG - 1, SHOW- c. Inspector to be notified twenty-
	The state of the state of	- · · ·	
The following waiver must thereof.	be completed by the coal or	perator if the permit is to be	e issued within ten days of receipt
	nt for	Coal Company, Own	er or Operator of the coal under
this lease have examin	ed and place on our mine r	naps this proposed well loc	ation.
			well being drill @2/16/2024on,
Code.	complied with all rules and re	guiauons in Afficies 4, 5, and	d 7, Chapter 22 of the West Virginia
renami voice	GIL-2829		For Coal Company
	120-24	The same in the same in the same	Official Title



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

DECEIVED OCT 2 1 1977

OIL & GAS DIVISION DEFT. OF MINES

Oil and Gas Division WELL RECORD

Quadrangle Glenville 7½
Permit No. Gil 2829

Rotary_X_	Oil
Cable	Gas_X
Recycling	Comb
Water Flood	Storage
Disposal	(W: 1)

(Disposal	(Kind)
Company Pacific States Gas & Oil, Inc. PO Box 67, Glenville, WV 26351 Address B.S. Messenger Acres 100	Cooing and Lubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Location (waters) Stewart's Creek Well No. Elev. 992 Distric Glenville County Gilmer	Size 20-16 Cond.			
The su face of tract is owned in fee by	13-10" 9 5/8			1
Addr ssGlenville, WV	8 5/8	380	380	Surface
Mine al rights are owned by B.S. Messenger	7			
Address_Baldwin, WV	5 1/2			
Drilling Commenced 6/13/77	4 1/2	4555	4555	250 sks R.F.C
Drilling Completed 6/18/77	3			50 sks neat
Initial open flow N/A cu. ft. bbls.	2			1
Final production 2,490 M cu. ft. per daybbls.	Liners Used			
Well openhrs. before test RP.				
Well treatment details: Perf. w/ 3½ Glass Jets 4556 to 60 (6) &	Attach copy of c 4466 to 64 (4)		ord.	
Coal was encountered atFee Fresh waterFeet	Salt V	Vater		
Producing Sand	Depth		(m)	

Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
Sand & Shale	0	110	
Sand & Shale	110	380	
Sand & Shale	380	439	
Sand & Shale	439	810	
Salt. Sand & Shale	810	1290	
2nd Salt Sand	1290	1408	
Shale	1408	1450	
3rd Salt Sand	1450	1476	
Shale	1476 -	1588	
Shale	1588	1600	
Little Lime	1600	1620	
Pencil Cave	1620	1676	
Big Lime	1676	1722	
Keener	1722	1790	
Injun	1790	1840	
Shale	1840	1966	
Weir	1966	2148	
Shale	2148	2156	02/16/2024
Gordon	2156	2534	
Sandy-Shales	2534	2540	
5th Sand	2540	2576	
Bayard	2576	2594	
Shales	2594	2930	
Elizabeth	2930	3020	

(over)

^{*} Indicates Electric Log tops in the remarks section.

DECEMBED)			
Color Hard or Soft	Top Feet Z	Bottom Feet	Oil. Car in Water Counts
Sandy-Shales Ballwown Shales Lower Riley Sandy Shales Sand Shale Benden Shales	3020 3654 3750 4012 4066 4368 4380 4452 4472	3654 3750 4012 4066 4388 4380 4452 4587	Annua Annua

02/16/2024

September 12, 1977

Executive Vice President





State of West Virginia

Department of Mines Gil and Gas Division Charleston 25305

FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT February 29, 1984

APR	1	1986
-----	---	------

	February 29, 19	984		,
COMPANY	Pacific States Gas & Oil, Inc.	PERMIT NO	021-2829	(6-1-77
P. 0.	Box 67	FARM & WELL NO	B. S. Me	ssenger #1
Glenvi	lle, West Virginia 26351	DIST. & COUNTY	Glenville	e/Gilmer
		IN	COMPLIANCE	Ξ
RULE	DESCRIPTION	YE	S	NO
23.06	Notification Prior to Starting Work			
25.04	Prepared before Drilling to Prevent Wa	aste		
25.03	High-Pressure Drilling	-		
16.01	Required Permits at Wellsite			
15.03	Adequate Fresh Water Casing			
15.02	Adequate Coal Casing		-	
15.01	Adequate Production Casing			
15.04	Adequate Cement Strenght			
15.05	Cement Type			
23.02	Maintained Access Roads			
25.01	Necessary Equipment to Prevent Waste			
23.04	Reclaimed Drilling Pits			
23.05	No Surface or Underground Pollution	***************************************		
23.07	Requirements for Production & Gatherin	ng Pipelines		
16.01	Well Records on Site			
16.02	Well Records Filed			
7.05	Identification Markings	-		
I HAVE I	NSPECTED THE ABOVE CAPTIONED WELL AND H	RECOMMEND THAT I	T BE RELEAS	SED:
		SIGNED Graig	Ducker	also
		DATE 3/2	6/86	
with Cha	1 record was received and reclamation of the 22, Article 4, Section 2, the above			
coverage	for the life of the well.	7-1	1 mg	16
		Adding to the	Oil & Gas I	Division
		April 2	, 1986	
		DAT	F	

LES DE AND GAS

APR 1 1986

austo.		FERC-12	21		//	1/4
1.0 API well number: (If not available, Inave blank, 14 digits.)		£ TOM	047-021-28	29	4	1236
2.0 Type of determination being sought: (Use the codes found on the front of this form.)			07	δ.	-011	FRA 98 10.
3.0 Depth of the deepest completion location: (Only needed if sections 103 or 107 in 2.0 above.)			4587	7	1001	CAS DIVISION
4.0 Name, address and code number of applicant: (35 letters per line maximum. If code number not available, leave blank.) 5.0 Location of this well: [Complete (a) or (b)]	Nan Stre	P.O. Box 67 Glenville,	tes Gas & C	W.Va.	263 Zip Ci	14958 Seller Code
or (b).] (a) For onshore wells (35 letters maximum for field name.) (b) For OCS wells:	Field	enville Name Imer			W.VA.	
(c) Name and identification number of this well: (35 letters and digits	Area	Date of Mo. Day	, Yr.	OCS Lea	lock Num	
(d) If code 4 or 5 in 2.0 above, name of the reservoir: (35 letters maximum.)		B.S. M 659	ENGER #	=1		_
6.0 (a) Name and code number of the purchaser: (35 letters and digits maximum. If code number not available, leave blank.)	Eo	uitable Gas	Company			#5939
(c) Estimated annual production:			10,1,7 Mo. Day	7,5, Yr.		
			45,0	,	MMcf.	v
O Contract price: IAs of filing date. Complete to 3		(a) Base Price (\$/MMBTU)	(b) Tax	(c) All O Prices II (+) or (-)	ndicate	ldi Tota''' . Ibi and
decimal places.)		1.510	0.00		- 1	

1.510

2.116

James Name

8.0 Maximum lawful rate: (As of filing date. Complete to 3 original places.)

FEB 281979

Date Received by FERC

9.0 Person responsible for this application:

<u>v.187</u>

0.261

FT75an de . . .

1.697

2.377

Designated Agent

(304) 462-8118

Was Determination Objected to? By Whom?

STATE OF WEST VIRGINIA

CPETATOR'S MESSENGER #1

DEPARTMENT OF MINES, OIL AND GAS DIVISION Well No. PACIFIC STATES

API Vell
No. 47 - 021 - 2829
State - County Ferrit

WELL CLASSIFICATION FORM

	DESIGNATED AGENT James C. Recht
	ADDRESS P.O. BOX 67
	Glenville, West Virginia 26351
WELL OPERATOR Pacific States Gas & Oil,	Inc _{LOCATION} : Elevation 992
ADDRESS P.O. Box 67	Watershed Jakes Run
Glenville, W.VA. 26351	Glenville County Gilmer QuadGlenville
cas purchaser <u>Equitable Gas Company</u> address 420 Boulevard of the Allies	Gas Purchase Contract No. 6645-B
Pittsburgh, Pa. 15219	Meter Chart Code 2-43-25-215799-1 Date of Contract 10/17/75
* * * * * * * *	* * * * * * * * *
Date surface drilling have 6/13/77	

The bottom hole pressure of this well is 1448 psig and was measured with a down hole pressure bomb.

Indicate the bottom hole pressure of the well and explain how this was calculated.

AFFIDAVIT

I, <u>John Mork</u> , having been first sworn according
to law, state that, surface drilling of the well for which this determination is sought was begun after February 19, 1977, the well completion location is in the Devonian Shale section and I have no knowledge of any information not included in the application which is inconsistent with a conclusion that the well qualifies as a high cost natural gas well.
STATE OF WEST VIRGINIA.
COUNTY OF Gilmer . TO WIT:
I. James C. Recht, a Notary Public in and for the state and county aforesaid do certify that John Mork, whose name is signed to the writing above, bearing date the day of, 1979, has acknowledged the same before me, in my county aforesaid. Given under my hand and official seal this 22 day of, 1979. My term of office expires on the

