n/

DRILLING CONTRACTOR:

July 1 19 83 1) Date:_

2) Operator's #2A Zinn Well No ..

-021- 4091 47 3) API Well No. State County Permit

STATE OF WEST VIRGINIA

L.Morri	s Well S	ervice	D	EPAR:		OF MINES, OIL		ON	
Glenville	, WV 2	6351				S WELL PERMIT			n ad miles
						O VVEDE I ENTINI	ATTEICATION		
4) WELLTY	PE. A Oil		/ Gas	X	,				2
+) WEEL II			duction .			/ Underground state			
) LOCATIO	N. Eleva	tion:	1122						_/ Shallow _X/)
) LOCATIO	Dietri	ct:	Troy				<u>Brake Hollo</u> Gilmer	W	Auburn 7.5'
S) WELL OP						-			eth Greenlief
Address	ERATOR_N	297 N	Lewis	Str	eet	11) DESIGNATEI		N. Lewis Street
Address			le, WV		6351		Address		ville, WV 26351
		TCHVII	IC, WV		.0331			Grenv	7111e, WV 20331
7) OIL & GA	OWNER S	cott 7	inn				COAL OPER	TOP n/a	
Address			ills.	LIVI	263/12			IIVK II/ a	3 2 3 7 3 3 3 3 3 3
Address		UA S II	TITIS,	VV V	20342		Address		and the
Agreea	1	09.62						DAN MILLIA DE CA A P	- Line 1/2
Acreage S) SURFACE			inn			13			RATION ON RECORD:
Address			ills,	TATT7	2635	1		n/a	
Address		UA 5 II	TIIIS,	VV V	2033		Address	17-51 207 1 11	100000000000000000000000000000000000000
	1	09.62							
Acreage	Service of the service of						Name	II/a	ENVIOLENCE NO
) FIELD SA				Comm			Address		
Address			a Gas						
A			ton, W		25314	14		E WITH DECLARAT	TION ON RECORD:
OIL & GA	T.			D			Name		
Name	D	eo Mac		5			Address		111111111111111111111111111111111111111
Address			, Box		5274				10000
			ge, WV						V
) PROPOSE	D WORK:							cture of stilliulate	JUL 1 2 198
						/ Perforate n	ew formation	/	JUL 1 2 198
		Other ph	ysical char	nge in	well (spec	ify)			
) GEOLOGI	CAL TARGE	T FORMA	ATION, _	505	Benson	U-ETK			Oil & GAS DIVI
17) Estima	ted depth of c	ompleted	well,	535	0	feet			DEPT. OF M
						The state of the s	alt, n/a		
19) Appro	ximate coal se	am depths	:		none	Is coal	being mined in the	area? Yes	No X
) CASING A	ND TUBINO	PROGR	AM -						
					ıl.				
CASING OR TUBING TYP	E	I SPE	Weight	NS I		FOOTAGE	INTERVALS	OR SACKS	PACKERS '
	Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	
Conductor									Kinds
Fresh water									
Coal		2 41							Sizes
Intermediate	8 5/8	ERW	20	X		500'	500'	150 sacks	CTS by Ruke 15.0
Production	4 1/2		10.5	X			5350'	610 sacks	Depths set CA AS DEU
Tubing							7,7,70	UTV BACKS	101 Pul 15-11
Liners									Perforations:
									Top Bottom
									10p Bottom
EXTRACT	ION RIGHTS							-11	
A CONTRACTOR OF STREET	provide one o		wing						
П	The second secon			contin	uing cont	tract or contracts h	w which I hold th	e right to extract oil o	
						See reverse side for		e fight to extract on o	r gas.
	PROVISION		1 1 (6) (1	, unou	811 (4). (see reverse side to	specifics.)		
			arket the c	oil or ga	as based u	pon a lease or othe	r continuing contra	act or contracts provid	ing for flat well royalty or any
similar prov	ision for con	pensation	to the ov	vner of	the oil o	or gas in place whi	ch is not inherent	y related to the volum	ne of oil or gas so extracted,
produced o	marketed?	Yes 🗌	No X						The state of the s
				eeded.	If the an	swer is Yes, you n	nay use Affidavit I	Form IV-60.	and the state of
Required C				8 1	2.41	10 1 20 - 1 20			
									elivered by hand to the above
named coal	operator, coa	owner(s)	, and coal	lessee	on or be	fore the day of the	mailing or delive	ry of this Permit Appl	lication to the Department of
Mines at Ci	arleston, We	1	7/2	. /				19	01.
Notary:	111.2	mr. C	Mapme	m			Signed: Kan	sell hee	Luf Kenneth Greenli
My Commiss	ion Expires	16 Se	ptembe	r 19	90	The same	Its:	Agent	
	100						A Comment of		
					0	FFICE USE O	NLY		1.15 (MA)

DRILLING PERMIT September 6, 47-021-4091

This permit covering the well operator and well location shown below is evidence of permission granted to drill in accordance with the pertinent legal requirements subject to the conditions contained herein and on the reverse hereof. Notification must be given to the District Oil and Gas Inspector. (Refer to No. 10) Prior to the construction of roads, locations and pits for any permitted work. In addition, the well operator or his contractor shall notify the

	and gas inspector 24						
Permit expires	September 6,	1985		unless d	illing is commenced prior to	that date and prosecuted with o	due diligence.
Bond:	Agent:	Plat:	Casimo	Fee	11	111	
2505	1	0	18	882	Administra	ator, Office of Oil and Gas	

FORM IV-2 (B) Reverse

INSTRUCTIONS TO SURFACE OWNERS AND

EXPLANATION OF METHODS AND TIME LIMITS TO COMMENT ON OIL AND GAS WELL WORK PERMIT

The well operator named in the Notice and this Application and the attached materials is applying for a permit from the State to do oil or gas well drilling or other well work. You are being served with these materials because surface owners have the right to file comments before the permit is issued. (NOTE: If the surface tract is owned by more than three persons, in multiple heirship for example, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) Permit will be good for 24 months. E Chapter 22, Article 4 of the W. Va. Code.

If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator named in the materials and the Administrator of the Office of Oil and Gas in the West Virginia Department of Mines immediately.

NOTE: You are not required to file any comment at all.

Where to file comments and obtain additional information:

Administrator of the Office of Oil and Gas West Virginia Department of Mines 1615 Washington Street East Charleston, WV 25311 (304) 348-2057

Who may file comments? If you wish to file comments, you must be an owner of record of (1) an interest in the surface tract on which the well already is or is about to be located, or (2) an interest in any other surface tract under the same oil or gas ase which will be utilized for roads or other land disturbances.

Time limits for comments. The law requires these materials to be personally served mailed to you on or before the date the operator files his Application. You have EEN (15) DAYS after the filing date to file your comments as provided in Methods Filing Comments below. (This time is changed to FIVE (5) DAYS from the filing date if the permit is only to plug a well.) You may call the Administrator's office at the above telephone number to be sure of the date. However, if you have been contacted by the well operator, and if you have signed a "voluntary statement of no objection" any of the planned work described in these materials, then the permit may be issued any time.

Comments must be in writing. Your comments should include your name, address and ephone number, the well operator's name and well number, and the approximate location the proposed well site including district and county from the Application. You may d other documents, such as sketches, maps or photographs to support your comments.

Methods for filing comments. Comments must be filed in person or received in the mail at the Administrator's office by the time stated above. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling.

The Administrator for Oil and Gas has the power to deny or condition a well work permit based on your comments on the following grounds:

The proposed well work will constitute a hazard to the safety of persons; or "(1) "(2) The plan for soil erosion and sediment control is not adequate or effective; or "(3) Damage would occur to publicly owned lands or resources; or "(4) The proposed well work fails to protect fresh water sources or supplies."

If you want a copy of the permit as it is finally issued, or a copy of the order denying the permit, you should request a copy from the Administrator.

List of Water Testing Laboratories. The Administrator maintains a list of water testing laboratories which you can hire to test your water to establish water quality rior to and after drilling. Contact the Administrator's office or an Oil and Gas Inspector o obtain a copy of the list.

FORM IV-2(I Obverse	В)	5	SURFAC	E OWNE	R'S	COPY			1) Date: Ju 2) Operator'		19 83
									Well No.	Zinn #2A	
									3) API Well		21 - County Permi
				DEPA				CINIA CICE OF OIL		State C	ouncy Fermi
				<u>A</u>	PPLI	CATION	N FOR A WEL	L WORK PERM	<u>IIT</u>	T TO A LAGO	
1) WELL TY							/ IInda		en e		TO DO TO
5) LOCATION	V:	ETE	evatio	n: 112	21	CLION	Waters	hed Brake	prage/ De	ep/ Shall	TowX/
		Dis	strict	· T		A A TO A S	Country	Gilme:	r Quadra	angle: Aubi	urn 7.5'
MELL OPP Addre	ess	JR_	Waco 0 1297 N	il & G	as Co	o., In	<u>c.</u>	7) DESI	GNATED AGENT bress	Kenneth Green 1297 N. Lew:	enlief '
			Glenvi	11e. W	V 2	26351				Glenville, I	
Name					NOTI	FIED			LING CONTRACT		Hall Campia
Address			Route	1, Box			Consider the San San San		dress	1297 N. Lew:	is Street
)) PROPOSET) WEI	J. V	Sandri	dge, W	V 2	25274 Drill	Doones	/ p. a	/ Stimulate	Glenville, N	WV 26351
, 1101001	, ,,,,,,			brad o	II O.	ld for	mation	/ Perforat	e new format	ion /	
) GEOT COTO	דמי.	ת אם	(Utner '	Dhuc	Cal C	thange in th	ell (specif	y)		
12) Estin	nated	1 ae	epth of	I COMD	Leter	well	(or actua	1 depth of	existing well	1 5050	
	72	1	Water	Sual	e der		rresn 16	n toot.	C21+ /	r .	The state of the s
) CASING A			OULL !	Decuii u	epths	5: N	one	Is coal	being mined i	n the area	Yes /No X
CASING OR	11						wie witch				
TUBING TYPE	Siz	ze	Grade	Weight per ft.	New	Used		E INTERVALS	OR SACKS	PACKER	S
Conductor					1	Useu	For drilling	Left in well	(Cubic feet)		
Fresh water Coal							1	The state of the s		Kinds	
Intermediate	8 5	/8	ERW	20	X		500'	500'	150	Sizes	<u>a de la como</u>
Production			J-55	10.5	X		300	5350'	150 sacks 610 sacks	Depths set	
Tubing										Depths set	
	324		Marine and		- 11	200	+ 2 112			Perforations:	
					6.14			The state of the s	Part of the second	Тор	Bottom
**	**	*****	Transaction of the second						The state of the s		The same of the same
I herekthis Application Application Application Application Committee on Foreclamation Application Committee on Foreclamation Com	oy state on the control of the contr	tate ior for IV-2 itate	e that a Wel (B), a Form	I have a Well work (3) a IV-9,	VOLUE Permit	the son" or UNIARY ad the son it or play play for position of the son it or position of the son it or play play for position of the son it or positi	STATEMENT STATEMENT SINGLE OWN A FACSIMI STATEMENT SINGLE SINGLE STATEMENT SINGLE SINGLE STATEMENT SINGLE SINGLE SINGLE STATEMENT SINGLE SINGL	e Application of receiver(s) of receiver(s) of receiver (a) OF NO OBJE ons to surfat I have receiver (A), (2) and IV-6, and (11 work on receiver the planned receiver (a) on the planned receiver (b) of the planned receiver (b) of the planned receiver (c)	dowever, the pon (or less the cord sign(s) surface owners or ecceived copies Application 4) a Construction work describes a materials.	the follow r's copy of the reverses of (1) a for a Well tion and and as described in these	if the ing the se side Notice Work ribed materials,
					10			Deg 1	Tim	Dat	te: July 11 1983
Ву				. 4.14				0	ignature)	. K. 2.47.7	0
Its				<u> </u>	_ Dat	e:	raerinalo Jov. Top o	Mary C	lute docka	nd Dat	e: fuly 11,
						,	r ** distric		D	ECEIN	VED.

INSTRUCTIONS TO APPLICANT

CONTENING THE LIVE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-1b(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES_FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-lb and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

DIFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that—

- (1) the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

-	Grantor,	lessor, etc.	Grantee, lessee, etc.	Royalty Book Page
SCOTT	2INN		WACO OIL + GAS CO., INC.	1/2 335-503
MARY	ALICE	LUCKARD	WACO OIC & GAS (O., INC.	1/2 335-503

1)	Date:		July	1	, 19 83
21	maratar	10			

2) Operator's Zinn #2A
Well No. Zinn #2A


3) API Well No. 47 - 021 State County

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OFFICE OF OIL & GAS

		NOTICE OF APPLICATION	N FOR A WELL	WORK PERMIT		
) SU	RFACE OWNE	ER(S) OF RECORD TO BE SERVED	5(i)	COAL OPERATOR	n/a	
(i)	Name	Scott Zinn		Address		
\-/	Address	Cox's Mills, WV 26342				9
		Very Made Lockard	5(ii)		WITH DECLARATION ON REC	OPD
(ii)	Name	Mary Alice Lockard		Name	. 11/ a	
	Address_	Cox's Mills, WV 26342		Address	The second secon	
				Name	n/a	_
111)	Name	the second of th		Address	II/a	
	Address_					
	_		5(iii)	COAL LESSEE WI	TH DECLARATION ON RECOPI	D :
				Name	n/a	
				Address		
						8
		TO THE PERSON(S) NAMED ABOVE: You shou	ld have received th	is Form and the follows	ng documents:	
		and describes the well and its cementing program; (2) The plat (surveyor's map) shows (3) The Construction and Reclamatic plug a well) which sets out the construction for the site and the construction for the construction for the site and the construction for the site and the construction for the construction for the construction and the construction are constructed in the construction are constructed in the construction and the construction are constructed in the construction are	ing the well location Plan on Form IV- me plan for erosion	on on Form IV-6; and 9)unless the well work	is only to	
		THE REASON YOU RECEIVED THESE DOCUMENTED ARE SUMMARIZED IN THE "INSTRUCTION	ENTS IS THAT YOU H	SIDE OF THE COPY OF THE	APPT TCATTON	
		(FORM IV-2(B) OR FORM 4, DESIGNATED FOR ACTION AT ALL.	YOU. HOWEVER, YOU	ARE NOT REQUIRED TO TA	KE ANY	
		for a Well Work Permit with the Administ Department of Mines, with respect to a wand depicted on attached Form IV-6. Con Construction and Reclamation Plan have in by hand to the person(s) named above (or before the day of mailing or delivery to	ples of this Notice been mailed by regi by publication in	, the Application, the stered or certified man	Plat, W III OUGU /	
		6) EXTRACTION RIGHTS			JUL 1 2 1983	MANAGE
		Check and provide one of the followin ☐ Included is the lease or leases or I hold the right to extract oil ☐ The requirement of Code 22-4-1-(c)	other continuing of		y which Oil & GAS DIVISION	
		7) ROYALTY PROVISIONS Is the right to extract, produce or m or other contract or contracts provid	ing for flat well ,	ovalty or any cimilar	Porticion .	
		for compensation to the owner of the o to the volume of oil or gas so extract If the answer above is No, no	ted, produced or ma	rketed? Yes (No)		
		you may use Affidavit Form IV-60.		incode. II die albwei	15 les,	
		See the reverse side for line it the required copies of the Notic Reclamation Plan.	em instructions, are and Application,	d for instructions conc plat, and Construction	aug .ex.r.r.d	
		the information on the	WELL			
		oplication is verified	OPERA	ATOR Waco Oil	& Gas Company, Inc.	
		and the Notice is		1 17		
		half of the Well Operator	By /	gried If	Kenneth Green!	iei —
ти п	_	and State by	Its	Agent		_
this	Renneth of	f, 19_83.	Add	129/110	Lewis Street e. WV 26351	_
		sion expires 9/16 , 19 90.	Te	Glenvill Lephone (304) 46		_
	M. Lyn	m Chapman		(304) 40	2-3341	_
	Notary Pub State of	olic, Gilmer County, West Virginia				
		VII EIIII A				

AFFIDAVIT OF PERSONAL SERVICE ON SURFACE OWNER

STATE OF West Virginia, COUNTY OF Gilmer:
The undersigned, being first duly sworn, says that the undersigned served a true and complete copy of all sides of— (1) Notice on Form IV-2(A) × / Form IV-3(A) / Form IV-4(A) / (2) Application on Form IV-2(B) × / Form IV-3(B) / Form IV-4(B) / (3) Plat showing the well location on Form IV-6, and (4) Construction and Reclamation Plan on Form IV-9 (unless the application is to plug a well) all with respect to operator's Well No. Zinn #2A located in Troy District, Gilmer County, West Virginia, upon the person or organization named
Scott Zinn and Mary Alice Lockard
by delivering the same in Gilmer County, State of West Virginia on the Harm day of July, 1983 in the manner specified below.
[COMPLETE THE APPROPRIATE SECTION]
For an individual: [\times] Handing it to him \times / her \times / or, because he / she / refused to take it when I offered it, by leaving it in his / her / presence.
[] Handing it to a member of his or her family above the age of 16 years who resides at the usual place of abode of the person to be served, and asking the family member to give it to the person to be served as soon as possible.
For a partnership: [] Handing it to partnership or, because the partner refused to take it when I handed it over, by leaving it in the presence of the partner.
For a limited partnership: [] Handing it to the general partner, named because the general partner refused to take it when I tried to hand it over, by leaving it in the presence of the general partner.
For a corporation: [] Handing it to the corporation's employee / officer / director / attorney in fact / named
(Signature of person executing service)
Taken, subscribed and sworn before me this 11th day of July, 1983. My commission expires 16 September 1990
M. Kynn Clasmas
(AFFIX SEAL IF NOTARIZED IF OUTSIDE THE STATE)





DATE JUNE 16, 1983 WELL NO. ZIMN "2 A

State of Mest Birginis API 10.47 - 021 - 4091

Bepartment of Mines

Gil und Can Bholston

	I DESIGNATED NONE Kenneth Greenlief
CAPANY NAME Waco Oil & Gas Co.,	
Address Glenville, WV 26351	Address Glenville, WV 26351
Telephone 462-5347	Telephone 462-5347
•	
ANDONER-SCOTT ZINN-(0x's MIKE, WV	SOIL CORS. DISTRICT West Fork
Revegetation to be carried out by Main:	Line Construction Co. (Agent)
This plan has been reviewed by	et : 500 All corrections
nd additions become a part of this plans	6/23/83
-462-8380	00 10 9/1 NT
ALJO OWNS ALL OF KOYALTY	a rette tright
	(SCD Agent)
. ACCESS FOAD	LOCATION
tructure Cross Drains W	structure Diversion Ditch (1)
pacing 45 PT. MANY +80 Fg. APANT	Material Earthen
age Ref. Mermal 2-4	Page Ref. Merual 2-12
Streeture Marrage Diren (B)	Streture SEDIMENT BAKKKK (2)
DATINE ROOD EUSS) DATING EARTHON - ALONG SIDE OF MORE	Meterial Envis + Store
Page Raf. Margual 2-12	Page Ref. Marsal 2-16
Charles Links and Committee Links and Committe	
Structure (VIVENTS (15" MIN. I.D) (C)	Structure FILTER STAIN (3)
Specing According 70 012 4 GAS MANUEL	Strature FILTER STRIP (3) Miterial Various Sep National Vecesario.
Page Ref. Merual 2-8 All structures should be inspected rem	Page Ref. Minuel 2-16
Page Ref. Memual 2-f All structures should be inspected requestionarial timber is to be out and stacked cut and removed from the site before directions.	Page Ref. Menuel 2-16 Clarly and repaired if necessary. All and all brush and small timber to be to work begins.
Page Ref. Memual 2-f All structures should be inspected requestionarial timber is to be out and stacked cut and removed from the site before directions.	Page Ref. Minuel 2-16 Clarly and repaired if necessary. All and all brush and small timber to be
Page Ref. Menual 2-f All structures should be inspected requestional timber is to be out and stacked cut and removed from the site before directions.	Page Ref. Menuel 2-16 Clarly and repaired if necessary. All and all brush and small timber to be to work begins.
Page Ref. Menual 2-8 All structures should be inspected requested timber is to be out and stacks out and removed from the site before directions. Reverse Tractment Area I	Page Ref. Minus 2-16 Page Ref. Minus 2-16 All and all brush and small timber to be twork begins. Tresment Area II **Lime** Tops/Acres.
Page Ref. Memual 2-8 All structures should be inspected requested timber is to be out and stacks out and removed from the site before directions are a second removed from the site before directions. Trustment Area I Lime Truster to pH 0.5	Page Ref. Minuel 2-16 Clarly and repaired if necessary. All and all brush and small timber to be took begins. Tresment Area II **Lime Tons/acre or correct to pH 6.5
Page Ref. Menual 2-8 All structures should be inspected requested timber is to be out and stacks out and removed from the site before directions. Reverse Tractment Area I	Page Ref. Minus 2-16 Page Ref. Minus 2-16 All and all brush and small timber to be twork begins. Tresment Area II **Lime** Tops/Acres.
Page Ref. Memual 2-8 All structures should be inspected requested timber is to be out and stacked cut and removed from the site before directly the stacked or correct to pH 0.5 Fertilizer 500 lbs/are (10-20-20 or equivalent) Mulch H. Seed-paper3/4 Tons/are	Page Ref. Minut 2-16 Page Ref. Minut 2-16 All ordered if necessary. All ordered and all brush and small timber to be took begins. Tresmont Area II **Lime Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) Mulch H. Seed-paper 3/47ons/acre
Page Ref. Memual 2-8 All structures should be inspected requested timber is to be out and stacks out and removed from the site before direct and removed from the sit	Page Ref. Minuel 2-16 Alarly and repaired if necessary. All and all brush and small timber to be took begins. Tresment Area II *Lime Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) Mulch H. Seed-paper 3/4 Tons/acre Seed* Ky 31 Fescue 35 lbs/acre
Page Ref. Memual 2-8 All structures should be inspected requested timber is to be out and stacked cut and removed from the site before directly and removed	Page Ref. Manual 2-16 Clarly and repaired if necessary. All and all brush and small timber to be took begins. Tresment Area II **Lime Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) Mulch H. Seed-paper 3/4 tons/acre Seed* Ky 31 Fescue35 lbs/acre Ladino Clover 5 lbs/acre
Page Ref. Memual 2-8 All structures should be inspected requested timber is to be out and stacks out and removed from the site before direct and removed from the sit	Page Ref. Minuel 2-16 Alarly and repaired if necessary. All and all brush and small timber to be took begins. Tresment Area II *Lime Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) Mulch H. Seed-paper 3/4 Tons/acre Seed* Ky 31 Fescue 35 lbs/acre
Page Ref. Memual 3-8 All structures should be inspected requested timber is to be out and stacks out and removed from the site before direct and removed from the sit	Page Ref. Minus 2-16 Clarly and repaired if necessary. All and all brush and small timber to be took begins. Tresment Area II *Lime Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) Mulch H. Seed-paper 3/4 Tons/acre Seed* Ky 31 Fescue35 lbs/acre Ladino Clover 5 lbs/acre lbs/acre cfoil and clovers with the proper bacterium.
Page Ref. Memual 3-8 All structures should be inspected requested timber is to be out and stacks out and removed from the site before direct and removed from the sit	Page Ref. Minus 2-16 Clarly and repaired if necessary. All and all brush and small timber to be took begins. Tresment Area II *Lime Tons/acre or correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 or equivalent) Mulch H. Seed-paper 3/4 Tons/acre Seed* Ky 31 Fescue35 lbs/acre Ladino Clover 5 lbs/acre lbs/acre cfoil and clovers with the proper bacterium.
Page Ref. Memual 3-8 All structures should be inspected request and removed from the site before direct and philosophic and p	Page Ref. Minul 2-16 Page Ref. Minul 2-16 Alcoly and repaired if necessary. All and all brush and small timber to be took begins. Trestment Area II *Lime Tons/acre ar correct to pH 6.5 Pertilizer 500 lbs/acre (10-20-20 ar equivalent) Mulch H. Seed-paper 3/4 Tons/acre Seed* Ky 31 Fescue35 lbs/acre Ladino Clover 5 lbs/acre Ladino Clover 5 lbs/acre and PREPARED BY Kommod Dues Cif
Page Ref. Memual 2-8 All structures should be inspected request timber is to be out and stacks out and removed from the site before direct and site site site before direct and site site before direct and site site site site site site site site	Pege Ref. Minut 2-16 Pege Ref. Minut 2-16 All ord and all brush and enall timber to be took begins. Tresmont Area II **Lime Tons/acre ar correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 ar equivalent) Milch H. Seed-paper 3/4 Tons/acre Seed: Ky 31 Fescue35 lbs/acre Ladino Clover 5 lbs/acre lbs/acre cfoil and elavers with the proper bacterium. AN PREPARED BY Korn of Duralif ADDRESS Waco Oil & Gas Co., In
Page Ref. Memual 3-8 All structures should be inspected request and removed from the site before direct and philosophic and p	Page Ref. Minuel 2-16 Alcoly and repaired if necessary. All and all brush and small timber to be took begins. Trestment Area II **Lime Tons/acre ar correct to pH 6.5 Fertilizer 500 lbs/acre (10-20-20 ar equivalent) Mulch H. Seed-paper 3/47 ans/acre Seed* Ky 31 Fescue35 lbs/acre Ladino Clover 5 lbs/acre lbs/acre and Prepared by Kommod Dungling.



OIL & GAS DIVISION

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Lower Elk - 5472 to 5474 - 500 Gal 15% Hcl, 10,000#80-100, 30,000#20-40, 50 MCF N_2 Alexander - 5061 to 5149 - 500 Gal 15% Hcl, 30,000#20-40, 40MCF N_2 Benson, 3rd Riley - 4656 to 4834 - 500 Gal 15% Hcl, 10,000#80-100, 15,000#20-40, 20 MCF N_2 Balltown, 2nd Riley - 4011 to 4430 - 500 Gal 15% Hcl, 10,000#80-100, 15,000#20-40, 20 MCF

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh
Shale Sand, Shale, Red Rock Sand, Shale Little Lime Shale Big Lime Big Injun Sand, Shale Berea Sand, Shale	0 50 780 1930 1950 1970 2060 2110 2410 2420	50 780 1930 1950 1970 2060 2110 2410 2420 3280	and salt water, coal, oil and gas
Speechly Section Balltown Section Riley Section Benson Shale Alexander Shale Lower Elk Shale	3280 4010 4440 4830 4840 5060 5170 5470 5480	4010 4440 4830 4840 5060 5170 5470 5480 5640	TD \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
		1101: a	

(Attach separate sheets as necessary)

We	oll Operator
Bv: K	and Mes Inf, Kenneth Greenlief
1 /	

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including and, encountered in the drilling of a well."

(Continue on reverse side)

IV-35 (Rev 8-81)

No.	OIW	EST	TA STATE OF THE PARTY OF THE PA	
STAT	林	91	C Z	
*	4		1	1
	AND THE PERSON OF THE PERSON O	INMI	Windson.	

State of West Wirginia Well No. #2A

Department of Mines Oil und Gas Bivision Farm Zinn API No. 47 - 021

WELL OPERATOR'S REPORT FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

(If "Gas," Production V Undergrou	and Storag	ge/ Dee	p_/ Sha	1104_X_/)
OCATION: Elevation: 1122 Watershed District: Troy County Gilm			e Aubur	n
District		Quautungi	C Adbui	
			House busters	
OMPANY WACO OIL & GAS CO., INC.	0.91			481 allo
DDRESS 1297 N. Lewis St., Glenville, WV 26351 ESIGNATED AGENT Kenneth Greenlief	Casing Tubing	Used in	Left in Well	Cement fill up Cu. ft.
DDRESS 1297 N. Lewis St., Glenville, WV 26351		DITITION	DI WCII	tight at
URFACE OWNER Scott Zinn	20-16			Secure for
DDRESS Cox's Mills, WV	Cond.		1, 1,1	
INERAL RIGHIS OWNER Scott Zinn	9 5/8		71	
DDRESS Cox's Mills, WV	8 5/8	801	901	200
IL AND GAS INSPECTOR FOR THIS WORK	8 5/8	001	801	200 sks
Deo Mace ADDRESS Sandridge, WV	5 1/2			5 1 4 1 4 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1
ERMIT ISSUED 10/06/83	4 1/2		5550	650 sks
RILLING COMMENCED 10/07/84	3			
RILLING COMPLETED 10/12/84	2			
F APPLICABLE: PLUGGING OF DRY HOLE ON ONFINUOUS PROGRESSION FROM DRILLING OR EWORKING. VERBAL PERMISSION OBTAINED	Liners used			
COLOGICAL TARGET FORMATION Benson	•	Dept	h 5100	feet
Depth of completed wellfeet Ro	otary x	_/ Cable	Tools	
Water strata depth: Fresh None feet;	Salt Non	e feet		
Coal seam depths: None	Is coal h	eing mine	d in the	area? No
PEN FLOW DATA				
Producing formation Elk, Alexander, Benson	n Pay	zone dept	hsee trea	tment feet
Gas: Initial open flow show Mcf/d C	Dil: Init	ial open	flow	Bb1/d
Final open flow 1198 Mcf/d	Fina	l open fl	ow show	Bb1/d
Time of open flow between initia				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Static rock pressure 1600 psig(surface	measureme	nt) after	48 hour	s shut in
(If applicable due to multiple completion-	.)			
Second producing formation ' Riley, Balltown	Pay	zone depti	nsee treat	ment feet
Gas: Initial open flow Mcf/d C	il: Init	ial open :	flow	Bb1/d
Final open flow Mcf/d C	il: Fina	l open flo	OW	Bbl/d
Time of open flow between initia			CO CONTRACTOR	

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

INSPECTOR'S WELL REPORT DEPT. OF MINES

Dany WACO	CASING AND TUBING	USED IN	LEFT IN	PACKE	RS
to the second control of the second control	Size				**
CSS	10	en e			. 14 mar 12
211/M	16			Kind of Pack	cr
No. 2 A	13			Size of	
ct Troy County Gil.	81/4				
ng commenced	65%	es and the second of the second		Depth set	
	5 3/16				
g completedTotal depth	3	A 1 4 A 1 4 7 F F S 4 1		Perf. top	
hotDepth of shot	2		n a 1	Perf. bottom.	
	Liners Used	a para const		Perf. top	
open flow/10ths Water inInch				Perf. bottom.	
ow after tubing/10ths Merc. inInch	Agricultural Agricultura Agricultural Agricultura Agricultura Agricultura Agricultura Agricultura Agricultura				-
cCu. Ft.	CASING CEME	NTED	SIZE	No. FT	Dat
ressurelbshrs.	NAME OF SEF				
•		el = sex fer. E = Estate are	, ex con action s		
bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	_INCHE
water <u>feet</u> feet	FEET	INC	IES	_FEET	_INCHE
raterfeetfeet	FEET.	INC	HES	FEET	_INCHE
					4,00
rs' Names				and the second s	and the same of th
rks:		0 +	1-1	= GJAS	NOTO
rks: Timber removed from a	iccess no	000 0/	rormi	10 4	
EITHER-					

4-23-84

DISTRICT WELL INSPECTOR

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS			
FARM		DISTRICT			gentation of the co	Aug. 1, 10 1
1 W 1 W 1		DISTRICT	C	OUNTY		
Filling Material Used						
Liner To	cation		Section 1			
20		Amount	Packer	Location		
	ND DEPTH PLACED		BRIDGES		G AND T	
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					COST
				11 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		a version is di
					and the Art	er in the great
	Commercial Argon					
					Est Some or	Janes Santa
						ko la rispantia
		Accepted to the second			(3823)	de Misser et 1
					1 11 -12 12 1	,
llere' Name						
lers' Names					deren de	
narks:						
The state of the state of						en produce produce.
						a amaza a fina i

DISTRICT WELL INSPECTOR

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S WELL REPORT

Permit No. 2/- 409/	Control en in 1		Oil or	Gas Well
Company WACO	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address	Size			
Farm ZINN	16		n de la composition della comp	Kind of Packer
Well No. 2A	13	PECE	777	
District / Norg County Lilmer	81/4	OCT	VEM	Size of
Drilling commenced 10-3-84		OIL & GAS DIN	1984	Depth set
Drilling completedTotal depth	5 3/16	PT. OF M	ISION	
Construction of the control of the c	3		VES	Perf. top
Date shotDepth of shot	Liners Used	X		Perf. bottom
Initial open flow/10ths Water in Inch	Diners Used			Perf. top
Open flow after tubing /10ths Merc. in Inch				
VolumeCu. Ft.				No. FTDate
lock pressure hrs.	NAME OF SER	RVICE COMPA	NY	
bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEETINCHES
Fresh waterfeetfeet	FEET_	INCH	ES	FEETINCHES
Salt water feet feet	FEET_	INCH	ES	FEETINCHES
Orillers' Names & L Mouis 8				
Remarks:				
801' of 8%" casing, 200	SKS Cemu	J, Ha	liberte	10-8.84
	- 1			
Cemut	cheulate			
10-8-84			Dy,	Macr
DATE		- A		

DISTRICT WELL INSPECTOR

STATE OF WEST VIRGINIA


DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

	The state of the s			ADDRESS		19. 19	
Eiling Material Used Liner Location Amount Packer Location PLUGS USED AND DEPTH PLACED BRIDGES CASING AND TUBING CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE L	FARM	er en	DISTRIC	The second secon	COUNTY	or end of No.	
PLUGS USED AND DEPTH PLACED BRIDGES CASING AND TUBING CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LIA ATTRICT RECOVERED SIZE LIA RECOVERE							
PLUGS USED AND DEPTH PLACED RECOVERED SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE RECOVERED SIZE RECOVERED SIZE RECOVERED SIZE RECOVERED SIZE RE	Liner Lo	cation	Amount	Packer	Location		7.1
CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE LI	PLUGS USED	ND DEPTH PLACED					
illers' Names	CEMENT-THICKNESS	WOOD-SIZE	LEAD				1
illers' Names					RECOVERED	SIZE	LOST
illers' Names	the section was a section						
illers' Names		v 	And the second				1
illers' Names							114 THE ST
illers' Names							
illers' Names					2 1/21		
illers' Names		en ke er sie tij					
illers' Names						er sec	
illers' Names	A CONTRACTOR OF THE PARTY OF TH	Approximation of the second				•	
illers' Names	A Samuel Total			and the second s			
illers' Names		437.53					
illers' Names							
marks:	illers' Names		The services				
marks:				A Section			
	marks:	e a facilità de l'especia de la companya de la comp	enga mamma teri				-
	partition of the second						
I hereby certify I visited the above well on this date.	I]	nereby certify I vis	sited the above	well on this date.			





State of West Birginia

Bepartment of Mines Gil and Gas Bivision Charleston 25305

DIVISION OF OIL & GAS
DEPT. OF ENERGY

FINAL INSPECTION REPORT
INSPECTORS COMPLIANCE REPORT

	January	30, 1985	MI ONI			
COMPANY	Waco Oil & Gas Company, Inc.		PERMIT NO		021-4091	(9-06-
1297	N. Lewis Street		FARM & WELL N	0 _	Scott Zinn	#2A
Glen	ville, West Virginia 26351		DIST. & COUNT	Y _	Troy/Gilmer	
RULE	DESCRIPTION		_	N C	OMPLIANCE NO	
23.06 25.04 25.03 16.01 15.03 15.02 15.01 15.04 15.05 23.02 25.01 23.04 23.05 23.07 16.01 16.02	Notification Prior to Starting Prepared before Drilling to Pringh-Pressure Drilling Required Permits at Wellsite Adequate Fresh Water Casing Adequate Coal Casing Adequate Production Casing Adequate Cement Strenght Cement Type Maintained Access Roads Necessary Equipment to Prevent Reclaimed Drilling Pits No Surface or Underground Poli Requirements for Production & Well Records on Site Well Records Filed	revent Was t Waste lution				
7.05	Identification Markings		_			
Your we	INSPECTED THE ABOVE CAPTIONED W	amation r	DATE DATE appropriate appropri	/ / c	1-85 oved. In acc	ordance
with Ch	apter 22, Article 4, Section 2, e for the life of the well.	the abov	Administrator	-01	in under both	4