#### FILE COPY



1)	Date:	D	ecem	ber	27	, 19_83
2)	Operator's Well No.	P	hill	ips	#1A	FORM IV-2(B)
3)	API Well N	0.	47	-	021	- 4149
			State		County	Permit

### STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

					API	LICATIO	TOK A WEL	L WORK PERMIT		
4) \	WELL TY	PE: A C	il <u>27/47</u>	/ Ga				AND CONDIT		PERMIT M
		В (Л	If "Gas", I	Production	n	r_/	Underground	storage	_/ Deep	_/ ShallowX
5) I	LOCATIO	N: Ele	evation: _	125	52'		Watershed: _	Horn Cree	ek	
			strict:		-			Gilmer	Quadrangle:	Auburn 7.5'
6) 1	WELL OP	ERATOR	Waco 0	il & (	Gas Co	., Inc	<u>.                                    </u>	7) DESIGNATED		
	Address	The second second second	1297 N		The second secon			Address		N. Lewis Stre
			Glenvi	11e, V	JV 2	6351	<u></u>		Glenvi	ille, WV 26
8) (	OIL & GA	S INSPEC	TOR TO	BE NOTI	FIED			9) DRILLING CO	NTRACTOR:	
1	Name		Deo Ma	ce				Name	I. L.	Morris Well
	Address		Route	1, Box	x 5		<u> </u>	Address	1297 N	N. Lewis Stre
			Sandri	dge, V	JV 2	5274			Glenvi	ille, WV 26
10) F	PROPOSE	D WELL	WORK:	Drill	X /	Drill	deeper	/ Redrill	/ Stimulate	X
							/ Perfor	ate new formation_	1	
										West fresh had be
11)	GEOLOGI	CAL TAR	GET FOR			1k	(- <u>r</u> ,			18
		ated depth of			FO	00	feet		ans	JAN 5 - 1
		ximate trat				75		n/a	feet.	
		ximate coa				/a		al being mined in the		OIL & GASXDI
		AND TUBI				7 4		ar being inned in the		EPT. OF N
		IND TOBI				.,	FOOTAGE I	NTERVALO		I.
	NG OR NG TYPE	Size	Grade	Weight per ft.	1 1	Used	For drilling	Left in well	OR SACKS (Cubic feet)	PACKERS
Conduc	ctor							14. ITTO		Kinds
Fresh w	vater									
Coal						2.0			CT3	Sizes
Interme	ediate	8 5/8	ERW	20	X		600	600	140sacks-nea	1
Product		4 1/2	J-55	10.5	X			5800	570 sacks	Depths set
Tubing				Total		Total Y	THE HER DIST	m4HO		
Liners								100		Perforations:
							and the second	e can a la cantala a	Hardwinson of his fa	Top Bot
			(1) (A)							
978		<del>Joseph March 1</del>			191-2			SIK!		
					(c)non-	OF	FICE USE	ONLY		— Downson will
					1.4	DR	ILLING PE	RMIT		hairetz slav
	t number_	47.	-021-4	149	th)	DR	ILLING PE	RMIT	Februar	bothala shu

NOTE: Keep one copy of this permit posted at the drilling location.

File

Reason:

FILE COPY

3) API Well Ivo. 47 State



FORM IVIZ(B (Obverse)

	NOTSIVIO PAD	MEDICE LISE O	MENTOF	CHERARI			
	8.2341.74,174.70.28	OFFICE USE O	FIGHTRION	gg A			
PERMIT MODIFICAT		NDITIONS (IF			OPOSED V		RK LISW
	toxa Creek	arershed:					LOCATION
undrampler Autour 7.5			00				
TOOTS APARTS TOOT	ESIGNATED AGEN	G (L) —	• D.E.L. (g. )	.00 235		CATORUNES	WELL OPE
17830 1779 - 172-4515	Address				Walter Service		
:801	RILLING CONTRAC	G (8		FLED	TO BE NOT		OIL & GAS
i. J. Towns Well Stry		M				20(5-	
1297 W. Lewisastraet					nge_i_l_pan	105	Address
Clerville, W. 25251					اختيادوويا		
Sumulate - X - Sumulate						WELL WOR	PROPOSED
H WILLOWS A	w formation						
				4		randar A.	) GEOLOGIC
		1991		588			) chonoment
	in a state of the	feet: salt,					13) Approxi
TOTAL NO NEW STREET	emitted in the area?						
DEPT. OF MIN					PROGRAM	primur'q	) CASING AN
ENT PRIJADE PACKERS HESACKS		- POOTAGE INTERPA			SPECIFICATION   Weight		CASING OR
distributed to the control of the co			1 box	U Hall	hade per ft.		
							esh water
300						212	reprediate
	TOTEL TOTAL				8.01 88	1/2 5	notación
	0	FFICE USE OF	VLY		200 T		9010
						4	
his part of Form IV-2(b) is to reco	ord the dates of c	certain occurren	ces and an	y follow-	up inspectio	ns.	
	Date					Det	-(-)
	Date					Dat	e(s)
application received		Follo	w-up insp	ection(s)			
Vell work started		LING PERMIT	DRIL	,,			
Completion of the drilling							
rocess and the periment seement		is evidence of near	, ind award	nollisoni		no ilea edi or	iliavos (limase si
						Milamora male and	
Vell Record received	diffor, the well operat	rusted work to ad-	ad show bott	otto i se entre		construction and analysis analysis and analysis analysis and analysis and analysis and analysis analysi	en a megata a tuet oil and gas
eclamation completed							
eclamation completed	Control Control Square		,	,,			toproderes
that date and prosequied with due diligence.		unless well world h					rmit expires
THER INSPECTIONS							
			Fee	Casing		Agent	Bondt
Reason:		3	N. N. N.	1 XXX	+17811	A.V	UMUN TRA

See the reverse side of the APPLICANT'S COPY for instructions to the well operator

NOTE: Keep one copy of this permit posted at the drilling location.

Date:	December	27	, = 83

2) Coerator's
Well No. Phillips #1A

3) API Well No. 47 - 021

State County

#### STATE OF WEST VIRGINIA DEPAREMENT OF MINES, OFFICE OF OIL & GAS

#### NOTICE OF APPLICATION FOR A WELL WORK PERMIT

SURFACE ON	WNER(S) OF RECORD TO BE SERVED 5(	i) COAL OPERATOR <sup>n/a</sup>
(i) Name Gi	ideon J. Ellyson	Address
	cox's Mills WV 26342	
100 M	5(1	i) COAL OWNER(S) WITH DECLARATION ON RECO
i) Name		Name n/a
Address	S	Address
		The state of the s
ii) Name		Name
Address	S	Address
		i) COAL LESSEE WITH DECLARATION ON RECOFD
1 2 2 2 .	the state of the secondary being the beauti	Address
		raat coo
	TO THE PERSON(S) NAMED ABOVE: You should have received	this Form and the following comments:
	<ol> <li>The Application for a Well Work Permit on Form to be plugged, which sets out the parties invo</li> </ol>	
	and describes the well and its location and, i	
	cementing program; (2) The plat (surveyor's map) showing the well loc	ation on Form TILE, and
	(3) The Construction and Reclamation Plan on Form	
	plug a well), which sets out the plan for eros	ion and sediment control and for
	THE REASON YOU RECEIVED THESE DOCUMENTS IS THAT YO	IL HAVE BIGHTS BEGGET NO THE ABEN COMES (C.) E.) [V] [E.] [N]
	WHICH ARE SUMMARIZED IN THE "INSTRUCTIONS" ON THE REVER	SE SIDE OF THE COPY OF THE APPLICATION
	(FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU. HOWEVER,	YOU ARE NOT REQUIRED OF TAKE ANY
•	Take notice that under Chapter 22 of the West Viro	inia Code, the undersimed wall my
	ersons surpasse on file or has filed this Nortes and in	The state of the s
		fice of Oil and Gas, West Virginia OIL & GAS DIVISION
	and depicted on attached Form IV-6. Copies of this Not	ice, the Application, the plat. The the OF VIII
	The second secon	tradeta to the tradeta state of when the
	by hand to the person(s) named above (or by publication before the day of mailing or delivery to the Administra	
	6) EXTRACTION RIGHTS  Check and provide one of the following:	and with appear to the former days, and have a
	☐ Included is the lease or leases or other continui	ng contract or contracts by which
	I hold the right to extract oil or gas.	
	The requirement of Code 22-4-1-(c)(1) through (4)	. (See reverse side for specifics.)
	<ol> <li>ROYALTY PROVISIONS</li> <li>Is the right to extract, produce or market the oil o</li> </ol>	And the second s
	or other contract or contracts providing for flat we	ll royalty or any similar provision
	for compensation to the owner of the oil or gas in pl to the volume of oil or gas so extracted, produced o	ace which is not inherently related
	If the answer above is No, nothing additiona you may use Affidavit Form IV-60.	l is needed. If the answer is Yes,
,	704 IL, CC ALIMEVIC 10III 14-50.	
	See the reverse side for line item instructions	, and for instructions concerning
	the required copies of the Notice and Application Plan.	on, plat, and Construction and
	of the information on the	
		ERATOR Waco Oil & Gas Co., Inc.
	to and the Notice is	V - 0 D 0 A
	behalf of the Well Operator By	
		Its Agent /
		Address 1297 N. Lewis Street
	of December , 19 83.	Glenville, WV 26351
-		Telephone (304) 462-5741
m. 8	Lym Chasman	
	Public, Gilmer County,	
State of		

#### INSIBICIANE TO APPLICANT

#### COVERNO DE LE CES:

- 1) Date of Notice.
- 2) Your well name and mamber.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) The separate sheet if necessary.
  - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-1b(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
  - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 11, 111) See Code § 22-4-20.
  - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
  - 7) See Code § § 22-4-11 (d, e).

#### CONTENTION THE PROJUTED COPIES FOR FILLING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclaration required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well; the fees required by Code § 22-4-la (c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-la from the owner of any water well on dwelling within 200 feet of the proposed wall.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2s, and 22-4-2b.

### IN LIEU OF FILING LEASE(S) AND OTHER CONTINUES CONTRACT(S)

Under the cath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that—

- (1) the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclaration Plan;
- (2) the parties and recurriation data (if recorded) for lease(s) or other continuing ...
  contract(s) by which the Applicant claims the right to extract, produce or market
  the cil or gas are as follows:

_	Grantor, lessor,	etc.	Grantee, lessee, etc.	Revalty .	Book	Pace
	Union Drilling,	Inc.	Waco Oil & Gas Co., Inc.	1/8	340	403
	Phillips Hes.		Union Drilling, Inc.	48	309/	1546




MIL NO. PHILLIPS " 1A API NO. 47 - 021 - 4149

Ande of West Nirginia
... Esperiment of Mises
... Gil sond Gea Bibilion

#### CONSTRUCTION AND RECLAPATION PLAN

COMPANY NAT Waco Oil & Gas Co.,	I MESICONTO NEWY Kenneth Greenlief
Address Glenville, W 26351	Address Glenville, WV 26351
Telephone 462-5347	Telephone 462-5347
: LANDONER-GIDEON ELLYSON 462-7214	
	son cors. District West Fork
016	Line Construction Co. (Agent)
This plan has been reviewed by We	SD. All corrections.
and additions become a part of this plant	12 21 83
HIS REVIEW IS MADE FOR SITE AS SHOWN. A	on the west
HANGE OF ELEVATION OF PLUS OR MINUS 10 FT.	(SCD Agent)
R SLOPE OF PLUS OR MINUS 3 PERCENT MAKES:	U
HIS PEAR NOT ACCE. AT THE PARTY OF	LOCATION
structure Cross Drains W.	Structure Diversion Ditch (1)
sporting. 135 FT. appart.	· Material Earthen
Page Ref. Mermal 2-4	Page Ref. Mermal 2-12
Stricture DRAWAGE DITCH (B) (B)	Structure SEDIMENT BARRIER (2)
Sparing EARTHEN - ALONG SIDE OF NOAD.	Meterial BRWH. & Stone
Page Ref. Karmal 2=12	Page Ref. Maral 2-16
	SEGERREN
Stricture (C)	Strature Discourse Bly E.
Specing .	Mitchel .
Page Ref. Memual	Page Ref. Minuel JAN 5 - 1984
commercial timber is to be out and stanked	larly and repaired if necessary. Alt & GAS DIVISION
cut and removed from the site before dirt	
REVERSI	CATION
Trustment Area I	Tresiment Area II
or correct to pi 0.5	Tons/acre
Fertilizer 500 lbs/erre	Fertilizer 500 lbs/arre
(10-20-20 or equivalent)	(10-20-20 cm equivalent)
mid H. Seed-paper3/4 Tons/some	Much H. Seed-paper3/47015/2020
seed Ky 31 Fescue 35 1bs/2000	seed Ky 31 Fescue35 156/acre
Ladino Clover 5 1bs/ame	Ladino Clover 5 150/200
lbs/erre	lbs/acre
47 - 1 11 1 1	•
Inoculate with 3X recommended amount.	foil and clavers with the proper bacterium.
*According to ph test	N PREPARED BY Konnett Greenlich
	6
cooperation to protect new	ADDRESS Waco Oil & Gas Co., Inc.
seedling for one growing season.  Attach separate sheets as	Glenville, WW 26351
necessary for comments.	PEONE NO. 462-5347



70.8	
S Form 3811, Dec. 1980	<ul> <li>SENDER: Complete items 1, 2, 3, and 4.</li> <li>Add your address in the "RETURN TO" space on reverse</li> </ul>
8	(CONSULT POSTMASTER FOR FEES)
198	1. The following service is requested (check one).
°	☐ Show to whom and date delivered¢
	☐ Show to whom, date, and address of delivery¢
	2. RESTRICTED DELIVERY  (The restricted delivery fee is charged in addition to the return receipt fee.)
	TOTAL \$
	3. ARTICLE ADDRESSED TO:
2	Dideon Ellyson
ETURN	Dideon Ellyson Cors Mill, WV 26347
RE	4. TYPE OF SERVICE: ARTICLE NUMBER
CEIPT,	☐ REGISTERED ☐ INSURED ☐ COD ☐ EXPRESS MAIL
REC	(Always obtain signature of addressee or agent)
ISI	I have received the article described above.
E	SIGNATURE Addressee Authorized agent
D, IN	Vhilen 1860 100
SUF	DATE OF DELIVERY POSTMARK
6	12-29-83
N	6. ADDRESSEE'S ADDRESS (Only if requested)
RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED	1983
E	7. UNABLE TO DELIVER BECAUSE: 78. EMPLOYEE'S
2	
FL	M. J. 9



OIL & GAS DIVISION

DEPT. OF MINES





OIL & GAS DIVISION State of Mest Hirginia

DEPT. OF MINES Bepartment of Mines

June 25, 1984 Date Operator's Well No. Phillips #1A Phillips | API No. 47 - 021

Bil and Gas Bivision

WELL OPERATOR'S REPORT

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

	Horn Cre	ek / K-	75-1	
LOCATION: Elevation: 1252 Watershed  District: Troy County G				
168 51800				
COMPANY WACO OIL AND GAS CO., INC.			resmissio	
ADDRESS 1297 N. Lewis St., Glenville, WV	Casing	Used in		Cement fill up
DESIGNATED AGENT Kenneth Greenlief  ADDRESS Glenville, WV 26351	Tubing	Drilling	in Well	Cu. ft.
SURFACE OWNER Gideon J. Ellyson	Size 20-16			0.0
ADDRESS Cox's Mills, WV	Cond.			16 . SBAC
	13-10"		J WI	resident.
MINERAL RIGHTS OWNER Hattie Phillips Hrs.	9 5/8		200	9.7.7.3.
ADDRESS French Creek, WV	8 5/8 3	1105	1105	surface
OIL AND GAS INSPECTOR FOR THIS WORK Deo	.7			
Mace ADDRESS Sandridge, WV	5 1/2			
PERMIT ISSUED 2/8/84	4 1/2 Q		5050	550 sks
DRITHING COMMENCED 3/10/04	3			
DRILLING COMPLETED 5/16/84	2		and Place	
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON	Liners used		2.58.0	(1864) 1863 (1864) 1866
GEOLOGICAL TARGET FORMATION Elk	2125	Dept	h 5800	feet
Depth of completed well 5412 feet				
Water strata depth: Fresh 72,130 feet;			The state of the state of	offast.
Coal seam depths: None	•			area? No
OPEN FLOW DATA 439				ara. No
Producing formation Elk, Alexander	Pay	zone dept	h	feet
Gas: Initial open flow Mcf/d				
Final open flow 200 Mcf/d			Section 18 and 1	
Time of open flow between init				
Static rock pressure 1900 psig(surface	NA NAME OF A			
(If applicable due to multiple completion				0/06/2023
Second producing formation				
Gas: Initial open flow Mcf/d				
Final open flow Mcf/d				
PLI/U				
Time of open flow between init	-93			

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, EIC.

Elk and Alexander, (5050' to 5250') treated open hole, 1,400 MCF N<sub>2</sub>

resident and models

OIL & CAS DIVISION STATEMENT 35 est

#### WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
			· · · · · · · · · · · · · · · · · · ·
Soil	0	3	
Sand, Shale, Redrock	3	66	AGENCO ZANETA 160 CONFEDER
Sand	66	74	Hole damp @ 72'
Sand, Shale, Redrock	74	1318	Hole damp @ 130'
Sand	1318	1385	These we pullworth asset
Sand, Shale, Redrock	1385	1967	l" stream salt water @ 1924'
Sand, Shale	1967	2000	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Little Lime	2000	2020	MANY CHARLES NOW AND STREET AND COLUMN THE
Shale	2020	2038	West branch danker good a
345 Big Lime	2038	2140	The state was policies to the state of
365 Big Injun	2140	2192	All gas checks negative
Sand and Shale	2192	3340	A State Contract Service
437 Speechly Section	3340	4070	DUNTAL TELESCOPE O MORNES
433 Balltown Section	4070	4490	TANATNA CONSTRUMENTO SAITA FOR
434 Riley Section	4490	4870	A THOUGH COURSE OF A CHOICE A
435 Benson	4870	4890	
Sand and Shale	4890	5104	endo na capació questa qualitación
Alexander	5104	5186	and the second s
Shale	5186	5210	A THE PROPERTY OF THE PARTY OF
436 E1k	5210	5249	MAR Bisow feeter come to togeth
Shale	5249	5412	TD to The salky G sale the sale W
ger Tablie out tit Braties gruis	Is oral be		and self-cells there. (self-
			ALES MOTO CO
		the beauty	In all was a second

(Attach separate sheets as necessary)

WACO OIL AND GAS CO., INC.

Well Operator

By: Kenneth Greenlief

Konnel Tul Signet

Piral den flow

Date: 6/25/84

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including coal, encountered in the drilling of a well."

Mof/d . Oil: Final open flew

Juit lal open flag

DATE

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

### INSPECTOR'S WELL REPORTDEPT. OF MINES

Permit No. 21-4149			Oil of	Gas Well
Company WACO	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address	Size			
Farm Phillips	16		2.	Kind of Packer
Well No.	13			
District Tray County Helmer	81/4	outer tee 2 mg.		Size of
Drilling commenced 3-10-84	6%			Depth set
Drilling completedTotal depth	5 3/16			
Date shot Depth of shot	2			Perf. top
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing/10ths Merc. inInch				Perf. bottom
/olumeCu. Ft.	CASING CEMEN	TED	_SIZE	No. FTDate
lock pressure lbs hrs.	NAME OF SERV	VICE COMPAN	Y	
bbls., 1st 24 hrs.	COAL WAS ENC	COUNTERED A	Т	FEETINCHES
resh water 72 feet 136 feet	grow was the second second			FEETINCHES
alt waterfeetfeet				FEETINCHES
rillers' Names I L KAORRIS 7				INCHES
Timers Names				
1105" of 836" casing, 2	85 SKS Cen	rest, Da	ivell,	5-11-84,
Cement circulate				
		and the first of the second of		
5-11-84				

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

### INSPECTOR'S PLUGGING REPORT

FARM DISTRICT COUNTY  Filling Material Used  Liner Location Amount Packer Location  PLUGS USED AND DEPTH PLACED BRIDGES CAGING AND TUGIN  CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE	Packer Location  BRIDGES CASING AND TUBING  BTRUCTION—LOCATION RECOVERED SIZE LOST
Filling Material Used  Liner Location Amount Packer Location  PLUGS USED AND DEPTH PLACED BRIDGES CASING AND TUBIN  CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE	Packer Location  BRIDGES CASING AND TUBING  BYRUCTION-LOCATION RECOVERED SIZE LOST
PLUGS USED AND DEPTH PLACED  BRIDGES  CASING AND TUBIN CEMENT-THICKNESS  WOOD-SIZE  LEAD  CONSTRUCTION-LOCATION  RECOVERED  SIZE	BRIDGES CASING AND TUBING  BTRUCTION-LOCATION RECOVERED SIZE LOST
PLUGS USED AND DEPTH PLACED  REIDGES  CASING AND TUBIT  CEMENT-THICKNESS  WOOD-SIZE  LEAD  CONSTRUCTION-LOGATION  RECOVERED  SIZE  A  A  A  A  A  A  A  A  A  A  A  A  A	BRIDGES CASING AND TUBING  BTRUCTION-LOCATION RECOVERED SIZE LOST
CEMENT-THICKNESS WOOD-SIZE LEAD CONSTRUCTION-LOCATION RECOVERED SIZE	STRUCTION-LOCATION RECOVERED SIZE LOST
rillers' Names	
emarks:	to the April 19 and the





JAN 8 1986

### State of West Virginia Department of Mines Oil and Gas Division


Charleston 25305

FINAL INSPECTION REPORT
INSPECTORS COMPLIANCE REPORT
July 25. 1984

	July 25, 198	4			
COMPANY	Waco Oil & Gas Company, Inc.	PERMIT NO _	021	-4149 (	2-08-84)
1297	N. Lewis Street	FARM & WELL	NO	Ellyson,	, Phillips 1
Glenv	ille, West Virginia 26351	DIST. & COU	NTY	Troy/Gil	lmer
			IN	COMPLIANO	CE
RULE	DESCRIPTION		YES		NO
23.06 25.04 25.03 16.01 15.03 15.02 15.01 15.04 15.05 23.02 25.01 23.04 23.05 23.07 16.01 16.02 7.05	Notification Prior to Starting Work Prepared before Drilling to Prevent High-Pressure Drilling Required Permits at Wellsite Adequate Fresh Water Casing Adequate Coal Casing Adequate Production Casing Adequate Cement Strenght Cement Type Maintained Access Roads Necessary Equipment to Prevent Waste Reclaimed Drilling Pits No Surface or Underground Pollution Requirements for Production & Gather Well Records on Site Well Records Filed Identification Markings	ing Pipelines			
I HAVE I	INSPECTED THE ABOVE CAPTIONED WELL AND	RECOMMEND THA	T IT	BE RELEA	ASED:
		SIGNED /			·
		DATE	- 4	4.86	
with Cha	Il record was received and reclamation apter 22, Article 4, Section 2, the above for the life of the well.	Administrate	rema or-0	in under	bond

### PHILLIPS HEIRS LEASE

### WELL NO. 1A



FILE NO. \_\_\_\_\_II - 65

DRAWING NO. \_\_\_\_\_

SCALE \_\_\_\_\_I" = 1000'

MINIMUM DEGREE OF

ACCURACY \_\_\_\_\_I / 200

PROVEN SOURCE OF

ELEVATION \_\_\_\_\_TOP\_\_OF\_\_KNOB \_\_\_\_\_\_

ELEV. \_\_\_\_\_I310'

I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE REGULATIONS ISSUED AND PRESCRIBED BY THE DEPARTMENT OF MINES.

(SIGNED) JULGARY A. Smith

L.L.S.

KENNY

P. O. BOX 4

GLENVILLE,

GREENLIEF

WV

26351

No. 677
STATE OF
OSURVE
PLACE SEAL HERE

(+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS FORM IV-6

(8.78)

ADDRESS -



R.P.E.

47 - 02/ - 4/49
STATE COUNTY PERMIT

## STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

WELL TYPE: OILGAS_X_LIQUID INJECTION WASTE DISPOSAL						
(IF "GAS,") PRODUCTION_X_STORAGEDEEPSHALLOW_X						
LOCATION: ELEVATION 1252' WATER SHED HORN CREEK						
DISTRICT TROY COUNTY GILMER	3,466					
QUADRANGLEAUBURN 7.5'						
SURFACE OWNER GIDEON J. ELLYSON ACREAGE 333	101001000					
OIL & GAS ROYALTY OWNER HATTIE PHILLIPS HRS. LEASE ACREAGE	<b>330</b> /06/2023					
LEASE NO						
PROPOSED WORK: DRILL X CONVERT DRILL DEEPER REDRILL FRACTURE OR						
STIMULATEPLUG OFF OLD FORMATIONPERFORATE NEW						
FORMATIONOTHER PHYSICAL CHANGE IN WELL (SPECIFY)						
PLUG AND ABANDON CLEAN OUT AND REPLUG						
TARGET FORMATIONELKESTIMATED DEPTH 5800'						

\_ADDRESS\_

WELL OPERATOR WACO OIL & GAS CO., INC. DESIGNATED AGENT\_\_\_

WV 26351

P. O. BOX 4

GLENVILLE,