FILE COPY



1)	Date:	Februar	ry 14	, 19_	84
2)	Operator's Well No.	Lydick	#2A	(8)8-7	
3)	API Well No.	47	-021-	4162	
		State	County	у	Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

APPLICATION FOR A WELL WORK PERMIT


4) WELI	LTYPE								DIBICATIONS.	
										/ Shallow X/)
5) LOCA	ATION:							Trace Fork		m 7.51
			The second second			Co. The		Gilmer	Quadrangle: _	Tanner 7.5'
		ATOR		N. Lew		Co., Inc	<u>•</u>		DAGENT Kennet	N. Lewis Street
Ad	dress	-	Comments of the Comments of th	ille,		Control of the Contro		Address		ille, WV 26351
e) OII 6	CASI	NICDEC	ALCOHOLD THE STATE OF	BE NOTI		20331		O) DRILLING		LITE, WV 20001
	COASI		Deo M		FIED			9) DRILLING C	TTT	Morris Well Service
	dress			1, Bo	x 5			Address		N. Lewis Street
				idge,		25274	Zar Parking	11441655	The second secon	ille, WV 26351
10) PROF	POSED	WELL	WORK.	Drill	X	_/ Drill	deeper	/ Redrill	/ Stimulate_	
io, rici	OULD	"LLL	WORK.					rate new formation		TOTE PERIN
										IN SOUN
11) GEOI	OGICA	AL TAR	GET FOR	RMATION	,	E1k				
12) E	stimate	d depth	of comple	ted well,	ı,	5150	feet			FEB 2 2 198
13) A	pproxir	nate tra	ta depths:	Fresh, _		83	feet; sal	t, n/a	feet.	
14) A	pproxir	nate coa	al seam de	pths:		none	Is co	oal being mined in th	e area? Yes	ON & RAS DIVIS
15) CASII	NG AN	D TUB	ING PRO	GRAM						DEPT. OF MI
CASING OR TUBING TY			SPE	CIFICATIONS Weight	3		FOOTAGE	INTERVALS	CEMENT FILL-UP OR SACKS	PACKERS
102111011		Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	
Conductor										Kinds
Fresh water			-					1		
Coal		F / O	EDIT	20	77		F00!	5001	m c c	Sizes
Intermediate		5/8	J-55	20	X		500'	500'	To Surface	by rule 15.05
Production	4	1/2	1-22	10.5	Λ		11411	5150'	472 Sacks	Depths set y Tule 13.0
Tubing Liners							araz 16 a a	APRILIT T		
Liners								1 2 200	A	Perforations:
								1 10 11 2 11 2 160	B 11 (4.03 180) 71 7	Top Bottom
	-12							7,000		
					Chron	OF	FICE USE	ONLY	4 72	AND ROBERT AND INC.
					1	DR	ILLING PE	RMIT		Vell work started
Dormit num	hor	47-	021-41	162					March 2	7, 1984
Permit num	Der								Da	ALARMA VICTORIAN CONTRACTOR CONTRACTOR
This permit	coverin	g the w	ell operate	or and well	locatio	on shown bel	ow is evidence	of permission grant		nce with the pertinent legal re-
quirements :	subject	to the c	onditions	contained l	nerein a	ind on the re	verse hereof. No	otification must be	iven to the District O	il and Gas Inspector, (Refer to
No. 8) Prior	to the	constru	ction of ro	ads, locati	ons and	pits for any	permitted work	. In addition, the w	ell operator or his con	ntractor shall notify the proper
everse here	ed work	is as de	escribed in	the Notice	e and A	pplication, p	olat, and reclam	ation plan, subject	to any modifications a	and conditions specified on the
Permit expir		Mar	ch 27,	1986			unless well	work is commenced	I prior to that date and	prosecuted with due diligence.
							uness wer	work is commenced	i prior to that date and	Prosecuted with due diligence.
Pond.		A	1	Plat:	Casin	. F.				
Bond:		Agen	1	Plat:	Casin	g Fee				
LANK!		Il.	0 1	NA	m	1100	22		71 1	1
					100	X V 95		7	flos	narag
							The second secon	-		

NOTE: Keep one copy of this permit posted at the drilling location.

File







BORGA IV-2(B)

		S-10 Mg				PROFE NO		
4.5-0	31.14Th . AN					1.0	25.1%	
			_	_				_

		OFF	ICE USE ONL	Y	SIA.				
PERMIT MO	DIFICATIONS	AND CONDI	TIONS (IF AN	Y) TO	ГНЕ Р	ROPOSE	ED WE	LL WO	A) WEEL IN
	/ Deep		/ Underground sto						
TAT HOMEST		70% 60811 78% 78	Watershed:		003 # 5e5	74°			3) -LOCATION
d Greeniich	Ouadrangle DAGENT KELLES		County:	il . A) o ite	met. Waldo	RATOR	6) WELL OPE
. Dewis Street	1237	Address		1000		wed .X	12979		Address
		DRILLING			dai	BE NOTE		INSPECT	8) OIL & GAS
	Name C.J.J. Nouths Wolk Servi								Name Address
	ive io				Y.	2000	10002	1994	TRANSPORT
'श्रावाक को ता			deeper					A TITIS AND	THEORORA (0
, waawalki									
				1			ELFOR	AL TARC	I) CEOLOGIC
FEB 2 2 198									12) Esuman
OH, & CAS DIVIS									13) Approx
	c area? Tes								 Approximately Approximately CASING AP
DEFT. OF MI	The CEMBERT FILL OF		FOOTAGEINT			SHOULD		THO CALL	
Ch.In.D.)	OR SACKS (Cubic Teel)			las.		Weight per it.			TUBING TYPE
Kinds									onductor
and the second									
By 14 15.05	To Surface					7.00	nat.	0 \ C 0	
Carrotto Carriga	SX336 375	OFF	ICE USE ONLY	7				- 100 m	ealtaubor ghidu
Perforations:									iners
This part of Form IV-2(t	o) is to record the	dates of certa	ain occurrences	and any	follov	v-up insp	ections		
		Date		1	1		-	Dat	e(s)
Application received			Follow-ı	ip inspe	ection(s)			
		- Y.I.	PRICE USE OF RILLING PER	9					
Well work started			103.11 1.12 1.4.133140		,,				
	1 March 2								ermit number
Completion of the drilling process		Control (control operator	In correlation of their		,,		otoman (lang ada pri	
	he minister of as d							to the cor	iirements subject
Well Record received			s ore mitted morks. It k has commenced t		,,				adi a faucia ()
Reclamation completed	o any modifications at	n plan, subject t	plat, and reclamatic		19.5, bus	the Notice		k is as des	re permitted wor verse hereof.
prosecuted with due diligence.	prior to final dute and						6 1 1		milit expires
OTHER INSPECTIONS							-		
			93		Casing			Agent	:buoti
Reason:						44			TIMMAI

FORM IV-2(A) Obverse [8-83]

1) Date: February 14 ,19 84

2) Operator's

Well No. Lydick #2A

3) API Well No. 47 -02

-021-4162 State County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OFFICE OF OIL & GAS

TIME TOTAL TIME TO THE TIME TO	
NOTICE OF APPLICATION FOR A WELL WORK PERMIT 4) SURFACE OWNER(S) OF RECORD TO BE SERVED 5(i) COAL OPERATOR none	***
(i) Name Mickey Sue Hanlon Address	-
Address Box 156	
Nobe, WV 26158 5(ii) COAL OWNER(S) WITH DECLARATION ON 1	REC
(11) Name none	
AddressAddress	
(iii) Name Name	¢
Address	-
5(iii) COAL LECCEE WHITE PROTECTION OF	- 2
5(iii) COAL LESSEE WITH DECLARATION ON REC	CORL
Address	
	19
TO THE PERSON(S) NAMED ABOVE: You should have received this Form and the following documents:	
(1) The Application for a Well Work Permit on Form TV 2(h)	۵
to be plugged, which sets out the parties involved in the drilling or other work,	4
cementing program:	- 4
(2) The plat (surveyor's map) showing the well location on Form IV-6; and	
plug a well), which sets gut the plan for armive juniess the well work is only to	-
The state and access road.	
THE REASON YOU RECEIVED THESE DOCUMENTS IS THAT YOU HAVE RIGHTS REGARDING THE APPLICATION WHICH ARE SUMMARIZED IN THE "INSTRUCTIONS" ON THE REVERSE SIDE OF THE COPY OF THE APPLICATION (FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU. HOWEVER, YOU ARE NOT THE APPLICATION	
(FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU. HOWEVER, YOU ARE NOT REQUIRED TO TAKE ANY	- [
Take notice that under Chapter 22 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Applications and the undersigned well operator proposes to file or has filed this Notice and Applications and the undersigned well operator proposes to file or has filed this Notice and Applications and the undersigned well operator proposes to file or has filed this Notice and Applications and the undersigned well operator proposes to file or has filed this Notice and Applications and the undersigned well operator proposes to file or has filed this Notice and Applications and the undersigned well operator proposes to file or has filed this Notice and Applications and the undersigned well operator proposes to file or has filed this Notice and Applications and the undersigned well operator proposes to file or has filed this Notice and Applications and Applicati	1.
for a Well Work Permit with the Administration and accompanying documents	C
Department of Mines, with respect to a will be diffice of Oil and Gas, West Virginia	
Construction and Reclamation Plan have been sailed by the Application, the plat, and the	
by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Administrator.	: 1 :- :
6) EVERACETOR PROPERTY OF THE	-
Check and provide one of the following:	
Included is the lease or leases or other continuing	-di
I hold the right to extract oil or gas. The requirement of Code 22-4-1-(a) (1) there is a contract of contracts by the ch	-
The requirement of Code 22-4-1-(c)(1) through (4). (See reverse side for specifics F) EB 2 2 1984 7) ROYALTY PROVISIONS	-
Is the right to extract, produce or market the cil	1 4
or other contract or contracts providing for flat well royalty or any similar provision.	= =
for compensation to the owner of the oil or gas in place which is not inherently relief to the volume of oil or gas so extracted, produced or marketed? Yes No	=
If the answer above is No pothing addition	
you may use Affidavit Form IV-60.	
See the reverse side for line item instructions, and for instructions concerning the required copies of the Notice and Ambientaire and Ambient	
the required copies of the Notice and Application, plat, and Construction and Reclamation Plan.	
The truth of the information of the	
Notice and Application is	
and sworn to and the Notice is OPERATOR Waco Oil & Gas Co., Inc.	
signed on behalf of the Wall or and	(
In my County and State by	
Kenneth Greenlief	
this 4 day of February , 1984	-
My commission expires 9/16, 1990. Telephone (304) 462-5347	
M. Lynn Charman	
Notary Public, Gilmer County, 10/06/2023	1

County,

West Virginia

State of

10/06/2023

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-l2b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-l2a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)


Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that—

- the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Gra	ntee,	les	see,	etc.		Royalty	Book Page
Richard Lydick	Waco	0i1	& 0	Gas	Co.,	Inc.	1/8	340-708
Mickey Sue Hanlon	Waco	Oil	& 0	Gas	Co.,	Inc.	1/8	340-706



IV-35 (Rev 8-81)



State of West Wirginia Department of Mines Wil und Gas Bivision

Date		85		
Operato	r's			
Well No	• #2A			
Farm L	ydick			
APT No.	47 _	021	_	4162

OIL & GAS DIVISION

WELL OPERATOR'S REPORT OF

TATES TO LEGISTRE							
DEPT. OF WILL	DRILLING,	FRACTURING AND/	OR	STIMULATING,	OR	PHYSICAL	CHANGE

	/ Wast	o Diemea	1 /	
WELL TYPE: Oil / Gas X / Liquid Injection (If "Gas," Production X / Underground	ind Storag	re/ Dee	p/ Sha	illow_X/)
LOCATION: Elevation: 963 Watershed				* * * * * * * * * * * * * * * * * * * *
District: DeKalb County G.	ilmer	Quadrangl	e Tanne	r 7.5 ···
				134, 1793
COMPANY WACO OIL & GAS CO., INC.				
				Cement
ADDRESS 1997 N. Lewis St., Glenville, WV DESIGNATED AGENT Kenneth Greenlief	8	Used in	Left	fill up
ADDRESS 1297 N. Lewis St., Glenville, WV	Tubing	Drilling	in Well	Cu. ft.
SURFACE OWNER Mary Hanlon (2) 2 2011	Size 20-16			
ADDRESS GATANNER, WV 26331	Cond.			
MINERAL RIGHTS OWNER Richard Lydick etal	13-10"			
ADDRESS Glenville, WV 26351	9 5/8	1.100	1.100	1
OIL AND GAS INSPECIOR FOR THIS WORK Deo	8 5/8 7'	1400	1400	to surf
Mace ADDRESS Sandridge, WV				
PERMIT ISSUED 3/27/84	5 1/2		5408	100 161
DRILLING COMMENCED 11/20/84	4 1/2		5408	600 sks
DRILLING COMPLETED 11/26/84	3			
IF APPLICABLE: PLUGGING OF DRY HOLE ON	2			
CONTINUOUS PROGRESSION FROM DRILLING OR	Liners			•
REWORKING. VERBAL PERMISSION OBTAINED ON	used			·
	i	Dont	h = 100	feet
GEOLOGICAL TARGET FORMATION • Elk	V		th 5100	1000
	otary X		10015	
Nanai	Salt	feet		No
Coal seam depths:	Is coal I	being nune	a in the	area? No
OPEN FLOW DATA				
Producing formation Shale, Elk, Alexander,	Bensoray	zone dept	hsee tr	eatme feet
Gas: Initial open flow Mcf/d	Oil: Init	tial open	flow	Bbl/d
Final open flow 1958 Mcf/d	Fina	al open fl	.ow_sho	w Bbl/d
Time of open flow between initi	al and fir	nal tests_	4 ho	urs
Static rock pressure 17-00 psig(surface	measureme	ent) after	48 hou	rs shut in
(If applicable due to multiple completion-	-)		10	0/06/2023
Second producing formation 'Riley, Ballto	**	zone dept	h see t	reatm Eact
Gas: Initial open flow Mcf/d	Oil: Init	cial open	flow	Bb1/d
Final open flow Mcf/d	Oil: Fina	al open fl	.ow	Bbl/d
Time of open flow between initi	al and fir	nal tests	hou	ırs
Static rock pressurepsig(surface:	measuremen	nt) after_	hou	rs shut in
		(Contin	יום מו זומי	verse side!
		10011001	ne on let	

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

1st Stage- Shale (5250 to 5260) 500 Gal 15% Hcl, 1,000 MCF No

2nd Stage- Upper Elk (5036 to 5071) 500 Gal 15% Hcl, 900 MCF N,

3rd Stage- Alexander, Benson, Lower 3rd Riley (4580 to 4924) 500 Gal 15% Hcl, 900 MCF N2.

4th Stage- Upper 3rd Riley, 2nd Riley (4322 to 4502) 500 Gal 15% Hcl, 700 MCF No

5th Stage-Lower Balltown (3818 to 4094) 500 Gal 15% Hcl, 700 MCF N_{2}

6th Stage- Upper Balltown (3722 $t_{\rm CL}$ 3730) 500 Gal 15% Hcl, 700 MCF N_2

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Clay, Soil	0	5	
Sand, Shale, Red Rock	5	620	1/4" stream water @ 80'
Sand, Shale	620	1822	tenn.
Little Lime	1822	1836	
Shale	1836	1858	
Big Lime	1858	1960	
Big Injun	1960	2002	
Sand, Shale	2002	2814	E. .
Fifth Sand	2814	2820	
Sand, Shale	2820	3244	
Speechly Secition	3244	3722	
Balltown Section	3722	4320	
Riley Section	4320	4650	
Benson	4650	4660	
Shale	4660	4880	
Alexander	4880	4924	
Shale	4924	5036	
Upper Elk	5036	5072	
Shale	5072	5248	
Lower Elk	5248 Attach separ	5303 rate sheets as	necessam)

Shale

WACO OIL & GAS CO, INC.

Well Operator

By: Konneth Treenlief , Kenneth Greenlief February 6, 1985 10/06/2023

Note: Regulation 2.02(i) provides as follows: "The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including con!, encountered in the drilling of a well."

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES
OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

DEPT. OF MINES

INSPECTOR'S WELL REPORT

Permit No. 01-4/62			Oil o	r Gas Well
Company WACO	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address	Size			
Farm Lyclick	16	1	15. 10 12.12 192	Kind of Packer
Well No. 2 A	13		a temporal and	
10.1.11	10	AND THE PROPERTY OF		Size of
Southly 2/20.	81/4			
Drilling commenced //- /3-84	65%		v t . • . · · · · · · · · · · · · · · · · ·	Depth set
Orilling completedTotal depth	5 3/16			Commence of the control of the contr
Date shotDepth of shot	2	S No 1. N. 1		Perf. top
nitial open flow/10ths Water inInch	Liners Used			Perf. bottom
				Perf. bottom
pen flow after tubing/10ths Merc. inInch		1		
olumeCu. Ft.	CASING CEMEN	TED	_SIZE	No. FTDat
ock pressure lbs hrs.	NAME OF SERV	VICE COMPAN	Y	
bbls., 1st 24 hrs.	COAL WAS ENC	COUNTERED A	Т	FEETINCHES
esh water 9 feet DAM 1"				
ilt waterfeetfeet				FEETINCHES
Teer	FEET_	INCHE	S	FEETINCILES
rillers' Names G. L. Mouis 4			a.	
marks:				
1094' of 8 3/8" Casting, 290	5k5 Cenu	et, Do	cuell	11-16-84
god bubbling out of east				
alej.		gaja be T _e r - gjer	And the same	7-2
11-16-84		De	o Moc	e 10/06/2023
			DI	STRICT WELL INSPECTOR

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS						
FARM	and the second s	DISTRIC			e de la Caración				
Filling Material Used		- DIGITATO		OUNTY					
Liner Lo	peation	Amount	Packer	Location	1				
PLUGS USED AND DEPTH PLACED			BRIDGES	CASIN	IG AND T	UBING			
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED SIZE		LOST			
			e ve						
						degra gard			
				· Property and					
						19 11 12 1			
	and the many the second control of the	angent to a self-to-		4 4 5 6 7 6 7	1. Sec. D. C.	(41), a (4)			
And the second s					,				
rillers' Names									
emarks:		and the second second							
The second secon			and the second s						
			e well on this date.						





JAN 8 1986

2A

State of West Birginia

Bepartment of Mines Gil and Gas Division Charleston 25305

FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT

	Febru	iary 13, 1985	KI				
COMPANY	Waco Oil & Gas Co., Inc.	PERM	IT NO		021-41	.62 (3-27-84)
1297 N	. Lewis Street	FARM	& WEI	L NO	Mary	Hanlon,	Lydick
Glenvi	lle, West Virginia 26351	DIST	. & CC	UNTY	Dekal	b/Gilme	r
				TM	COMMI	TANCE	
RULE	DESCRIPTION			YES	COMPL	NO	
23.06	Notification Prior to Start:	ing Work					
25.04	Prepared before Drilling to	Prevent Waste				-	Addition of the state of the st
25.03	High-Pressure Drilling						
16.01	Required Permits at Wellsite	2		-			
15.03	Adequate Fresh Water Casing			-			
15.02	Adequate Coal Casing						
15.01	Adequate Production Casing				_		
15.04	Adequate Cement Strenght						
15.05	Cement Type						-
23.02	Maintained Access Roads						
25.01	Necessary Equipment to Preve	nt Waste					
23.04	Reclaimed Drilling Pits						
23.05	No Surface or Underground Po	llution					
23.07	Requirements for Production	& Gathering Pipe	lines				
16.01	Well Records on Site			-			
16.02	Well Records Filed						
7.05	Identification Markings			-			
I HAVE I	NSPECTED THE ABOVE CAPTIONED	WELL AND RECOMME	ND TH	AT IT	BE RE	LEASED:	
				7	6-		
		SIGNE	D 4	le	1/1/	ace	
	*	DATE		1-4	- FC	0	
with Cha	l record was received and recorter 22, Article 4, Section 2 for the life of the well.	, the above well	will	or-O:	in und	as Divi	6
					, 1986	,	
				DATE			

TMS/nw





niuspalli terdi in pinki punki terdi incopia paginali di uni isi


Defined Angelia (1997) The angelog Defined Angelia (1997)

The Table

Augustano de Companyo agranda per a l'ille de l'antido de l'antido

moles of the second second

10/06/2023



UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

• Complete Items 1, 2, 3, and 4 on the reverse.

• Attach to front of article it space permits, otherwise affix to back of article.

• Endorse article "Return Receipt Requested"

• sdjacent to number.



PENALTY FOR PRIVATE

RETURN TO

(Street or P.O. Box)

State, and ZIP Code)

Sydick 2A

FEB 2 2 1984

OIL & GAS DIVISION DEPT. of MINES

	SENDER: Con Add space	your addr se on rever	ess in the '	RETURN TO"	
	(CON	SULT POS	TMASTER F	OR FEES)	
1	The following service is requested (check one).				
			delivered		
			d address of d		
2.	RESTRICTED	DELIVERY			
				TOTAL \$	
1	ARTICLE ADDRE MICKLY LOW 156 Molie, W	Wie 2	1600 4158	bn	
4.	TYPE OF SERVICE	_		ARTICLE NUMBE	R
	REGISTERED	_	INSURED	11-0-00	0
	EXPRESS MA		COD X	53437583	5
			ure of addre	essee or agent)	_
11	ave received the	article descr	ibed above.		
/	Mikeda Mikeda	Addresse	Auth	orized agent	
5.	DATE OF DELIVE	RY	(3	PASTMARK Prey be-on everso sk	de)
	ADDRESSEE'S AL			1984	
7.	UNABLE TO DELI	VER BECAU	SE:	S AMITALE	*

IV-9 (Rev 8-81)



DATE	January	27,	1984	
				•

WELL NO. 2A - LYDICK
API NO. 47 - 021 -4/62

State of Mest Airginia Pepartment of Mines Gil und Gas Pivision

CONSTRUCTION AND RECLAMATION PLAN

COMPANY NAME Waco Oil & Gas Co., Inc.	DESIGNATED AGENT Kenny Greenlief
Address P.O. Box 4, Glenville, WV 2	26351 Address P.O. Box 4, Glenville, WV 26351
Telephone 304-462 - 5347	Telephone 304-462 - 5347
LANDOWNER Mickey Sue Hanlon	SOIL CONS. DISTRICT West Fork
Revegetation to be carried out by	Waco Oil & Gas Co., Inc. (Agent)
This plan has been reviewed by	West Fork SO. All corrections
and additions become a part of this plan	n: 2884
S REVIEW IS MADE FOR SITE AS SHOWN. A ANGE OF ELEVATION OF PLUS OR MINUS 10 FT. SLOPE OF PLUS OR MINUS 3 PERCENT MAKES	Derrett E Tright ON SITE REVIEW 2/7/84
S PLAN NOT ACCEPTABLE TO WESCD. ACCESS ROAD	LOCATION
	(A) Structure Diversion Ditch (1)
spacing # Inside road cut	Material Earthen
Page Ref. Manual 2-12	Page Ref. Manual 2-12
Structure Cross Drain 3%-200'apart 10%-80'apart 17%	(B) Structure Sediment Barrier (2)
Spacing as required per grade 209	%-45 apart Material Logs & Stone
Page Ref. Manual 2-1	Page Ref. Manual 2-16
Structure Road Culvert (according to Oil 4 Gas Manual) (at natural) Spacing Two or Three 20" & one 18"	drains) structure Filter Strip (3) Material undisturbed natural vegetation
Page Ref. Manual 2-7	Page Ref. Manual 2-16
Structure Sediment Barrier (D)	regularly and repaired if necessary of the acked and all brush and small timber of the ETV E dirt work begins. FEB 2 2 1984 VEGETATION OIL & GAS DIVISION
Treatment Area I & II	TXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
YLime Tons/acre	Lime Tons/acre
or correct to pH 6.5	or correct to pH
Fertilizer 600 lbs/acre (10-20-20 or equivalent)	Fertilizer lbs/acre (10-20-20 or equivalent)
Mulch Hay 2 Tons/acre	Mulch Tons/acre
Seed* KY-31 40 lbs/acre	Seed* lbs/acre
Red Top 5 lbs/acre	lbs/acre
lbs/acre	lbs/acre
*Inoculate all legumes such as vetch, Inoculate with 3X recommended amount.	trefoil and clovers with the proper bacterium.
+ hime according to pH test.	Smith Land Surveying 6/2023
MOTES: Please request landowners' cooperation to protect new	APDRESS 111 South Street
seedling for one growing season.	Glenville, WV 26351
Attach separate sheets as necessary for comments.	PHONE NO. (304) 462 - 5634

ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP.
QUADRANGLE Tanner 7.5'

Well Site Access Road —



WELL SITE PLAN

ketch to include well location, existing access road, roads to be constructed, wellsite, irilling pits and necessary structures numbered or lettered to correspond with the first art of this plan. Include all natural drainage.

