FILE COPY



1)	Date:	Jun	e I	L1		_, 19	84
2)	Operator's Well No.	7909	H	TULTON	1 #1:	2	ORM
3)	API Well No.	47	-	021	- 4	246	alayu var
		State		Cour	ity		Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

A) WELLTY	DE. A C	NIEW CE	12 0/ G	y V		CA DIVIDINIS	STILL OF A CHILA	OPPICATIONS A		
4) WELL II								/ Deep		
5) LOCATIO	N· Fle	evation:	· · · ·	18'					TK 79	
s, Eccimo								Quadrangle:		7.5'
6) WELL OP	ERATOR	Easter	n Amei	cican	Energy	Corp.	7) DESIGNATE	DAGENT Don		
Address	P.	O. Box	x 67, (lenv	ille, W	V 26351	Address	P. O. Box 6	7, Glenvil	le, WV 26
		(304)	462-57	781		<u></u>		(304) 46	2-5781	1,996
8) OIL & GA	S INSPEC	TOR TO	BE NOTI	FIED			9) DRILLING C	ONTRACTOR:		
Name		40 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	a second			<u></u>	Name	Unknow	m	
Address			Box 5				Address		TOTAL	
					25274				1000	30 7 1
10) PROPOSE	ED WELL	WORK:						/ Stimulate	X	
							ate new formation	1/	UN 1	2 1984
		CET FOR				ell (specify)			JULI	. 2 1001
11) GEOLOGI									3 20 0	
					5100	feet: salt	None	feet	OIL & G	AS DIVISIO
							al being mined in th		DERJ.	OF MIN
15) CASING A						13 000	Jeing mineu in th	v u.cu. 105	- 110	
CASING OR			CIFICATION	S	- 11	FOOTAGE II	NTERVALS	CEMENT FILL-UP	PACKE	RS
TUBING TYPE	Size	Grade	Weight per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)		
Conductor	-	F-25	_	TO A STATE OF THE	X	25	-0-	(Cable Feet)	Kinds	
Fresh water	85/8		20	X		400	400	CTS- 50/50	Poz, 2% Ca	Cla
Coal								010 30, 30	Sizes	2
Intermediate										
Production	41/2	J-55	10.5	X		5050	5050	300 Ft. 3	Depths set	
Tubing	11/2	H-40	2.7	X	Y. 1	THOUSE I ST	4900			
Liners									Perforations:	
3		200199	ezar and	action	Vos bis	<u> 1. ocenti ences</u>	dates of certain	Affi brosen ou airt	Тор	Bottom
								-		
(2	Just -						Jain .			
				(a)715)1	OF	FICE USE C	NIV		the respect	Appleation
						ILLING PE				3 35 15 19
										Well work
ermit number_	47-021	-4246							er 3,	
									ate limb out to.	
his permit cove	ering the w	ell operate	or and wel	l locatio	n shown bel	ow is evidence of	of permission grant	ed to drill in accorda given to the District C	ince with the pertin	nent legal re-
No. 8) Prior to	he constru	ction of ro	oads, locat	ions and	pits for any	permitted work	. In addition, the w	vell operator or his co		
istrict oil and g	as inspecto	r 24 hour	s before a	tual per	mitted work	has commenced	i.)			
	ork is as de	escribed in	the Notic	e and A	pplication, p	lat, and reclama	tion plan, subject	to any modifications	and conditions spe	ecified on the
everse hereof.		Octob	er 3,	1986						1 177
ermit expires _	90 14-3	OCLOB	er J,	1700		unless well	work is commenced	d prior to that date and	a prosecuted with c	lue diligence.
[67]				No.	5 - 25				enun Jane	
Bond:57	Agen	9	Plat:	Casin	g Fee	e /				
BLANKET		0 1	nll	m	1 139	14	M	, 0	1/	
	1		.//-	. //			1 Mun	14. f -) k	Jane	
							MINIONI	1181		
						/	Adm	inistrator, Office of	Oil and Gas	21.53
NOTE: Keep o	ne copy of	this perm	nit posted a	at the dr	rilling location	on.	Adm	inistrator, Office of	Oil and Gas	File

Reason:





OFFICE USE ONLY

PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED WELL WORK

Male Male	and the time of the second of		The second secon						
	MIRACTOR:	9) DRILLING CO			data	BE NOTE		INSPEC	B OKL&GAS
(VIET)		280 fbDA				Liber.	L.SE		
	Signalare X		deeper				WORK:	JUBW 0	PKOPOSEI
			well (specify)		Issueed				
PRIMITE PAD & HO.		feet		32.QL		ned well,	sigmos k	ed depth o	12) Estimal 13) Approx
C. A. SACE		is coal being mined on the a	· · · · · · · · · · · · · · · · · · ·	STO			NG PRO		(14) Aprior L CASING A
PACKEIO	TJASTIT FUSING. ADARSTQ (1990 slau.)	Bowell Most				Weight A 1900 Weight parts	SPE Grade	alk	CASING TYPE
ebald	pare\oeas	608	U.S			200	ENT.	8/c8 8/c7	
									refriedlate
ys and to pro-	300 8-13	(大)	G-6-5 5050			- 01	Be-ti		
755.2 df (1997) 20.019810115	300 = 23 = 0	OFFICE U	JSE ONLY			5.01	76-T		odaction (fing
This part of Form IV-	2(b) is to record th			nd any	follow	-up inspe	ections.		odaction (fing
This part of Form IV-	2(b) is to record th			nd any	follow	-up inspe	ections.	Date	odaction floring neces
	2(b) is to record th	e dates of certain oc	currences as				ections.		oduction thing neces
Application received	2(b) is to record th	e dates of certain oc Date	currences as	inspec			ections.		notication gradi
This part of Form IV- Application received Well work started Completion of the dril	ACC DO BONS TO BE THE TO B	Date YAMO EN THE STATE OF THE	Follow-up	o inspec	tion(s)	or and wel	12226 ell aperat	Date	thing cover the present cover
Application received Well work started Completion of the dril	Cot obense programme to the District of Secretarion of this contract of th	Date VINO Editorial to some service at hear socianities. In the social transfer of the so	Follow-up	o inspec	tion(s)	ot and wel	Surfug ed operat incomit tion of to 124 hour	Date Figure 1 Figure 2	contained the second and the second
Application received Well work started Completion of the dril	Octobe we record the second that can be second that can be second that can be second that can be second the second that can be second that the second that the second pro-	Date Y INO ENTRY AND ENTRY AND ADDRESS OF CONTROL OF C	Follow-up	p inspec	tion(s)	or and well contained on the Notice at the N	Surfug ed operat incomit tion of to 124 hour	Date (CO The waster to the waster the waster to the construction in the construction	columient (a) and parties of and parties of and parties and parties of another of an and parties of an and parties of an and parties of an another of another of an another

See the reverse side of the APPIAUANT'S COPY for instructions to the weil operator,





Cil 42 46

API NO. 047

June 13, 1984

FULTON #12 WELL NO.

(Rev 8-81) Rec'd (WESCD)

JUN 2 9 1984

IV-9

State of Mest Nirginia Bepartment of Mines Gil und Gas Bivision

JUL 1 6 1984

1	CONSTRUCTION AND REC	LAMATION PLAN
1		OIL & GAS DIVISION
x	MPANY NAME Eastern American Energy Corp. DI	ESIGNATED AGENT Donald CD Supcoe OF WIII
	Address P.O. Box N Glenville, WV 26351	Address P.O. Box N Glenville, WV 2035.
	TETEPRATE OF THE STATE	Telephone 304-462-5781
<u> </u>	NDOWNER B. R. Vanhorn	SOIL CONS. DISTRICT West Fork
Y	Revegetation to be carried out by Eastern Ame	erican Energy Corporation (Agent)
177	This plan has been reviewed by West	
n	d additions become a part of this plan:	7/11/84
-	THIS REVIEW IS MADE FOR SITE AS SHOWN. A	(Pate)
(CHANGE OF ELEVATION OF PLUS OR MINUS 10 FT. OR SLOPE OF PLUS OR MINUS 3 PERCENT MAKES	(SCD Agent)
1	HIS PLAN NOT ACCEPTABLE TO WFSCD. ACCESS ROAD	LOCATION
· .	nucture Culvert (A)	Structure Diversion Ditches (1
P	(according to Oil-4 Gas Manual) at natural drains) acing . 15" Diameter (minimum) (as needed)	Material Earthen
	ge Ref. Marmal 2:7	Page Ref. Manual 2-12
to	ructure Drainage Ditch (B)	Structure Drilling Pit : (2
	acing Earthen (Inside road cuts).	Material Soil
ac	ge Ref. Manual 2:12	Page Ref. Manual N/A
-	cucture Cross Drains (C)	Structure Drainage Ditch (3
	2-3% 200-250' apart 15%-60' apart acing 10-12% 70' apart 20%-45' apart	Maferial Earthen
٠	ge Ref. Manual 2:4	Page Ref. Manual 2-12.
1	All structures should be inspected regularly commercial timber is to be cut and stacked and cut and removed from the site before dirt work structure Sediment barrier Material tay or Straw bales Pag Ref. Man, 2-16 REVERETATION	all brush and small timber to be begins.
_	Treatment Area I	Treatment Area II
ī		Lime * . Tons/acre
	or correct to pH 6.5	or correct to pH 6.5
T	tilizer 500 lbs/acre (10-20-20 or equivalent)	Fertilizer 500 lbs/acre (10-20-20 or equivalent)
,7		Mulch Hay 2 Tons/acre
		Seed* Pasture Mix_ lbs/acre
	Ky 31 Fescue 35 lbs/acre	Ky 31 Fescue 1270013656acre
	Ladino Clover 5 lbs/acre	Ladino Clover 5 lbs/acre

*Inoculate all legumes such as vetch, trefoil and clovers with the proper bacterium. noculate with IX recommended amount. Brooks L. Harris

* Lime according to PH test

NOTES: Please request landowners' cooperation to protect new . scedling for one growing season.

PLAN PREPARED BY Eastern American Energy Corporation

P.O. Box N **ADDRESS** Glenville, WV 26351

PROPOSED ACCESS ROAD: Beginning on County Rd. 5/2 until it runs into existing access road for approximately 500', thence bearing right, continuing on said road for additional 300' to curve. Thence for a distance of approx. 400' of new road. Minimal slope, crossing one wet weather drain. Timber 4" & larger will be cut & stacked before earthwork begins.

PROPOSED LOCATION:
Situated in wooded area,
medium timber. Timber 4"
& larger will be cut &
stacked before earthwork
begins.

TOPSOIL WILL BE STOCKPILED FOR RECLAMATION WORK.

12/08/2023

DRM IV-2 (A) ,1984 1) Date: June 26 verse 2) Operator's -831 Well No. FULTON #12 3) API Well No. 021-4246 47 -State County Perm STATE OF WEST VIRGINIA DEPARIMENT OF MINES, OFFICE OF OIL & GAS NOTICE OF APPLICATION FOR A WELL WORK PERMIT SURFACE OWNER (S) OF RECORD TO BE SERVED 5(i) COAL OPERATOR None Address (i) Name B. R. Vanhorn Address 908 N. Lewis Street 5(ii) COAL OWNER(S) WITH DECLARATION ON RECO Glenville, WV 26351 Name ii) Name Address Address Name ii) Name Address Address 5(iii) COAL LESSEE WITH DECLARATION ON RECORD: Name Address TO THE PERSON(S) NAMED ABOVE: You should have received this Form and the following documents: (1) The Application for a Well Work Permit on Form IV-2(B) (or Form IV-4 if the well is to be plugged, which sets out the parties involved in the drilling or other work, and describes the well and its location and, if applicable, the proposed casing and cementing program; (2) The plat (surveyor's map) showing the well location on Form IV-6; and (3) The Construction and Reclamation Plan on Form IV-9 Junless the well work is only to plug a well), which sets out the plan for erosion and sediment control and for reclamation for the site and access road. THE REASON YOU RECEIVED THESE DOCUMENTS IS THAT YOU HAVE RIGHTS RECARDING THE APPLICATION WHICH ARE SUMMARIZED IN THE "INSTRUCTIONS" ON THE REVERSE SIDE OF THE COPY OF THE APPLICATION JUL 1 1984 (FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU. HOWEVER, YOU ARE NOT REQUIRED TO TAKE ANY ACTION AT ALL. Take notice that under Chapter 22 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a Well Work Permit with the Administrator of the Office of Oil and Gas, West Virginia DEFT. OF MINE Department of Mines, with respect to a well at the location described on attached Application and depicted on attached Form IV-6. Copies of this Notice, the Application, the plat, and the Construction and Reclamation Plan have been mailed by registered or certified mail or delivered by hard to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Administrator. 6) EXTRACTION RIGHTS Check and provide one of the following: Included is the lease or leases or other continuing contract or contracts by which I hold the right to extract oil or gas.

[X] The requirement of Code 22-4-1-(c)(1) through (4). (See reverse side for specifics.) Is the right to extract, produce or market the oil or gas based upon a lease or leases or other contract or contracts providing for flat well royalty or any similar provision for compensation to the owner of the oil or gas in place which is not inherently related to the volume of oil or gas so extracted, produced or marketed? Yes No If the answer above is No, nothing additional is needed. If the answer is Yes, . :you may use Affidavit Form IV-60. See the reverse side for line item instructions, and for instructions concerning the required copies of the Notice and Application, plat, and Construction and Reclamation Plan. he truth of the information on the WEIL otice and Application is verified **OPERATOR** AMERICAN ENERGY CORPORATION nd sworn to and the Notice is igned on behalf of the Well Operator n my County and State by Its Designated Agent Donald C. Supcoe Address P. O. Box 67 usac day of Glenville, W 26351 Telephone (304)462-5781 12/08/2023 downty, Notary Public, Gilmer State of West Virginia

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) 6 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" πeans any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-l2b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-Ba from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the cath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that—

- the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Rovalty	Book Page
Elwood D. Fulton	Charles Swisher	Fixed	73/71
Charles Swisher	Pittsburgh & WV Gas Co.	Not	Recorded
Pitts. & WV Gas Co.	Equitable Gas Company	Assigned	174/465
Equitable Gas Company	Eastern American Energy Corp.	Assigned	295/701



					-	
ATE	:	June	26	,	19	83

OPERATOR'S

WELL NO.: __ FULTON #12

API NO: 47 - 021 State County Permi

State of Mest Nirginia

OFFICE OF OIL AND GAS DEPARTMENT OF MINES

· <u>A</u>	FFIDAVIT	RECEIVED
State of West Virginia		JUL 1 2 1984
County of Gilmer		OIL & GAS DIVISION DEPT. OF MINE
or authorized representative the say that the undersigned is aution the well permit application that (he, she, or it) shall tended to the owner of the working into extracted, produced, or marketed aside for the owner of the oil of extracted, produced, or marketed (1982). Signed: Designated Age	ereof), after being of horized by the owner to which this affidated der to the owner of total amount paid to erest at the wellhead do before deducting the or gas in place, or a do from the well. Wes	of the working interest it is attached do state the oil and gas in place or received by or allowed for the oil or gas so be amount to be paid or set all such oil or gas to be tirginia Code 22-4-11(e)
Taken, Subscribed, and sworn to	before me this 26th	day of <u>June</u> , 1984.
Notary: Edna Marie Huf	Luff	_
My Commission Expires: August	2, 1984	

P 392 536 908

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED-NOT FOR INTERNATIONAL MAIL

	(See Reverse)		
	Sent to MR.4 MRS, Jes 4 Lucille Queen — C Street and No.	SEA. KE	TH
	P.O., State and ZIP Code	2011	
	Linn; WV 26	\$.54	-
	Certified Fee	.75	7
	Special Delivery Fee		7
	Restricted Delivery Fee		5
	Return Receipt Showing to whom and Date Delivered	.60	4
82	Return Receipt Showing to whom, Date, and Address of Delivery		# 11
b. 19	TOTAL Postage Pro Fees	\$1.89	+
PS Form 3800, Feb. 1982	Postmark or Date)	
PS	C. C. Marie		

P 392 536 910

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED— NOT FOR INTERNATIONAL MAIL

(See Reverse)

P.O., State and ZIP Code Glenville, WV	26351
Postage	5.04
Certified Fee Special Delivery Fee	-/0
Restricted Delivery Fee	
Return Receipt Showing \to whom and Date Delivered	.60
Return Receipt Showing to whom, Date, and Address of Delivery	100
TOTAL Postage and Fees	\$1.89
TOTAL Postego and Fees Postmark or Date	



OIL & GAS DIVISION DEPT. OF MINES





P 392 536 910

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED— NOT FOR INTERNATIONAL MAIL

(See Reverse)

horn
ST.
26351
\$.54
.75
.60
\$1.89
7.07

SENDER: Complete Items 1, 2, 3 Add your address in the space on reverse.	, and 4. "RETURN TO"
(CONSULT POSTMASTER	FOR FEES)
1. The following service is requested (ch	eck one).
Show to whom and date delivered .	The state of the s
☐ Show to whom, date, and address	of delivery
RESTRICTED DELIVERY(The restricted delivery fee is charged in the return receipt fee.)	n addition
FULTON #12	TOTAL \$
3. ARTICLE ADDRESSED TO: MR. B.R. Vanho	nio.D
908 N. Lewis	ST
Glenville, LIV	26351
4. TYPE OF SERVICE:	ARTICLE NUMBER
REGISTERED DINSURED	P
CERTIFIED COD	392-536-910
EXPRESS MAIL	THE REST TO PERSON
(Always ebtain signature of ad	
I have received the article described above	
SIGNATURE LACTRESSEE LA	uthorized agent
SKyanton	N
5. DATE OF DELIVERY	POSTMARK
17/12/84	(may be on reverse side)
10/1201	
to. ADDRESSEE'S ADDRESS (Only II request	ad)
7. UNABLE TO DELIVER BECAUSE:	7a. EMPLOYEE'S
	INITIALS
	★ GPO: 1982-379-

G	
4740	1

feet

V-35 ev 8-81)	DECEIVED DEC 1 9 1984
	DEC 1 9 1984

YMAGMO

State of Mest Birginia

Bepartment of Mines

	Date	NOVE	ambe	r 16,	198	4	
	Opera:	tor's	;			,	
IZ	Well 1	10.	FU	LTON	#12		
	Farm	E.I). F	ulton			
	API N	. 47	_	021	-	4246	

OIL & GAS DIVISION
DEPT. OF MINES

Gil und Cas Zivision

WELL OPERATOR'S REPORT OF

OF
DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

VELL TYPE:	(If "Gas,	" Producti	ou X \ nuge	erground St	Waste Disposal_ torage/Deep_	_/ _/ Shallow x /)
OCATION:	Elevation:	918*	Watershe	d Stewar	ts Creek.	
	District:	Glenville	County	Gilmer	Quadrangle_	Glenville 7.5'

DDRESS P.O. Box N, Glenville, WV 26351
ESIGNATED AGENT Donald C. Supcoe
DDRESS P.O. Box N, Glenville, W 26351
URFACE OWNER B. R. VanHorn
DDRESS 908 N. Lewis St., Glenville, WV 26351
INERAL RICHIS OWNER Susan Hays Ashbrook
DDRESS 558 E. Allen St., Lancaster, OH 43130
IL AND GAS INSPECTOR FOR THIS WORK
Deo Mace ADDRESS Sandridge, WV 25276
ERMIT ISSUED 10/3/84
RILLING COMMENCED 10/18/84
RILLING COMPLETED 10/23/84 ·
APPLICABLE: PLUGGING OF DRY HOLE ON
ONTINUOUS PROGRESSION FROM DRILLING OR
WORKING. VERBAL PERMISSION OBTAINED

DIOGICAL TARGET FORMATION

Eastern American Energy Corporation

	X.,		
Caşing	Used in	Left	Cement fill up
Tubing	Drilling	in Well	Cu. ft.
Size 20-16 Cord.			
13-10"			
9 5/8			
8 5/8	422	422	Surface
7			
5 1/2			
4 1/2	5133	5133	271 ³ /Ft.
3			
1 1/2		4421	
Liners used			
1 1	1	1	1

Depth

5100

Depth of completed well 5134 feet Rotary X / Cable Tools
Water strata depth: Fresh 55 feet; Salt None feet
Coal seam depths: None Is coal being mined in the area? No
FLOW DATA
Producing formation Elk, Benson Co-Mingled Pay zone depth 4458 - 5058 feet
Gas: Initial open flow 15,000 Mcf/d Oil: Initial open flow N/A Bbl/d
Final open flow 275,000 Mcf/d Final open flow N/A Bbl/d
Time of open flow between initial and final toots
Static rock pressure 850 psig(surface measurement) after 24 hours shut in
(If applicable due to multiple completion)
Second producing formation Pay zone depth feet
Gas: Initial open flow Mcf/d Oil: Initial open flow Bbl/d
Final open flow Mcf/d Oil: Final open flow Bbl/d
Time of open flow between initial and final tests hours
Static rock pressurepsig(surface measurement) afterhours shut in -

Benson/Elk

FORM IV-35 (PEVERSE)

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Perforate - 12 - 0.41" holes from 4727' - 5058'

Frac with 30,000 lbs. of 20/40 sand

Perforate - 8 - 0.41" holes from 4458' -- 4462"

Frac with 50,000 lbs. of 20/40 sand

WELL LOG

		State of the state		2000
ORMATION COLOR HARD OR SO	FT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Clay Sand, Shale & Redrock Shale Big Lime Big Injun Shale Weir Shale Benson Shale Elk Shale	r.D.	0 1500 1594 1672 1757 1830 1966 4446 4476 4720 5060 5134	10 1594 1672 1757 1830 1966 4446 4476 4720 5060 5134	Top of E Log @ 1500'

(Attach separate sheets as necessary)

FASTERN	AMERICAN ENERGY	CORPORATION	
	Operator	12/08/202	23
By: 9/	mlue	Vice Presid	ent
Date:	11/19/84		

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological recent of all formations, including

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES



INSPECTOR'S WELL REPORT

	OIL	&	GAS	DIVISION
D	EP	T.	OF	MINES

Oil or Gas Well

Permit No. 21-4246

Pastern amuican CASING AND USED IN LEFT IN PACKERS Size Address Farm Fulton Kind of Packer Size of County Tilmy Drilling commenced 10-17-84 Depth set_ 5 3/16 Drilling completed_ _Total depth_ Perf. top__ Date shot Depth of shot Perf. bottom___ Initial open flow_ Liners Used ____/10ths Water in_ Perf. top___ __Inch Perf. bottom_ Open flow after tubing /10ths Merc. in Inch Volume_ _Cu. Ft. CASING CEMENTED_ SIZE __No. FT.____Date NAME OF SERVICE COMPANY Rock pressure_ hrs. bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT___ FEET___INCHES FEET INCHES FEET Salt water_ feet FEET INCHES FEET___INCHES Mouris 7 Remarks:

4

422' of 83/8" clishing 120 sts coment, Mouraco, 10-18-84

10-19.84

Wes Mass 108/2023

DISTRICT WELL INSPECTOR

BETTER WATTER AND THE TOTAL AND THE

STATE OF WEST VIRGINIA


DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY				ADDRES	3			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
FARM DISTRICT COUNTY COUNTY								**************
Filling Material U			193			OUNTY	. Is explored to the second	
Liner	Loc	ation	Amour	nt	Packer	Lagation		
PLUG	S USED A	ND DEPTH PLACED		BRI	DGES	Location CASING AND TUBING		
CEMENT-THICK	HESS	WOOD-SIZE	LEAD	CONSTRUCT	ION-LOCATION	RECOVERED	SIZE	LOST
							ac to conserv	and a seek of the last
					- 10mm - 1 mm - 10mm -			y congressor
			and the		and the second s			
		·						· · · · · · · · · · · · · · · · · · ·
			es en a especial de la company					
			2-18-7 - F-12-8 A				4	
		en waser tell of the confirmation	a milia la santina					
					3_ 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1			
rillers' Names					To July 1 miles			
emarks:				and the second second			and the second second	
					ness gyp of second school of			
		-5						
	T I	nerehu contidu I						
DATE		nereby certify I vis	sicea the abo	ove well on this da	ite.			

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OFFICE OF OIL AND GAS
CHARLESTON 25305
FINAL INSPECTION REPORT
INSPECTORS COMPLIANCE REPORT



Company: EASTERN AMERICAN ENERGY CORPORATION
Farm: VANHORN, B. R. Well: FULTON 12

Permit No. 47- 21-4246 Counts:GILMER

MAY 2 9 1986

	in Compi	1ance
Description	Yes	No
Notification prior to starting work		000 000 000 000 000 000 000 000 000 00
Prepred before drilling to prevent waste	NAME AND DESCRIPTION OF THE PARTY NAME AND PARTY NAME	
Hish pressure drillins		
Required permits at wellsite		
Adequate Fresh Water Casins		
Adequate Coal Casins		
Adequate Production Casins	**************************************	
Adequate Cement Strensth		
Cement Type	ASSE 8200 8000 8000 0140 0000 0000 0000 6000	\$400 Mar \$400 Mar \$400 Mar \$100 Mar \$100
Maintained Access Roads		
Necessary Equipment to Prevent Waste	\$100 FROM \$400 BARN BARN BARN BARN BARN BARN	200 200 040 040 000 040 040 000
Reclaimed Drilling Pits		
No Surface or Underground Pollution		
Requirements for Production & Gathering Pirelines	USA 1002 ETTS 1500 4011 6750 ETTS 1600 7650 ETTS	
Well Records on Site	2020 1200 1200 1200 1000 1000 1000 MIN SING SING	100 May 150 May 100 Ma
Well Records Filed		BASE AND CASS WAS STAD AND THAT THAT
Identification Markinss		
	Notification prior to starting work Prepred before drilling to prevent waste High pressure drilling Required permits at wellsite Adequate Fresh Water Casing Adequate Coal Casing Adequate Production Casing Adequate Cement Strength Cement Type Maintained Access Roads Necessary Equipment to Prevent Waste Reclaimed Drilling Pits No Surface or Underground Pollution Requirements for Production & Gathering Pipelines Well Records on Site	Description Notification prior to starting work Prepred before drilling to prevent waste High pressure drilling Required permits at wellsite Adequate Fresh Water Casing Adequate Coal Casing Adequate Production Casing Adequate Cement Strength Cement Type Maintained Access Roads Necessary Equipment to Prevent Waste Reclaimed Drilling Pits No Surface or Underground Pollution Requirements for Production & Gathering Pipelines Well Records on Site Well Records Filed Identification Markings

I HAVE INSPECTED THE ABOVE CAPTIONED WELL AND RECOMMEND THAT IT BE RELEASED:

DATE 5/21/86

Your well record was received and reclamation requirements approved. In accordance with Chapter 22, Article 4, Section 2; the above well will remain under bond coverage for the life of the well.

Administrator

June 5, 1986

Date

