

LATITUDE 39° 00' 00"

LONGITUDE 80° 57' 30"



2.27a
0.33w

7'5 OGIS topo location

7.5' loc _____ 15' loc _____
(calc.) _____

Company _____

Farm _____

Quad Tanner 7¹/₂

County Gilmer

District DeKalb

WELL LOCATION MAP

File No. 021 - 30066

I, the undersigned, hereby certify that this information is correct to the best of my knowledge and belief as required by the oil and gas section of the mining laws of West Virginia.

Frank Goddum
Engineer.



Sheet 6-A

Scale 1 in = 800'
Elev. Well No. 3. 1074'

South Penn Oil Company
 P. O. Drawer 1253
 Pittsburgh, Pa.

Company
 Address: *SL-5-A*

COMPLETION DATA SHEET
 NO. 2
 FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Little Dunkard				860	880			
Coal				880	885			
Maxon Sand				1755	1775			
			Show of oil		1755			
Stray Sand				1760	1870			
			Gas	1854	1865			
Slate				1870	1872			
TOTAL DEPTH							1872	

Well was not shut in
 Well was not shut in
 Well was not shut in
 Well was not shut in

DeKalb District, Gilmer County, W. Va. 6-A
South Penn Oil Co., P.O. Drawer 1255, Pittsburgh, Pa.
On 46 1/2 acres, surface and mineral rights owned by J. J. Hardman,
Tanner, W. Va.

Elevation, 1074' L.

11" conductor; 10" casing, 177'; 8 1/2", 987'.

Packer, 2 x 8 1/4, set at 1813'; packer, 2 x 8 1/4, set at 1840'.

Coal was encountered at 880-885'.

Abandonment reported to Dept. of Mines Aug. 23, 1930.

	Top.	Bottom.
Little Dunkard Sand	860	- 880
Coal	880	- 885
Maxton Sand (show of oil, 1755')	1755	- 1775
BI - Stray Sand (gas, 1854-1865')	1780	- 1870
Slate, to bottom	1870	- 1872

WEST VIRGINIA DEPARTMENT OF MINES

OIL & GAS SECTION

PRELIMINARY DATA SHEET NO. 1

File No. _____

Well No. 3

South Penn Oil Company, of P. O. Drawer 1255, Pittsburgh, Pa.
on the J. J. Hardman Farm
containing 46 1/2 acres. Location _____

Dekalb District, in Gilmer County, West Va.

The surface of the above tract is owned in fee by
J. J. Hardman of Tanner, W. Va. address, and the
mineral rights are owned by J. J. Hardman of Tanner, W. Va.

The oil and gas privileges are held under lease by
the above named company, and this well is drilled under permit No.
_____ issued by the West Virginia Department of Mines, Oil and Gas
Section, _____ 1929.

Elevation of surface at top of well, 1076 ^{Spirit} Barometric.
The number of feet of the different sized casings used in the well.

11 feet _____ size. Wood conductor.
177 foot 10" size, cag. _____ foot _____ sized cag.
987 feet 8 1/2" size, cag. _____ foot _____ sized cag.
_____ feet _____ size, cag. _____ foot _____ sized cag.

_____ packer of 2" x 8 1/2" size, set at 1815
_____ packer of 2" x 8 1/2" size, set at 1840

_____ in. casing perforated at _____ feet to _____ feet.

_____ in. casing perforated at _____ feet to _____ feet.

Coal was encountered at 880
885 feet; thickness 60 inches, and at
_____ feet; thickness _____ inches; and at _____ feet; thickness
_____ inches.

Liners were used as follows: (Give details) _____

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL

REQUIREMENT BY SECTION 10, OIL AND GAS ACT OF 1925

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS SECTION

J. J. Hardman
COAL OPERATOR
Tanner, W. Va.
ADDRESS

South Penn Oil Company
NAME OF WELL OPERATOR
P. O. Drawer 1286, Pittsburgh, Pa.
COMPLETE ADDRESS

October 29th 19 30

COAL OPERATOR

WELL AND LOCATION

ADDRESS

DeKalb District

COAL OPERATOR

Gilmer County

ADDRESS

Well No. 3

J. J. Hardman Farm

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES

AFFIDAVIT

STATE OF WEST VIRGINIA,
COUNTY OF Roane

ss: Gil-6-A

John Starkey

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by South Penn Oil Company, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 3rd day of September, 19 30, and that the well was plugged and filled in the following manner:

Manner in which said well was plugged: Total depth of well 1872'. Filled up with non-porous sediment to 1834'. Then drove 8 1/2" Common Wood Dry Hole Plug to 1834'. Then filled up with non-porous sediment to 1712'. Then drove 8 1/2" Lead Plug to 1712'. Then filled up to 1597' with non-porous sediment. Then drove another 8 1/2" Common Wood Dry Hole Plug to 1470'. Then filled up to 1370' with non-porous sediment. Drove 8 1/2" Common Wood Dry Hole Plug to 1320'. Filled up to 1320' with non-porous sediment. Was reduced from 8 1/2" to 1/2" opening and gas would not light after standing 24 hrs. Then pulled the 8 1/2" casing. Then drove 10" Common Wood Dry Hole Plug to 749'. Then filled up to 619' with

Manner in which coal was plugged:
non-porous sediment. Pulled 10" casing. Then filled to within 7' of top with non-porous sediment.

2116
52713

Description of monument: Placed a piece of 8 1/2" casing 10' long in hole 7 feet and left extended above surface about 3 ft. as marker. This piece of casing filled up with stone and some concrete will be placed in top of marker. 2 ft. concrete placed in top of marker.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, OIL AND GAS ACT OF 1925.)
and that the work of plugging and filling said well was completed on the 10th day of September,

19 30

And further deponents saith not.