LATITUDE 39° 00' 00"

1.340

7'5 OG15 topo location
7.5' loc _____ 15' loc _____ (calc.)

Company ____

Farm ____

Quad Tanner 7'z

County Gilmer

District Dekalb

WELL LOCATION MAP
File No. 021-30048

the water of Mill Ho 2 1 the 1 T December of A fire Moren a Honor convert, on the Comme deran District, Gilmen Count I, the undersigned hereby certify that this Map is correct und shows the information to the best of my knowledge and belief, required by the vil und gas section of the Mining Lows of Mest Virginia U.F. Riddel Engineer NC Armazo NOV 2 1933 The common to Experie

DeKalb District, Gilmer County, W. Va.

E. F. Daubenspeck, 1800 - 19th St., Parkersburg, W. Va., and Jesse Mason, Freed, W. Va.

On 260 acres, on waters of Sinking Creek; surface owned by Gemima Ward, Glenville, W. Va., and mineral rights by Wards,

Glenville, W. Va. Well was completed in 1924.

Elevation, 1125'.

13" conductor, 14'; 84" casing, 219' 1"; 6-5/8", 861' 11";
5-3/16", has 1759' 1".

No packer. Casing not perforated. No coal encountered. No liners.

"I wish to fill hole to bottom of 5-3/16" and remove same and that gets both oils, 1 at 1808 and the other at 1813', and then fill hole to 1600 and gets 29 ft. above the first oil in this well and then remove 6-5/8" and if possible bridge hole and fill to top of surface and erect monument. Send all papers to Jesse Mason, Freed, W.Va." Abandonment? reported to Dept. of Mines Oct. 27, 1933. No record of any manhana salt water; fresh water at 190%. Very little oil.

		Bottom.
Little Dunkard Sand		- 728
Big Dunkard Sand	846	- 973 ?
Gas Sand	962	- 1037
1st Salt Sand	1180	- 1222
2nd Salt Sand	1370	- 1418
3rd Salt Sand		- 1524
Maxton Sand		- 1584
Little Lime	1620	- 1645
Pencil Cave		- 1650
Big Lime	1661	- 1716
Big Injun Sand	1716	- 1817
Squaw Sand	1855	- 1945
Berea Sand	2117	
Total depth		2129

NOTE: Under the column headed "oil, gas or water", Mr. Mason has given these figures but does not state which it was at these depths:

1671 1808 1813 RCT 2100

"Please let me hear from you as soon as possible for this well is way out on dirt roads and it would be quite a kindness if you could let me have this at once. Enclose a copy of the contract or title to the deal."

NOTE: Evidently applying for permit to plug...RCT

THE NO. 10 SECRET PROPERTY OF THE PROPERTY OF

Name	Culor	Character	Oil, Gas or Water	Тор	Bettom	Thickness	Total Depth	Bossels
Ken	non							210 5
T.11 : 13 - D	nkard			830	728			
Little Di	•			846	973			865. 67
Gas sand				962	1037			
l selt				1180	1288			
2 "				1370	1413		-	
3 " "				1512	1524			
Maxim				1552	1584			
L.Lime				1620	1645			
pencel c	eve			1645	1650			
B.Lime			1671	1661	1716			1759- 5-8
B.Injun			1808	1786	1817			
Squew			1055	1855	1945			
			1813	0337			2129	
Berea			2100	2117			6158	
	THE REAL PROPERTY.						1	
	7 404 776 2							
						A STATE OF	1	

well was not shot at no record of any feet; well was shot at no record dalb salt
Presh water at feet; fresh water at Well was hole. vers little Oil dry

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1 48-1

File No.			77 80, 30	
E.F.Daubenspeck & J	esse Masen Co	mpany, of Parkersb	urg West vs	
		on the Gemina Ward		Farm
containing 260	acres. Location *	Docob GilmerWat	ers of Sinking	
Creek Decab		, in Gilmer	County	
	tract is owned in fee by			
Glanuti Gilm			s, and the mineral rigins	are owned by
Werds		of Glenvil G		
Annual Control of the				under permit
	res are held under lease by			
No. Was Drilled t			271.00 ET M. 100 (5) (6)	
there was no	permits in 1924			Spirit
Elevation of surface at	top of well,	1125 14		Barometric.
The number of feet of the d	forest steed casings used in			
	14			
219ft 1 in	from the stee	. mg. 861ft 11	Lite Asset 6 August	eland eng.
1759 ft 1 in	foot 0 5/20 since	reg.	- fact	atsed cog.
	foot also	-	feet	aised eng.
	parker of	D. S. D.	ates, and all	
	partner of	£187L	ales, ant et	
nen	, in casing preferented et		Seet be	foot.
	, is cooling performed at		Seek to	foot.
Coal was encountered at	DOD Seed			
	lacker; and at		kanes	mbas .
	Nows: (Give details) NAI			
T wish to Cill	hele to believe	af 5 5/15 and 1	nd then fill m	thet
1600 and gate 29 f	t shows the fire	t wil in this	rell and they w	
8 5/8 and 15 peans	ablebrig hele en 2% /931 De	d fill to top	of murface and	erect menimum

of the sum of One (\$1.00) Dollar and other valuable considerations, cash in hand paid to Hope Construction and Refining Company, a Delaware corporation, the receipt of which is hereby acknowledged, said Hope Construction and Refining Company does hereby grant, bargain, sell, and assign and set over unto E. F. Daubenspeck and Jesse Mason, all of its right, title and interest in and to said Company's well No.950 located and drilled on said certain 260 acre tract of land situate in DeKalb District, Gilmer County, West Virginia, on the waters of Sinking Greek, leased for iol and gas purposesby Jemima Ward to C. S. Donnolly by agreement of lease bearing date the 30th day of March, 1908, and received in the office of the Clerk of the County Court of Gilmer County, West Virginia, in Book No.66, at page 171.

Together with all of the tubing, casing, 2" line pipe, pumping outfit, 20 H. P. Engine, tanks, and other property constituting the complete equipment of said well.

The mid Hope Construction and Hefining Company, for said consideration, also grants unto the said E. F. Daubenspeck and Jesse Macon all such rights of ingress and agrees upon, over and across said farm, and operating rights for the operation, maintenance and abandonment of said well as are now vested in the said Company, under the terms, provisions and covenants set forth in the above described agreement of lease.

The said E. F. Deubenspeck and Jesse Mason covenant and agree that whenever said well ceases to produce oil in sufficient quantaties to justify the continued operation thereof and it is decided to abandonsaid well, that they will carefully plug and abandon the same in accordance with the provisions and requirements of the laws of the Saate of West Virginia then in effect and relating to the plugging and abandonment of wells, and the said E. F. [mubenspeck and Jesse Mason further covenant and agree to protect and save harmless the said Hope Construction and Hefining Company of and from all further

All of the terms, conditions and provisions hereof shall extend to and be similing upon the respective heirs, personal representatives, successors and assignsof the parties.

WITNESS the common and corporate seal of the Hope Construction and Refining Company, duly affixed and attested by its proper officers, and the signatures and seals of the said E. F. Daubenspeck and Jesse Mason, this 26th day of October, 1933.

Attest:	S. E. W. Burnside	HOPE	CONSTRUCTION &		NY .
	Secretar	-	Vice	President	
		<u> </u>			(SEAT
		_			(SEAL

AFFIDAVIT IN TRIPLICATE TO TIME AND MANNER OF PLUGGING AND FILLING WELL WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

b. FDaubenspeck and Jesse Mason Freed Wya December 14 19.33 non WELL AND LOCATION Dekalb District nen Gilmer County non Gemims Ward DIFFICURTY TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED BY REGISTERED WAIL TO THE DEPARTMENT, DIRE OFF TO BE GETAINDS BY THE DESCRIPTION AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE HALED TO EACH COAL OPERATOR ABOVE NAMES AT THEIR RESPRESSIVE ADMINISTRA

AFFIDAVIT

STATE	OF WEST VIRGINIA,	1.
PARKEY	or Calhoun	("

R.S.Richards Fleyd Richards and

being first duly sworn according to law depose and say that they are experienced in the work of plagging and filling oil and gas wells and were employed by E.F.Daubenepeck & Jesse Heart and participated in the work of plugging and filling the above well, that said work was commenced on the

25 day of October 1933., 19......, and that the well was plugged and filled in

Total Debth 1859 ft.filled to 1780 with red musd and filled to 1780 with filled to 1705 remover 5 3/16 caseing hele bridged at 1261 drevening filled to 1705 remover 5 3/16 caseing hele bridged at 1261 drevening filled to 1221 drawe male and female plug. filled hele to 1005 remover 6 5/8 seesing placed wood plug on shoulder filled hele to 700 ft pulled 8 caseing placed plug on shoulder filled hele to top.

Errected cement meniument wrete E.F.Daubenspeck and Jesse Mason on sees

Manner in which coal was plugged:

Description of monument

and that the work of plugging and filling said well was completed on the 24 day of Neverber 1982

And further deponents saith not.

Floyd tichards: