


Latitude 39° 05' 00"

00, 05, 08 Longitude



2.10z  
1.63w

**Topo Location**

7.5' Loc. \_\_\_\_\_ 15' Loc. \_\_\_\_\_  
(calc.) \_\_\_\_\_

Company T.M. Cain

Farm Horn Creek Baptist Church #1

15' Quad \_\_\_\_\_  
(sec.)

7.5' Quad Auburn

District Troy

**WELL LOCATION PLAT**

County 021 Permit 30051



51-A  
~~Gil-50-A~~

3/21/34  
 3:29 PM

Sketch showing location of Gas Well to be plugged. On lands of the Horn Creek Baptist Church. Troy District - Gilmer County - West Va.

Scale: 1" = 60'  
 March 17, 1934  
 MAR 29 1934  
 MAR 21 1934

I, the undersigned, hereby certify that this map is correct, and shows all the information to the best of my knowledge & belief, required by the oil and gas section of the mining laws of West Virginia.

Matthew Stewart  
 Notary Public for Lincoln County, West Va.  
 My commission expires August 15 - 1943.



Company  
 Address  
 Well No. 51

COMPLETION DATA SHEET  
 NO. 2  
 FORMATION RECORD

| Name           | Color | Character | Oil, Gas or Water | Top  | Bottom | Thickness | Total Depth | Remarks          |
|----------------|-------|-----------|-------------------|------|--------|-----------|-------------|------------------|
| Slate Shells   |       |           |                   | 0    | 1140   |           |             |                  |
| Little Dunes   |       |           |                   | 1140 | 1250   | 110       |             |                  |
| 1. Salt Sand   |       |           |                   | 1720 | 1810   | 90        |             |                  |
| 2. Salt Sand   |       |           |                   | 1820 | 1860   | 40        |             |                  |
| Maxam          |       |           |                   | 1870 | 1979   | 109       |             |                  |
| Gas            |       |           | 1960              | 1960 | 1964   | 4         |             | Four feet deep.  |
| Little Limer   |       |           |                   | 2070 | 2079   | 9         |             |                  |
| Pures Limer    |       |           |                   | 2079 | 2084   | 5         |             |                  |
| Big Limer      |       |           |                   | 2084 | 2140   | 56        | 2104        | 2104 - 6 1/8"    |
| Big Limer      |       |           |                   | 2140 | 2230   | 90        |             |                  |
| Big Limer Sand |       |           |                   | 2170 |        |           |             | Three feet deep. |
| Gas            |       |           |                   |      |        |           |             |                  |
| Slate Shells   |       |           |                   | 2230 | 2588   | 358       | 2588        | 2588 - 2"        |

3/21/04

shot  
 Well was not shot at ..... feet; well was shot at ..... feet.

Salt  
 Fresh water at ..... feet; salt  
 fresh water at ..... feet.

producing  
 Well was ..... hole.  
 dry

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET No. 1

Y-51-A

File No. \_\_\_\_\_ Well No. 1-  
J. M. Caine Company, of Weston W. Va.  
well on the Horn Creek Baptist Church Farm

containing 3 acres. Location Troy District, in Gilmer County, West Virginia

The surface of the above tract is owned in fee by Horn Creek Baptist Church  
of Cox, Milles address, and the mineral rights are owned by  
J M Caine of Weston W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit  
No. \_\_\_\_\_ issued by the West Virginia Department of Mines, Oil and Gas Division

Elevation of surface at top of well. \_\_\_\_\_ Spirit Barometric.

The number of feet of the different sized casings used in the well.

| feet | size, cas.              | feet | size, cas. | size, Wood conductor |
|------|-------------------------|------|------------|----------------------|
| 226  | 10"                     | 2588 |            | 2" Tubing stringer   |
| 1651 | 8 1/4"                  |      |            |                      |
| 2104 | 6 1/2"                  |      |            |                      |
|      | part of                 |      |            | size, set at         |
|      | part of                 |      |            | size, set at         |
|      | in casing perforated at |      | feet to    | feet                 |
|      | in casing perforated at |      | feet to    | feet                 |

Coal was encountered at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches, and at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches; and at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches.

Liners were used as follows: (Give details) \_\_\_\_\_

March 19-1934 Date  
Approved \_\_\_\_\_ Owner



PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 16, ARTICLE 4, CHAPTER 23 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

No Coal

*MSA*

T. M. Cain

COAL OPERATOR OR OWNER

NAME OF WELL OPERATOR

ADDRESS

Weston, W. Va.

COMPLETE ADDRESS

December 28, 1934

COAL OPERATOR OR OWNER

WELL AND LOCATION

ADDRESS

Troy District

COAL OPERATOR OR OWNER

~~XXXX~~ Gilmer County

ADDRESS

Well No. 1  
Horn Creed Baptist Church

AFFIDAVIT TO BE MADE IN TRIPLICATE. ONE COPY TO BE MAILED REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF Roane

Leroy Cassidy and William Cassidy  
being first duly sworn according to law dep and say that they are experienced in the work of plugging and filling oil and gas wells and were employ by T. M. Cain, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 12 day of March, 1934, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: at a permanent bridge at 2260'. Filled with clay from 2260' to 2117'. Drive wood plug 2117' to 2114'. Cemented from 2114' to 2104'. Set a permanent bridge at 2009'. Filled clay from 2009' to 1870'. Drive wood plug from 1870' to 1867'. Cemented 1867' to 1857'. Filled with clay to 1857' to 1708'. Drove wood plug 1705' to 1702'. Cemented from 1702' to 1692'. Filled with clay from 1692' to 1651'. Set permanent bridge at 1185'. Filled with clay from 1185' to 1120'. Drove wood plug from 1120' to 1117'. Cemented from 1117' to 1107'. ~~Set permanent bridge at 1107'.~~ Set permanent bridge at 826'.

Manner in which coal was plugged:  
Filled with clay from 2385' to 226'. Pulled 10" casing. Filled to surface with clay.

Description of monument: Erected a marker of 10" casing and cement.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 16, ARTICLE 4, CHAPTER 23 OF THE CODE)

and that the work of plugging and filling a well was completed on the 9 day of April, 1934.

And further deponents saith not.

*Leroy Cassidy*  
*William Cassidy*

121700 612-57