

of the  
W. Va. in the  
County W. Va.

64-64-A

J. M. Pierce

C. R. Maister

John W. Snyder

LEGEND

- Location
- Oil Well
- " " Aband
- Gas Well
- " " Aband
- Dry Hole

NOT LOCATED

Gilco Oil and Gas Company  
 Glenville W. Va. Address

COMPLETION DATA SHEET  
 No. 2  
 FORMATION RECORD

Well No. -1-

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Lit. Dunkard Sand	Dark	Hard	No	640	740	100	740	150-10
	Light	Hard	No	860	890	40	890	
Big Dunkard Sand	Dark	Hard	No.	1180	1210	30	1210	100-80
	Light	Hard	No	1250	1292	42	1292	
Gas Sand	Light	Hard	No.	1400	1495	95	1495	
	Light	Hard	No.	1510	1520	10	1520	
	Light	Hard	No.	1630	1682	52	1682	
1st Salt sand	Light	Hard	No.	1710	1760	50	1760	
2nd Salt	Light	Hard	No.	1820	1865	45	1865	
3rd Salt	Light	Hard	No.	1960	2045	85	2045	
Mahan Sand	Dark	Soft	yes	2055	2115	60	2115	
Little Lime	Light	Hard	No.	2150	2162	12	2162	
Blue Monday	Blue	Hard	No.	2210	2224	14	2224	
Big Lime	Light	Hard	No.	2227	2299	72	2299	
Big Injun	Light	Hard	No.	2299	2354	55	2354	2200-60

Total depth 2361 feet. Gas at 2301 to 2304. Oil at 2308 to 2315.

Well was <sup>shot</sup> shot at 2308 to 2315 feet; well was shot at \_\_\_\_\_ feet.

Sal<sup>t</sup> Fresh water at 250 and 150 feet; sal<sup>t</sup> fresh water at \_\_\_\_\_ feet.

Well was <sup>producing</sup> producing hole.

Gil-64-A

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. \_\_\_\_\_ Well No. 1-  
Gilco Oil and Gas Company of Glenville W. Va.  
on the J. W. Snyder Farm

containing 1 acres. Location  
Troy District, in Gilmer County, West Virginia

The surface of the above tract is owned in fee by J. W. Snyder  
of \_\_\_\_\_ address, and the mineral rights are owned by  
of \_\_\_\_\_

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit  
No. Before law issued by the West Virginia Department of Mines, Oil and Gas Division  
\_\_\_\_\_ 198 \_\_\_\_\_

Elevation of surface at top of well, 1298' Surrey ~~Spirit~~  
Barometrical.

The number of feet of the different sized casings used in the well.

\_\_\_\_\_ feet 16-inch size. Wood conductor.  
189 feet 10" size, csg. \_\_\_\_\_ feet \_\_\_\_\_ sized csg.  
1070 feet 8" size, csg. \_\_\_\_\_ feet \_\_\_\_\_ sized csg.  
2240 feet 6" size, csg. \_\_\_\_\_ feet \_\_\_\_\_ sized csg.

\_\_\_\_\_ packer of NO size, set at \_\_\_\_\_  
\_\_\_\_\_ packer of \_\_\_\_\_ size, set at \_\_\_\_\_  
\_\_\_\_\_ in casing perforated at NO feet to \_\_\_\_\_ feet.  
\_\_\_\_\_ in casing perforated at \_\_\_\_\_ feet to \_\_\_\_\_ feet.

Coal was encountered at NO feet, thickness \_\_\_\_\_ inches, and at \_\_\_\_\_  
feet; thickness \_\_\_\_\_ inches; and at \_\_\_\_\_ feet; thickness \_\_\_\_\_ inches.

Liners were used as follows: (Give details) NO  
\_\_\_\_\_  
\_\_\_\_\_

**AFFIDAVIT IN TRIPPLICATE TO TIME AND MANNER OF  
PLUGGING AND FILLING WELL**

(REQUIRED BY SECTION 9, ARTICLE 4, CHAPTER 22 OF THE CODE)

**WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION**

None	Gilco Oil and Gas Co.
COAL OPERATOR OR OWNER	NAME OF WELL OPERATOR
None	Glenville, W. Va.
ADDRESS	COMPLETE ADDRESS
None	January 9, 19 24
COAL OPERATOR OR OWNER	WELL AND LOCATION
None	Troy District
ADDRESS	County
J. W. Snyder	Gilmer
LEASE OR PROPERTY OWNER	Well No.
Troy, W. Va.	1
ADDRESS	Farm
	J. W. Snyder

AFFIDAVIT TO BE MADE IN TRIPPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

**AFFIDAVIT**

STATE OF WEST VIRGINIA, }  
COUNTY OF Harrison } ss:

W. C. Black and Jess Glaspell  
being first duly sworn according to law depose and say that they are experienced in the work of plugging  
and filling oil and gas wells and were employed by Gilco Oil and Gas Co., well operator,  
and participated in the work of plugging and filling the above well, that said work was commenced on the  
28th day of September, 19 24, and that the well was plugged and filled in  
the following manner:

Manner in which sand was plugged: Filled with red clay from 2261' to 2279'  
Wood plug driven from 2279' to 2276', cement from 2276' to 2266'

INSERT

Manner in which coal was plugged: No coal

Description of monument: Concrete 26" wide by 30" long, 20" high.

THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE.

and that the work of plugging and filling said well was completed on the 18th day of April, 19 24

ss:

And further deponents saith not.

*W. C. Black*

**AFFIDAVIT IN TRIPPLICATE TO TIME AND MANNER OF  
PLUGGING AND FILLING WELL**

(REQUIRED BY SECTION 5, ARTICLE 4, CHAPTER 25 OF THE CODE)

**WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION**

None	Gilco Oil and Gas Co.
<small>COAL OPERATOR OR OWNER</small>	<small>NAME OF WELL OPERATOR</small>
None	Glenville, W. Va.
<small>ADDRESS</small>	<small>COMPLETE ADDRESS</small>
None	January 9, 19 36
<small>COAL OPERATOR OR OWNER</small>	<small>WELL AND LOCATION</small>
None	Troy District
<small>ADDRESS</small>	Gilmer County
J. W. Snyder	Well No. 1
<small>LEASE OR PROPERTY OWNER</small>	<small>Farm</small>
Troy, W. Va.	J. W. Snyder
<small>ADDRESS</small>	

AFFIDAVIT TO BE MADE IN TRIPPLICATE. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETURNED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

**AFFIDAVIT**

STATE OF WEST VIRGINIA,  
COUNTY OF Harrison

} in: *Sil-64-A*

W. C. Black and Jess Glanell  
being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Gilco Oil and Gas Co., well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 25th day of September, 19 34, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Filled with red clay from 2361' to 2279'  
Wood plug driven from 2279' to 2276', cement from 2276' to 2266'

Manner in which coal was plugged: No coal

Description of monument: Concrete 26" wide by 30" long, 20" high.

(THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 25 OF THE CODE)

and that the work of plugging and filling said well was completed on the 18th day of April

19 35

And further deponents smith not.

*W. C. Black*