

NOT LOCATED


67



6088

10/14/34

Weaver



7368

Zac  
E114500

Wilson





PLUGGING AND FILLING WELL

(REQUIRED BY SECTION 8, ARTICLE 4, CHAPTER 22 OF THE CODE)

WEST VIRGINIA DEPARTMENT OF MINES  
OIL AND GAS DIVISION

Name

*Oil 10067*

Leroy Cassady

COAL OPERATOR OR OWNER

NAME OF WELL OPERATOR

ADDRESS

Reno, Ohio

COMPLETE ADDRESS

Dec. 28, 19 34

COAL OPERATOR OR OWNER

WELL AND LOCATION

ADDRESS

~~DeKalb~~ DeKalb District

COAL OPERATOR OR OWNER

Gilmer County

ADDRESS

Well No. 4368

Jacob Crites Farm

AFFIDAVIT TO BE MADE IN TRIPlicate. ONE COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT. ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) TO BE MAILED TO EACH COAL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESSES.

AFFIDAVIT

STATE OF WEST VIRGINIA,

COUNTY OF Roane

ss:

Leroy Cassady

and William Cassady

being first duly sworn according to law depose and say that they are experienced in the work of plugging

and filling oil and gas wells and were employed by Leroy Cassady, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the

15 day of Oct., 19 34, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Filled with clay from 1985' to 1971'. Drove Wood Plug from 1971' to 1968'. Filled with clay from 1968' to 1955'. Drove Wood plug from 1965' to 1962'. Filled with clay from 1962' to 1959'. Drove wood plug from 1959' to 1956'. Filled with clay from 1956' to 1953'. Drove wood plug from 1953' to 1950'. Filled with clay from 1950' to 1948'. Cemented from 1948' to 1938'. Clay was all tamped to 1938'. Filled with clay 1938' to 1914'. Set permanent bridge at 1785' - 30' below the third salt sand. Filled with clay from 1785' to 1485'. Drove wood plug from 1485' to 1482'. Cemented from 1482' to 1472'. Set permanent bridge at 1030'. Filled with caly from 1030' to 973'. Drove wood plug from 973' to 970'. Filled with caly from 970' to 880'. Drove wood plug from 880' to 87'. Set permanent bridge at 165'. Filled clay from 165' to 138'. Drove wood plug from 138' to 135'. Filled with clay from 138' to surface.

Description of monument: Erected a marker as described in Rule 18, 1931 Regulations.

(THESE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 4, CHAPTER 22 OF THE CODE)

and that the work of plugging and filling said well was completed on the 12 day of NOV.

19 34

And further deponents saith not.

*Leroy Cassady*  
*William Cassady*