

Troy District, Gilmer County, W. Va.

By Milliken & Snider, A. M. Snider, Garrison, Pa.

Abandoned under permit Gil-142-A.

On 100 acres, on Cavcamp (Coxcamp?) Run.

Elevation, 1010' T.

Surface and minerals owned by G. A. Bowyer, Coxs Mills, W. Va.

Drilling completed Aug. 11, 1919.

No record of shot.

No water recorded.

10" casing, 185'; 8 $\frac{1}{2}$ " , 900'; 6 $\frac{5}{8}$ " , 1871'; 2" tubing, 2318'; all left in.

Casing not cemented.

No coal was encountered.

Oil well. Abandonment reported to Dept. of Mines Oct. 9, 1939.

Record to RCT from Mrs. Griffith July 15, 1940.

	Top.	Bottom.
Sand	70	- 110
Slate	110	- 150
Red rock	150	- 215
Lime	215	- 285
Red rock	405	- 475
Sand	475	- 510
Red rock	510	- 570
Slate	570	- 610
Red rock	610	- 700
Lime	700	- 770
Little Dunkard Sand	770	- 800
Big Dunkard Sand	880	- 910
Sand	1060	- 1090
Sand	1170	- 1210
First Salt Sand	1270	- 1305
Second Salt Sand	1305	- 1385
Third Salt Sand	1505	- 1540
Sand	1660	- 1720
Big Lime	1815	- 1880
Big Injun Sand	1880	- 1990
Sand	2106	- 2216
Gantz Sand (gas, 2288'; oil, 2297- 2307')	2278	- 2310
Total depth		2310

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

264

WELL RECORD

Ab
M-1-A

Permit No.

Oil or Gas Well Oil
(Kind)

Company Milliken & Snider
Address A. M. Snider, Garrison, Pa.
Farm G. A. Bowyer Acres 100
Location (waters) Cockcamp Run
Well No. 7258 Elev. 1010
District Troy County Gilmer
The surface of tract is owned in fee by G. A. Bowyer
Address Cox's Mills, W. Va.
Mineral rights are owned by do.
Address

Drilling commenced

Drilling completed 8-11-1919

Date shot No record Depth of shot

Open Flow /10ths Water in Inch
/10ths Merc. in Inch

Volume Cu. Ft.

Rock Pressure lbs. hrs.

Oil bbls., 1st 24 hrs.

Fresh water None recorded feet feet

Salt water None recorded feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer.....
13			
10	185	185	Size of.....
8 1/4	900	900	
6 5/8	1871	1871	Depth set.....
5 3/16			
3			Perf. top.....
2	2318	2318	Perf. bottom.....
Liners Used.....			Perf. top.....
			Perf. bottom.....

CASING CEMENTED SIZE No. FT. Date
Not cemented

COAL WAS ENCOUNTERED AT FEET INCHES
No coal

..... FEET INCHES FEET INCHES
..... FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Sand			70	110			
Slate			110	150			
Red Rock			150	215			
Lime			215	285			
Red Rock			405	475			
Sand			475	510			
Red Rock			510	570			
Slate			570	610			
Red Rock			610	700			
Lime			700	770			
Little Dunkard Sand			770	800			
Big Dunkard Sand			880	910			
Sand			1060	1090			
Sand			1170	1210			
First Salt Sand			1270	1305			
Second Salt Sand			1305	1385			
Third Salt Sand			1505	1540			
Sand			1660	1720			
Big Lime			1815	1880			
Big Injun Sand			1880	1990			
Sand			2106	2216			

JUL 15 1940

(Over)

