



Company The McCall Drilling Co.  
 Address 612 Keystone Bldg. Pittsburg Pa.  
 Farm Dewey Westfall  
 Tract \_\_\_\_\_ Acres 91.2 Lease No. \_\_\_\_\_  
 Well (Farm) No. Two Serial No. 2-66  
 Elevation (Spirit Level) 1254.0  
 Quadrangle Glenville  
 County Gilmer District Center  
 Engineer C.O. Gering  
 Engineer's Registration No. 811  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Aug. 20 1941 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. GIL-165A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

Center District, Gilmer County, W. Va.

By McCall Drilling Co., 612 Keystone Bldg., Pittsburgh, Pa.

Abandoned under permit No. 165-A-Gil.

On 91.2 acres.

Elevation, 1254' L.

Surface owned by Dewey Westfall, Letter Gap, W. Va., and minerals by  
W. F. Garrett and Mary Furr, Letter Gap, W. Va.

Drilling commenced Jan. 8, 1931; completed, Feb. 1, 1931.

Open flow, 8/10ths Merc. in 2".

Volume, ~~1110~~ <sup>1110</sup> M. cu. ft.

8 $\frac{1}{4}$ " casing, 142' (pulled); 6 $\frac{5}{8}$ " , 1157'; 2" tubing, 1809'.

No coal was encountered.

Anchor Heeter packer, 6 $\frac{5}{8}$  x 2, set at 1472'.

Gas well. Abandonment reported to Dept. of Mines (filed Sept. 15, 1941

Record to RCT from Mrs. Griffith Oct. 8, 1941. Old File No. 321.

	Top.	Bottom.
Red rock	0	- 13
Lime	13	- 75
Slate	110	- 145
Red rock	145	- 200
Slate	200	- 230
Red rock	230	- 275
Slate	275	- 325
Sand	325	- 355
Slate	355	- 380
Red rock	380	- 450
Slate	450	- 470
Red rock	470	- 590
Slate	590	- 620
Red rock	620	- 650
Slate	650	- 740
Sand	740	- 775
Slate	775	- 1040
Sand	1040	- 1105
Slate	1105	- 1115
Sand	1115	- 1165
Slate	1165	- 1260
Sand	1260	- 1360
Slate	1360	- 1465
Sand (gas)	1465	- 1490
Slate	1490	- 1615
Sand	1615	- 1660
Slate	1660	- 1735
Maxton Sand (gas)	1735	- 1788
Slate	1788	- 1792
Lime	1792	- 1800
Red rock	1800	- 1825
Little Lime	1825	- 1858
Sand	1858	- 1870
Slate	1870	- 1875
Big Lime	1875	- 1940
Big Injun Sand	1940	- 2025
Slate	2025	- 2076
Total depth		2076

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

371

WELL RECORD

Permit No. To Abandon


Oil or Gas Well (KIND)

Company McCall Drilling Company  
 Address #612 Keystone Building, Pgh. Pa.  
 Farm Dewey Westfall Acres 91.2  
 Location (waters) \_\_\_\_\_  
 Well No. 2-66 Elev. 1854  
 District Center County Gilmer  
 The surface of tract is owned in fee by Dewey Westfall,  
Letter Gap, W. Va. Address \_\_\_\_\_  
 Mineral rights are owned by W. E. Garrett & Mary Furr  
Letter Gap, W. Va. Address \_\_\_\_\_  
 Drilling commenced Jan. 6th, 1931  
 Drilling completed Feb. 1st, 1931  
 Date shot \_\_\_\_\_ Depth of shot \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume 440M - (H2M) Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			Anchor Packer
10			Size of <u>3-5/8"x2"</u>
8 1/4	<u>142</u>	<u>None</u>	
6 5/8	<u>1157</u>	<u>1157</u>	Depth set <u>1472</u>
5 3/16			
3			Perf. top _____
2	<u>1809</u>		Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
No coal encountered  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			13				
Lime		13	75				
Slate		110	145				
Red Rock		145	200				
Slate		200	230				
Red Rock		230	275				
Slate		275	325				
Sand		325	355				
Slate		355	380				
Red Rock		380	450				
Slate		450	470				
Red Rock		470	590				
Slate		590	620				
Red Rock		620	650				
Slate		650	740				
Sand		740	775				
Slate		775	1040				
Sand		1040	1105				
Slate		1105	1115				
Sand		1115	1165				
Slate		1165	1260				
Sand		1260	1360				
Slate		1360	1465				
Sand		1465	1490	Gas			
Slate		1490	1615				
Sand		1615	1660				
Slate		1660	1735				
Maxon Sand		1735	1738	Gas			
Slate		1738	1792				
Lime		1792	1800				
Red Rock		1800	1825				
L. Lime		1825	1858				
Sand		1858	1870				
Slate		1870	1875				
B. Lime		1875	1940				
B. Injun		1940	2025				
Slate		2025	2076				



(Over)

OCT - 8 1941