

Dekalb District, Gilmer County, W. Va.

By Pittsburgh & W. Va. Gas Co., Clarksburg, W. Va.

Abandoned under permit Gil-172-A.

On 32 acres; Glenville N/W 1-3.

Elevation, 1103' V. A.

Surface owned by R. B. Vannoy, Parkersburg, W. Va., and minerals by
Clarence Stump, Stumptown, W. Va.

Drilling commenced Sept. 26, 1925; completed, Nov. 2, 1925.

Salt water at 1857'.

10" casing, 120'; 8 $\frac{1}{4}$ " , 970'; 6 $\frac{3}{8}$ " , 1954'; 3" tubing, 2028'; all left in.

Anchor packer, 6 $\frac{3}{8}$ x 3, set at 1975'.

Gas well. Abandonment reported to Dept. of Mines Dec. 7, 1939 (filed
Jan. 2, 1942).

Record to ROT from Mrs. Griffith May 22, 1942. Old File No. 326.

	Top.	Bottom.
Clay, light, soft	0	15
Lime, light, soft	15	30
Sand, light, hard	30	70
Slate, light, soft	70	80
Sand, light, soft	80	116
Slate-shells, white, soft	116	210
Red rock, soft	210	260
Lime, light, hard	260	280
Sand, light, hard	280	300
Slate, light, hard	300	340
Slate, dark, soft	340	355
Lime, dark, hard	355	370
Red rock, soft	370	390
Lime, light, soft	390	440
Red rock, soft	440	450
Lime, light, hard	450	470
Red rock, soft	470	515
Lime, light, hard	515	575
Red rock, soft	575	600
Sand, light, hard	600	607
Red rock, soft	607	700
Lime, blue, soft	700	750
Sand, light, hard	750	775
Red mud, soft	775	785
Lime, light, hard	785	795
Slate, light, soft	795	835
Sand, blue, hard	835	865
Slate, blue, soft	865	890
Lime, blue, hard	890	905
Slate, light, soft	905	925
Lime, light, hard	925	930
Slate, light, soft	930	940
Little Dunkard Sand, light, hard	940	975
Slate-shells, light, hard and soft	975	1090
Big Dunkard Sand, light, hard	1090	1190
Slate-Shells, light, hard and soft	1190	1220
Gas Sand, blue, hard and soft	1220	1315
Slate-Shells, dark, hard and soft	1315	1450
1st Salt Sand, dark, hard and soft	1450	1485
Slate, dark, soft	1485	1492
Slate, light, soft	1492	1510

(OVER)

CLARENCE STUMP NO. 1 (7467) WELL (Continued).

	Top.	Bottom.
Slate and shells, light, hard and soft	1510	- 1555
2nd Salt Sand, light, hard (show of gas, 1627')	1555	- 1685
Slate, dark, soft	1685	- 1717
Maxton (Stray) Sand, gray, hard	1717	- 1740
Slate-Shells, dark, soft	1740	- 1785
Maxton Sand, light, hard (show of gas, 1854'; water, 1857')	1785	- 1875
Slate, light, soft	1875	- 1894
Little Lime, light, hard	1894	- 1918
Pencil Cave, light, soft	1918	- 1928
Big Lime, gray, hard	1928	- 1984
Big Injun Sand, gray, hard (gas, 1992- 1995')	1984	-
Total depth		2028

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

326

WELL RECORD

Permit No. 172-A

Oil or Gas Well Gas
(Kind)


Company Pittsburgh & West Va Gas Company.
 Address Clarksburg, West Va.
 Farm Clarence Stump Acres 32
 Location (waters) Glen. N/W. 1-3
 Well No. 7487 Elev. 1103
 District DeKalb County Gilmer
 The surface of tract is owned in fee by R. B. Vannoy
 Address Parkersburg, W.Va.,
Clarence Stump, Atty.
 Mineral rights are owned by Stumptown, W.Va.
 Address Stumptown, W.Va.
 Drilling commenced September 26th, 1925
 Drilling completed November 2nd, 1925
 Date shot _____ Depth of shot _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			<u>Anchor</u>
10	<u>180'</u>	<u>180'</u>	Size of <u>6-5/8" X</u>
8 1/4	<u>970'</u>	<u>970'</u>	<u>3"</u>
6 5/8	<u>1954'</u>	<u>1954'</u>	Depth set <u>1975'</u>
5 3/16			
3	<u>2023'</u>	<u>2023'</u>	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water 1957' feet _____ feet
 Salt water _____ feet _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES
 _____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay	Light	Soft	0	15			
Line	"	"	15	30			
Sand	"	Hard	30	70			
Slate	"	Soft	70	80			
Sand	"	"	80	116			
Slate-Shells	White	"	116	210			
Red Rock	Red	"	210	260			
Line	Light	Hard	260	290			
Sand	"	"	290	300			
Slate	"	"	300	340			
Slate	Dark	Soft	340	355			
Line	"	Hard	355	370			
Red Rock	"	Soft	370	390			
Line	Light	"	390	440			
Red Rock	Red	"	440	450			
Line	Light	Hard	450	470			
Red Rock	Red	Soft	470	515			
Line	Light	Hard	515	575			
Red Rock	"	Soft	575	600			
Sand	"	Hard	600	607			
Red Rock	Red	Soft	607	700			
Line	Blue	"	700	750			
Sand	Light	Hard	750	775			
Red Mud	Red	Soft	775	785			
Line	Light	Hard	785	795			
Slate	"	Soft	795	835			
Sand	Blue	Hard	835	865			
Slate	"	Soft	865	890			
Line	"	Hard	890	905			
Slate	Light	Soft	905	925			
Line	"	Hard	925	930			
Slate	"	Soft	930	940			
Little Dunkard	"	Hard	940	975			
Slate-Shells	"	Hard-Soft	975	1090			
Big Dunkard	"	"	1090	1190			
Slate-Shells	"	Hard-Soft	1190	1220			
Sand-Gas	Blue	"	1220	1315			
Slate-Shells	Dark	"	1315	1450			
1st. Salt Sand-	"	"	1450	1485			
Slate	"	Soft	1485	1492			
Slate	Light	"	1492	1510			



(Over)

MAY 22 1942

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate-Shells	Light	Hard-Soft	1510	1555			
Sand-Snd. Salt	"	Hard	1555	1685	Sh. Gas	1627'	
Slate	Dark	Soft	1685	1717			
Maxon (Stray)	Gray	Hard	1717	1740			
Slate-Shells	Dark	Soft	1740	1785			
Maxon Sand	Light	Hard	1785	1875	Sh. Gas	1854'	
Slate	"	Soft	1875	1894	Water	1857'	
Little Line	"	Hard	1894	1918			
Pencil Cave	"	Soft	1918	1928			
Big Line	Gray	Hard	1928	1984			
Big Injun Sand	"	"	1984		Gas	1992-95'	
Total Depth				2028'			

December 7th, 1939

Date....., 19.....

PITTSBURGH & WEST VA GAS CO.

APPROVED....., Owner

F. E. Frieden.

By.....

(Title)

COMPANY

Record of Well No. 7467 Located on Clarence Stump Farm - Sept 1925 19
~~Clarence~~ District Gilmer County West Virginia. State
 Division E District No. 13 Drilled under Well Order
 Rig built by John Craig Began Sept 19 25 Completed Sept 1925 19
 Well drilled by W. H. Satterfield Began Sept 26th 19 25 Completed Nov 2nd. 1925. 19
 Depth of Well 2028 feet Slate Size of Hole 6-5/8" Producing Gas
 Elev: 1103 G

CASED WITH

REMARKS

AMOUNT	SIZE	KIND
16	13"	Casg
120'	10"	Casg
970'	8 1/2"	Casg
1364'	6-5/8"	Casg

COAL VEINS

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Big Dankard	1030	1125				
Gas Sand	1220	1215				
2nd Salt Sand	1555	1685		1672		show
Sand	1717	1740				
Little Lime	1894	1918				
Mexon sand	1795	1875				
Big Lime	1929	1964				
Big Injun	1984			1992		16/10 Merd 3" 1400 Mcf

[Faint handwritten notes and additional data points, possibly bleed-through from the reverse side of the page.]

FIRST PRESSURE TEST IN

CASING

REMARKS

30 Sec. lbs.
 1 Min. "
 2 " "
 5 " "
 10 " "
 15 " "
 30 " "

Rock Pressure 575 " in 24 hrs
 Taken Nov 2nd. 1925. 19
 By H. E. Wilt.

WELL TUBED AND PACKED

Nov 4th 1925

VIZ:- 99 fts 20 28 fut 3" Tubing
 6 7/8" 3 Anchor Packer
 Perf Ripple 199
 13 fts 153 fut Anchor

FIRST PRESSURE TEST IN

3

TUBING

REMARKS

30 Sec. 35 lbs.
 1 Min. 55 "
 2 " 100 " 140/175
 5 " 205 "
 10 " 230 "
 30 " 285 "
 30 " 325 "

Rock Pressure 550 " in 24 hrs
 Taken 11-3 1925
 By H. E. Wilt

10 ft off here 3"

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:

Rig Timbers and Lumber from well No 7452 Hancy farm.

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Clay	00	15				
Lime	15	30				
Sand	30	70				
Slate	70	80				
Sand	80	118				
Slate & Shells	118	210				
Red Rock	210	260				
Lime	260	280				
Sand	280	300				
Slate	300	340				
Slate	340	355				
Lime	355	370				
Red Rock	370	390				
Lime	390	410				
Red Rock	410	440				
Lime	440	470				
Red Rock	470	515				
Lime	515	575				
Red Rock	575	600				
Sand	600	607				
Red Rock	607	700				
Lime	700	750				
Sand	750	775				
Red Rock	775	785				
Lime	785	795				
Slate	795	835				
Sand	835	865				
Slate	865	890				
Lime	890	905				
Slate	905	925				
Lime	925	930				
Slate	930	940				
Lime	940	975				
Slate & Shells	975	1090				
Big Sand	1090	1190				
Slate & Shells	1190	1220				
Gas Sand	1220	1315				
Slate & Shells	1315	1450				
Low Salt Sand	1450	1465				
Slate	1465	1492				
Slate	1492	1510				
Slate & Shells	1510	1585				
Sand & Salt	1585	1665				1587
Slate	1665	1717				
Sand	1717	1740				
Slate & Shells	1740	1765				
Wash sand	1765	1875				
Slate	1875	1884				1884 1887
Little Lime	1884	1918				
Slate	1918	1925				
Big Lime	1925	1932				
Big Lime	1932	2025 TD				1932 1935