

Troy District, Gilmer County, W. Va.

By Ohio Fuel Oil Co., Spencer, W. Va.

Abandoned under permit Gil-204-A.

On 122 acres.

Elevation, 1126.97' L.

Drilling commenced Sept. 1, 1926; completed Oct. 6, 1926.

Shot Oct. 12, 1926, with 20 qts.

Oil, est. 20 bbls. after shot.

10" casing, 254'; 8 $\frac{1}{4}$ " , 1092'; 6 $\frac{5}{8}$ " , 1935'; 5 $\frac{3}{8}$ " , 2019'; all left in.

Oil well. Abandonment reported to Dept. of Mines (filed) Oct. 4, 1944 & 2/19/45

Record to RCT from Mrs. Griffith June 15, 1945. Old File No. 355.


	Top.	Bottom.
Red rock	0	50
Sand	50	80
White slate	80	100
Sand	100	150
Lime and shells	150	780
Sand and shells	780	880
Slate	880	970
Sand	970	985
Slate	985	1015
Lime and shells	1015	1040
Slate	1040	1090
Sand	1090	1116
Shells	1116	1270
Sand	1270	1330
Dark shells	1330	1390
Fine sand	1390	1450
Shells	1450	1790
Sand	1790	1853
Red rock	1853	1865
Maxton Sand (gas, 1872-1887', 250,000 cu. ft.)	1865	1887
Red rock	1887	1970
Lime	1970	1990
Sand shells	1990	2000
Slate	2000	2010
Big Lime	2010	2090
Big Injun Sand (oil, 2090-2095')	2090	2095
Total depth		2095



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

355



Permit No. 204A

Oil or Gas Well 011
(KIND)

Company Ohio Fuel Oil Company
Address Spencer, West Virginia
Farm Wm. C. Bush Acres 122
Location (waters) _____
Well No. 5 Serial 1398 Elev. 1126.97
District Troy County Gilmer
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced Sept. 1, 1926
Drilling completed Oct. 6, 1926
Date Shot 10/12/26 From _____ To _____
With 20 cts
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil Est. 20. bbl. after shot bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	254	254	Size of
8 1/4	1092	1032	
6 5/8	1935	1935	Depth set
5 3/16	2019	2019	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES
_____ FEET _____ INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			00	50			
Sand			50	80			
White Slate			80	100			
Sand			100	150			
Lime & Shells			150	780			
Sand & Shells			780	880			
Slate			880	970			
Sand			970	985			
Slate			985	1015			
Lime & Shells			1015	1040			
Slate			1040	1090			
Sand			1090	1116			
Shells			1116	1270			
Sand			1270	1330			
Dark Shells			1330	1390			
Fine Sand			1390	1450			
Shells			1450	1790			
Sand			1790	1853			
Red Rock			1853	1865	Gas	1872 1887	250.000 Cu. ft
Saxon Sand			1865	1887			
Red Rock			1887	1970			
Lime			1970	1990			
Sand Shells			1990	2000			
Slate			2000	2010			
Big Lime			2010	2090	011	2090	2095
Big Injun Sand			2090	2095			
Total depth				2095			

