

SCOTT BOGGS FARM TRACT 1 ACRES 4 LEASE NO 1-11 WELL (FARM) NO. ONE SERIAL NO 1-11 LEWATION (SPIRIT LEVEL) 8011 QUADRANGLE GLENVILLE DISTRICT CENTER COUNTY GILMER ENGINEER WM . M . MOSS ENGINEER'S REGISTRATION NO. DRAWING NO FILE NO -DATE 3-20-45 1" = 1001 SCALE

OIL AND GAS DIVISION CHARLESTON WELL LOCATION MAP

FILE NO. 5/1223-4 OF WELL ON UNITED + DENOTES LOCATION STATES TOPOGRAPHIC MAPS, SCALE 1 TO 62,500, LATITUDE AND LONGITUDE LINES BEING REPRESENTED BY BORDER LINES AS SHOWN .

- DENOTES ONE INCH SPACES ON BOR-DER LINE OF ORIGINAL TRACING.

Center District, Gilmer County, W. Va.

By McCall Drilling Co., 612 Keystone Bldg., Pittsburgh, Pa.

Abandoned under permit Gil-223-A.

On 4 acres.

Elevation, 801 L.

Surface and minerals owned by Scott Boggs, Orton, W. Va.

Drilling commenced July 20, 1925; completed Aug. 7, 1925.

Well was not shot.

Open flow, 32/10ths W. in 65%.

Rock pressure, 450 lbs.

\$\frac{1}{2}\text{" casing, 120 ' (pulled); 65\text{"" a tubing, 1459 '.} 6\text{"" a tubing, 1459 '.} 6\text{"" a packer, set at 1305 '.}

Gas well. Abandonment reported to Dept. of Mines (not dated or stamped).

Record to RCT from Mrs. Griffith April 11, 1946. Old File No. 374.

	Top.	Bottom.
Conductor	0	- 16
Little Dunkard Sand	260	- 272
Big Dunkard Sand	3,80	- 405
Ges Send	443	- 550
1st Salt Sand	644	- 915
2nd Salt Sand	1040	- 1085
3rd Salt Sand (show gas, 1185')	1140	- 1200
Maxton Sand (gas, 1318-1340') (gas,		
1383-14101)	1298	- 1459
Total depth		1459

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES

OIL AND GAS DIVISION

(COPY)

3 -- \

WELL RECORD

Oil or Gas Well Gas

Company McCall Drilling Company Address 612 Keystone Building, Pittsburgh, Pa.	Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm Scott Boggs Acres 4	Size			
Location (waters)	16			Kind of Packer
Well No. lawll Elev. Sol	13			
District Center County Gilmer	-	•	1	Size of 65/4 × 2
The surface of tract is owned in fee by Scott Boggs	10	120		Size of
Address Orton, W. Va.		1 .		Depth set 1305
Mineral rights are owned by Scott Boggs	6%	1		
Address Orton, W. Va.	•	1459	1459	Perf. top
Drilling commenced July 20, 1925				-
Drilling completed August 7, 1925		1	1	1
Date Shot Not shot From To	Liners Used	all =	V. 8 & September	1
With S2 /10ths Water in $6 = 5/8$ Inch	. W. W. T. W. T. San Service and			Perf. bottom
	Carrier and in the appealant of an amount of the			And the second s
/10ths Merc. inInch	CASING CEMI	ENTED	SIZE	No. FtDate
Volume 2090 MCF Cu. Ft.				
Rock Pressure 450 lbs hrs.	COAL WAS E	NCOUNTERE	DAT None	FEETINCHES
Oilbbls., 1st 24 hrs.				
Fresh water feet feet	FEE	TINC	CHES	FEETINCHES
Salt water feet feet	FEE	TING	CHES	FEETINCHES

Soft	Fresh water					ET INCHE		
### Part	Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
	Little Dunkard Big Dunkard Gas Sand 1st Salt Sand 2d Salt Sand 3d Salt Sand Maxton Sand			380 443 644 1040 1140 1298	272 405 550 915 1035	Show gas 1 Gas 1318-13	40	
Tarak dan 1 Januaryan 1 Januar	1895-1997						10 10 10 10 10 10 10 10 10 10 10 10 10 1	with the gree