

#7386 | 2.07 S  
          | 1.02 W

---

#7437 | 2.40 S  
          | 1.08 W

New Location

Drill Deeper

Abandonment  7386

Company PITTSBURGH & W.VA. GAS CO.

Address CLARKSBURG, W.VA.

Farm M. J. GAINER

Tract \_\_\_\_\_ Acres 137 Lease No. 15078

Well (Farm) No. 1 E, 2 Serial No. 7386  
7437

Elevation (Spirit Level) AS SHOWN

Quadrangle GLENVILLE N.W. 21-3

County GILMER District DEKALB

Engineer Kenneth B. Moore  
*approved by [Signature] 764*

Engineer's Registration No. 764

File No. V-158 P. 137 Drawing No. \_\_\_\_\_

Date JULY 15, 1948 Scale 1" = 500'

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP  
FILE NO. GIL-281-A-#7386

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

M. J. GAINER NO. 7386 WELL.

Dekalb District, Gilmer County, W. Va.  
 By Pittsburgh & W. Va. Gas Co., Clarksburg, W. Va.  
 Abandoned under permit Gil-.....-A?  
 On 137 acres; Glenville N/W 2-1-3.  
 Elevation, 989' V. A.  
 Surface owned by Herbert Wade, Tanner, W. Va., and minerals by  
 J. W. and O. C. Davis, Glenville, W. Va.  
 Drilling commenced May 26, 1923; completed July 2, 1923.  
 10" casing, 90'; 8 $\frac{1}{2}$ "", 790'; 5 $\frac{3}{8}$ "", 1783'; all left in.  
 Gas well. Abandonment reported to Dept. of Mines May 15, 1948.  
 Record to RCT from Mrs. Griffith Jan. 22, 1949. Old Mile No. 422.

	Top.	Bottom.
Unrecorded	0	770
Little Dunkard Sand, dark, soft	770	820
Slate, black, soft	820	825
Slate, white, soft	825	852
Big Dunkard Sand, dark, hard	852	871
Slate, white, soft	871	900
Slate and shells	900	953
Sand, white, hard	953	997
Slate, black, soft	997	1005
Slate and shells, white	1005	1070
Sand, white, hard	1070	1170
Slate, black, soft	1170	1210
Gas Sand, dark, hard	1210	1275
Slate and shells, black, soft	1275	1305
1st Salt Sand, gray, hard	1305	1354
Slate, black, soft	1354	1358
Sand, gray, soft	1358	1405
Slate, black, soft	1405	1505
Sand, gray, hard	1505	1520
Slate, black, soft	1520	1530
Slate and shells	1530	1580
Stray sand (gas, 1642'), hard	1580	1653
Slate, black, soft	1653	1700
Maxton Sand, gray, hard (gas, 1753') (oil, 1735')	1700	1755
Big Lime, gray, hard (gas, 1810- 1816')	1755	1833
Big Injun Sand, gray, hard (gas, 1855')	1833	1859
Lime, gray, hard	1859	1876
Squaw Sand, gray, open	1876	1898
Lime, gray, broken	1898	1905
Total depth		1905



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

*Handwritten initials in a red circle*

WELL RECORD

Ab 781-A

Permit No. \_\_\_\_\_ Oil or Gas Well "GAS" (KIND)


Company Pittsburgh & West Va Gas Company.  
 Address Clarksburg, West Va.  
 Farm M. J. Gainer Acres 137  
 Location (waters) Glen. N/W. 2-1-3  
 Well No. 7386 Elev. 989' VA  
 District DeKalb County Gilmer  
 The surface of tract is owned in fee by Herbert Wade  
Tanner, W. Va.  
 Address \_\_\_\_\_  
 Mineral rights are owned by J.W.&O.C. Davis  
Glenville, W. Va.  
 Address \_\_\_\_\_  
 Drilling commenced May 26th, 1923  
 Drilling completed July 2nd, 1923  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	90'	90'	Size of
8 1/4	790'	790'	
6 5/8	1783'	1783'	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Un-recorded			0	770			
Little Dunkard	Dark	Soft	770	820			
Slate	Black	"	820	825			
Slate	White	"	825	852			
Big Dunkard	Dark	Hard	852	871			
Slate	White	Soft	871	900			
Slate&Shells			900	953			
Sand	White	Hard	953	997			
Slate	Black	Soft	997	1005			
Slate&Shells	White		1005	1070			
Sand	"	Hard	1070	1170			
Slate	Black	Soft	1170	1210			
Gas Sand	Dark	Hard	1210	1275			
Slate&Shells	Black	Soft	1275	1305			
1st. Salt Sand	Gray	Hard	1305	1354			
Slate	Black	Soft	1354	1358			
Sand	Gray	Soft	1358	1405			
Slate	Black	Soft	1405	1505			
Sand	Gray	Hard	1505	1520			
Slate	Black	Soft	1520	1530			
Slate&Shells			1530	1580			
Stray Sand		Hard	1580	1653	Gas	1642'	
Slate	Black	Soft	1653	1700			
Maxon Sand	Gray	Hard	1700	1755	Gas	1753'	
Big Lime	"	"	1755	1833	Oil	1735'	
Big Injun	"	"	1833	1859	Gas	1810'-1816'	
Lime	"	"	1859	1876	Gas	1855'	
Squaw Sand	"	Open	1876	1898			
Lime	"	Broken	1898	1905			
Total Depth				1905			

*Handwritten red circle*





COMPANY

Abt 4-29-18

Record of Well No. 7386 Located on *M J Cairne* Farm *May* 19*25*  
*Mr Kelt* District *Beaumont* County *L M* State  
 Division *K* District No. *13* Drilled under well Order *1770*  
 Rig built by *Emmerich* Began *May* 19*23* Completed *May* 19*23*  
 Well drilled by *W. H. Atterfield* Began *May 26* 19*23* Completed *July 2* 19*23*  
 Depth of Well *1905* feet Size of Hole *5 1/16* Producing *Gas*  
 Elev: *9896*

CASED WITH

REMARKS

AMOUNT	SIZE	KIND	REMARKS
<i>16'</i>	<i>13</i>	<i>Wood</i>	<i>Pulled 90' all out</i>
<i>90'</i>	<i>10</i>	<i>Log</i>	<i>Pulled 736' Left in 54'</i>
<i>790'</i>	<i>8 1/4</i>	<i>Log</i>	<i>Pulled 1595' Left in 188'</i>
<i>1783'</i>	<i>5 1/16</i>	<i>Log</i>	

COAL VEINS

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
<i>Big Iron</i>	<i>1708</i>	<i>1813</i>				
<i>Big Iron</i>	<i>1813</i>	<i>1809</i>				
<i>Squarehead</i>		<i>1898</i>				

Plugged 9-24-48 to 9-27-48

- Aquacel 1505-1500*
- Cement 1800-1790*
- Aquacel 1790-1600*
- Cement 1600-1590*
- Aquacel 1590-815*
- Cement 815-805*
- Aquacel 805-110*
- Cement 110-100*
- Aquacel 100-5*
- Cement 5- Surface*

18508-180

FIRST PRESSURE TEST IN 5 3/16 CASING

REMARKS

30 Sec.	14	lbs.
1 Min.	23	"
2 "	45	55/65
5 "	75	"
10 "	160	"
15 "	200	"
30 "	245	"

Rock Pressure 370 " in 24

Taken July 2 1923

By H. H. Hill

WELL TUBED AND PACKED ..... 19.....

VIZ:—

FIRST PRESSURE TEST IN ..... TUBING

REMARKS

30 Sec.	lbs.
1 Min.	"
2 "	"
5 "	"
10 "	"
15 "	"
30 "	"

Rock Pressure " in

Taken 19

By

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:

1 - old Rig & Cement from Well 7364

## FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Little Dunakra	770	820				
Slate	820	825				
Slate	825	852				
Big Dunkard	852	871				
Slate	871	900				
Slate	900	952				
Sand	955	997				
Slate	997	1005				
Slate & Shells	1005	1070				
Sand	1070	1170				
Slate	1170	1210				
Gas Sand	1210	1275				
Slate & Shells	1275	1305				
1st Salt Sand	1305	1354				
Slate	1354	1358				
Sand	1358	1405				
Slate	1405	1505				
Sand	1505	1520				
Slate	1520	1520				
Slate & Shells	1520	1580				
Stray sand	1580	1652		1642		
Slate	1652	1700				
Maxon sand	1700	1755		1752		
Big Lime	1755	1832				
lime gritty	1810	1832	1735	1810		
Big Injun	1822	1859		1816		
Lime	1859	1876		1855		
Squaw sand	1876	1898				
Total depth		1905				