



New Location
 Drill Deeper
 Abandonment

Company Pittsburgh & W. Va. Gas Co.
 Address Clarksburg, W. Va.
 Farm G.W. Miller
 Tract _____ Acres 124.2 Lease No. 15104
 Well (Farm) No. 1 Serial No. 7395
 Elevation (Spirit Level) 1014. V.A.
 Quadrangle Glenville N.W. 2 1/3
 County Gilmer District Dekalb
 Engineer James D. Jeffries
 Engineer's Registration No. 1084
 File No. 158/131 Drawing No. _____
 Date 7-14-48 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. GIL-282-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

G. W. MILLER NO. 7395 WELL.

Dekalb District, Gilmer County, W. Va.

By Pittsburgh & W. Va. Gas Co., Clarksburg, W. Va.

Abandoned under permit Gil-.....-A?

On 117 acres; Glenville N/W 2-1-3.

Elevation, 1014' V. A.

Surface owned by Isaac Mowery, R. D. No. 5, Glenville, W. Va.
and minerals by W. V. Miller et al., Tanner, W. Va.

Drilling commenced Sept. 6, 1923; completed Sept. 29, 1923.

10" casing, 125'; 8 $\frac{1}{2}$ ", 795'; 5 $\frac{3}{8}$ ", 1753'; all left in.

Coal was encountered at 695-699'.

Gas well. Abandonment reported to Dept. of Mines June 23, 1948.

Record to RCT from Mrs. Griffith Jan. 22, 1949. Old File No. 425.

	Top.	Bottom.
Dirt, dark, soft	0	40
Red rock, soft	40	70
Slate-Red rock, white and red, medium	70	90
Slate, white, hard	90	100
Sand, white, hard	100	125
Sand-Lime-Slate and red rock, hard and soft	125	695
Coal	695	699
Sand-Lime-Slate and red rock	699	750
Little Dunkard Sand, white, hard	750	830
Slate, white, soft	830	840
Big Dunkard Sand, white, hard	840	908
Slate, white, soft	908	940
Sand, white, medium	940	990
Slate and lime, white, soft & hard	990	1050
Sand, white, hard	1050	1162
Slate, black, soft	1162	1190
Gas Sand, gray, hard	1190	1240
Slate and shells, dark, hard & soft	1240	1280
1st Salt Sand, dark, hard	1280	1375
Slate and shells, dark, soft & hard	1375	1475
2nd Salt Sand, white, hard	1475	1510
Slate, black, soft	1510	1517
3rd Salt Sand, dark, hard	1517	1530
Slate and lime, dark, soft & hard	1530	1567
Sand, dark, hard (show gas, 1592')	1567	1675
Slate, light, soft	1675	1677
Sand, light, hard	1677	1706
Little Lime, black, hard	1706	1720
Slate, dark, soft	1720	1725
Lime, gray, hard	1725	1727
Sand, white, hard	1727	1730
Slate, white, soft	1730	1734
Sand, blue, hard	1734	1740
Slate, white, soft	1740	1745
Big Lime, gray, hard	1745	1800
Big Injun Sand, gray, hard (gas, 1802-1814')	1800
Total depth		1819



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Handwritten initials in a red circle

WELL RECORD

Permit No. *Ab 782-A*

Oil or Gas Well **"GAS"**
(KIND)

Company **Pittsburgh & West Va Gas Company.**
 Address **Clarksburg, West Va.**
 Farm **G. W. Miller** Acres **117**
 Location (waters) **Glenville N/W. 2-1-3**
 Well No. **7395** Elev. **1014' VA**
 District **DeKalb** County **Gilmer**
 The surface of tract is owned in fee by **Isaac Howery**
R.D.#5 Address **Glenville, W. Va.**
 Mineral rights are owned by **W. V. Miller et al.**
 Address **Tanner, West Va.**
 Drilling commenced **September 6th, 1923**
 Drilling completed **September 29th, 1923**
 Date Shot From To
 With
 Open Flow /10ths Water in Inch
 /10ths Merc. in Inch
 Volume Cu. Ft.
 Rock Pressure lbs. hrs.
 Oil bbls., 1st 24 hrs.
 Fresh water feet feet
 Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	125'	125'	Size of
8 1/4	795'	795'	
6 5/8			Depth set
5 3/16	1753'	1753'	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED SIZE No. Ft. Date
 COAL WAS ENCOUNTERED AT **695** FEET **48** INCHES
 FEET INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Dirt	Dark	Soft	0	40			
Red Rock	Red	"	40	70			
Slate-Red Rock	Wh. & Red	Medium	70	90			
Slate	White	Hard	90	100			
Sand	"	"	100	125			
Sand-Lime-Slate	R.R.	H. & S.	125	695			
Coal			695	699			
Sand-Lime-Slate	R.R.		699	750			
Little Dunkard	White	Hard	750	830			
Slate	"	Soft	830	840			
Big Dunkard	"	Hard	840	908			
Slate	"	Soft	908	940			
Sand	"	Medium	940	990			
Slate & Lime	"	Soft & Hard	990	1050			
Sand	"	Hard	1050	1162			
Slate	Black	Soft	1162	1190			
Gas Sand	Gray	Hard	1190	1240			
Slate & Shells	Dark	Hard & Soft	1240	1280			
1st. Salt Sand	"	Hard	1280	1375			
Slate & Shells	"	Soft & Hard	1375	1475			
2nd. Salt Sand	White	Hard	1475	1510			
Slate	Black	Soft	1510	1517			
3rd. Salt Sand	Dark	Hard	1517	1530			
Slate & Lime	"	Soft & Hard	1530	1567			
Sand	"	Hard	1567	1675	Sh. Gas	1592'	
Slate	Light	Soft	1675	1677			
Sand	"	Hard	1677	1706			
Little Lime	Black	"	1706	1720			
Slate	Dark	Soft	1720	1725			
Lime	Gray	Hard	1725	1727			
Sand	White	"	1727	1730			
Slate	"	Soft	1730	1734			
Sand	Blue	Hard	1734	1740			
Slate	White	Soft	1740	1745			
Big Lime	Gray	Hard	1745	1800			
Big Injun	"	"	1800		Gas	1802-1814'	
Total Depth				1819'			

AUG 1948
 WEST VIRGINIA
 DEPARTMENT OF MINES

COMPANY

Abd 6-15-48

Record of Well No. 7395 Located on G.W. Miller Farm Aug 1923
 District Wilkes County W.Va State
 Division K District No. 13 Drilled under well Order 1777
 Rig built by J.W. Craig Began Aug 1923 Completed Aug 1923
 Well drilled by W.A. Ratterfield Began Sept 6 1913 Completed Sep 29 1923
 Depth of Well 1819 feet Size of Hole 3 5/16 Producing Gas
 Elev: 10146

CASED WITH

REMARKS

AMOUNT	SIZE	KIND	REMARKS
16	13	Wood	
128	10	Casing	Pulled 125'
79'	8 1/2	Casing	Pulled 795'
1753'	5 1/2	Casing	Pulled 1753'

} All cas. out.

COAL VEINS

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Sand	1667	1675				1192
Sand	1677	1706				
Lat Lime	1706	1730				
Sand	1727	1730				
Sand	1734	1740				
Big Lime	1740	1800				
Big Sand	1800					

Plugged 10-26-48 to 11-1-48

Aggr. of Cement	1819	-1775
Cement	1775	-1765
Aggr. of Cement	1765	-1575
Cement	1575	-1565
Aggr. of Cement	1565	-729
Cement	729	-675
Aggr. of Cement	675	-150
Cement	150	-140
Aggr. of Cement	140	-5
Cement	5	-surface

FIRST PRESSURE TEST IN 5 1/16" CASING

REMARKS

30 Sec.	20	lbs.
1 Min.	40	"
2 "	75	100/200
5 "	150	"
10 "	225	"
15 "	237	200/200
30 "		"

Rock Pressure 305 " in 24 New

Taken Apr 29 1923

By H.E. Witt

WELL TUBED AND PACKED..... 19

VIZ:—

FIRST PRESSURE TEST IN..... TUBING

REMARKS

30 Sec.	lbs.
1 Min.	"
2 "	"
5 "	"
10 "	"
15 "	"
30 "	"

Rock Pressure " in

Taken 19

By

MATERIAL FOR THIS WELL RECEIVED FROM FOLLOWING SOURCES:

1. Rig Pattern from J.M. Davis Glenville W.
 1 set Rig Cables from Joe Murray.

FORMATIONS

NAME	TOP	BOTTOM	OIL	GAS	WATER	REMARKS
Dirt	00	40				
Red Rock	40	70				
Slate & Red Rock	70	90				
Slate	90	100				
Sand	100	125				
Sand, lime & Slate	125	150				
Lit Dunkard	150	820				
Slate	820	840				
Big Dunkard	840	908				
Slate	908	940				
Sand	940	990				
Slate & Lime	990	1050				
Stray Sand	1050	1162				
Slate	1162	1190				
Gas Sand	1190	1240				
Slate & Shells	1240	1280				
Salt Sand	1280	1375				
Slate & Shells	1375	1475				
2nd Salt Sand	1475	1510				
Slate	1510	1517				
2rd Salt Sand	1517	1530				
Slate & Lime	1530	1567				
Stray Sand	1567	1575		1592		
Slate	1575	1677				
Sand	1677	1706				
Little Lime	1706	1720				
Slate	1720	1728				
Lime	1728	1727				
Sand	1727	1720				
Slate	1720	1734				
Sand	1734	1740				
Slate	1740	1745				
Big Lime	1745	1800				
Big Injun	1800	1819 T.D.	1802			increased to 1814.